



# भारत का राजपत्र The Gazette of India

प्राधिकार से प्रकाशित  
PUBLISHED BY AUTHORITY

साप्ताहिक  
WEEKLY

सं. 46 ] नई दिल्ली, नवम्बर 7—नवम्बर 13, 2004, शनिवार/कार्तिक 16—कार्तिक 22, 1926  
No. 46 ] NEW DELHI, NOVEMBER 7—NOVEMBER 13, 2004, SATURDAY/KARTIKA 16—KARTIKA 22, 1926

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके  
Separate Paging is given to this Part in order that it may be filed as a separate compilation

भाग II—खण्ड 3—उप-खण्ड (ii)  
PART II—Section 3—Sub-section (ii)

भारत सरकार के मंत्रालयों (रक्षा मंत्रालय को छोड़कर) द्वारा जारी किए गए सांविधिक आदेश और अधिसूचनाएं  
Statutory Orders and Notifications Issued by the Ministries of the Government of India  
(Other than the Ministry of Defence)

वित्त मंत्रालय  
(राजस्व विभाग)  
(केन्द्रीय प्रत्यक्ष कर बोर्ड)  
नई दिल्ली, 15 अक्टूबर, 2004  
(आयकर)

का.आ. 2845.—आयकर अधिनियम, 1961 (1961 का 43) की धारा 10 के खंड (23ग) उपखंड (iv) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्र सरकार एतद्वारा “फाउंडेशन आगा खान, नई दिल्ली” को वर्ष 2005-2006 से 2007-2008 तक के लिए निम्नलिखित शर्तों के अधीन रहते हुए उक्त उप खंड के प्रयोजनार्थ अनुमोदित करती है, अर्थात् :—

- (i) कर-निर्धारिती अपनी आय का इस्तेमाल अथवा अपनी आय का इस्तेमाल करने के लिए उसका संचयन पूर्णतया तथा अनन्यतया उन उद्देश्यों के लिए करेगा जिनके लिए इसकी स्थापना की गई है;
- (ii) कर-निर्धारिती उपर्युक्त कर निर्धारण वर्षों से संगत पूर्ववर्ती वर्षों की किसी भी अवधि के दौरान धारा 11 की उपधारा

(5) में विनिर्दिष्ट किसी एक अथवा एक से अधिक ढंग अथवा तरीकों से भिन्न तरीकों से उसकी निधि (जेवर-जवाहिरात, फर्नीचर आदि किसी अन्य वस्तु आदि के रूप में प्राप्त तथा अनुरक्षित स्वैच्छिक अंशदान से भिन्न) का निवेश नहीं करेगा अथवा उसे जमा नहीं करवा सकेगा;

- (iii) यह अधिसूचना किसी ऐसी आय के संबंध में लागू नहीं होगी, जो कि कारोबार से प्राप्त लाभ तथा अभिलाभ हो जब तक कि ऐसा कारोबार उक्त कर निर्धारिती के उद्देश्यों की प्राप्ति के लिए प्रासंगिक नहीं हो तथा ऐसे कारोबार के संबंध में अलग से लेखा पुस्तिकाएं नहीं रखी जाती हों;
- (iv) कर-निर्धारिती आयकर अधिनियम, 1961 के प्रावधानों के अनुसार अपनी आय विवरणी नियमित रूप से आयकर प्राधिकारी के समक्ष फाइल करेगा;
- (v) विघटन की स्थिति में इसकी अतिरिक्त राशियां और परिसम्पत्तियां समान उद्देश्यों वाले धर्मार्थ संगठन को दे दी जाएंगी।

[अधिसूचना सं. 259/2004/फा. सं. 197/121/2004—आई टी ए-1]

दीपक गर्ग, अवर सचिव

**MINISTRY OF FINANCE**  
**(Department of Revenue)**  
**(CENTRAL BOARD OF DIRECT TAXES)**  
 New Delhi, the 15th October, 2004

**(INCOME-TAX)**

**S. O. 2845.**—In exercise of powers conferred by the sub-clause (iv) of clause (23C) of Section 10 of the Income-tax Act, 1961 (43 of 1961), the Central Government hereby notifies the "Foundation Aga Khan, New Delhi" for the purpose of the said sub-clause for the assessment years 2005-2006 to 2007-2008 subject to the following conditions, namely:—

- (i) the assessee will apply its income, or accumulate for application, wholly and exclusively to the objects for which it is established;
- (ii) the assessee will not invest or deposit its fund (other than voluntary contributions received and maintained in the form of jewellery, furniture etc.) for any period during the previous years relevant to the assessment years mentioned above otherwise than in any one or more of the forms or modes specified in Sub-section (5) of Section 11;
- (iii) this notification will not apply in relation to any income being profits and gains of business, unless the business is incidental to the attainment of the objectives of the assessee and separate books of account are maintained in respect of such business;
- (iv) the assessee will regularly file its return of income before the Income-tax authority in accordance with the provisions of the Income-tax Act, 1961;
- (v) that in the event of dissolution, its surplus and the assets will be given to a charitable organisation with similar objectives.

[Notification No. 259/2004/F.No. 197/121/2004-ITA-I]

DEEPAK GARG, Under Secy.

नई दिल्ली, 18 अक्टूबर, 2004

( आयकर )

**क्र.आ. 2846.**—आयकर अधिनियम, 1961 (1961 का 43) की धारा 10 के खंड (23ग) उपखंड (iv) द्वारा प्रदत्त शक्तियों को प्रयोग करते हुए, केन्द्र सरकार एतद्वारा "बाला मंदिर कामराज ट्रस्ट, चेन्नई" को वर्ष 2002-2003 से 2004-2005 तक के लिए निम्नलिखित शर्तों के अधीन रहते हुए उक्त उपखंड के प्रयोजनार्थ अनुमोदित करती है अर्थात्:—

- (i) कर-निर्धारिती अपनी आय का इस्तेमाल अथवा अपनी आय का इस्तेमाल करने के लिए उसका संचयन पूर्णतया तथा अनन्यतया उन उद्देश्यों के लिए करेगा जिनके लिए इसकी स्थापना की गई है;
- (ii) कर-निर्धारिती उपर्युक्त कर निर्धारण वर्षों से संगत पूर्ववर्ती वर्षों की किसी भी अवधि के दौरान धारा 11 की उपधारा

(5) में विनिर्दिष्ट किसी एक अथवा एक से अधिक ढंग अथवा तरीकों से भिन्न तरीकों से उसकी निधि (जेवर-जवाहिरात, फर्नीचर आदि किसी अन्य वस्तु आदि के रूप में प्राप्त तथा अनुरक्षित स्वैच्छिक अंशदान से भिन्न) का निवेश नहीं करेगा अथवा उसे जमा नहीं करवा सकेगा;

- (iii) यह अधिसूचना किसी ऐसी आय के संबंध में लागू नहीं होगी, जो कि कारोबार से प्रेषित लाभ तथा अभिलाभ हो जब तक कि ऐसा कारोबार उक्त कर निर्धारिती के उद्देश्यों की प्राप्ति के लिए प्रासंगिक नहीं हो तथा ऐसे कारोबार के संबंध में अलग से लेखा पुस्तिकाएं नहीं रखी जाती हों;
- (iv) कर-निर्धारिती आयकर अधिनियम, 1961 के प्रावधानों के अनुसार अपनी आय विवरणी नियमित रूप से आयकर प्राधिकारी के समक्ष फाइल करेगा;
- (v) विघटन की स्थिति में इसकी अतिरिक्त राशियां और परिसम्पत्तियां समान उद्देश्यों वाले धर्मार्थ संगठन को दे दी जाएंगी।

[अधिसूचना सं. 260/2004/फ. सं. 197/109/2004-आईटीए-1]

दीपक गर्ग, अवर सचिव

New Delhi, the 18th October, 2004

**(INCOME-TAX)**

**S. O. 2846.**—In exercise of powers conferred by the sub-clause (iv) of clause (23C) of Section 10 of the Income-tax Act, 1961 (43 of 1961), the Central Government hereby notifies the "Bala Mandir Kamraj Trust, Chennai" for the purpose of the said sub-clause for the assessment years 2002-2003 to 2004-2005 subject to the following conditions, namely:—

- (i) the assessee will apply its income, or accumulate for application, wholly and exclusively to the objects for which it is established;
- (ii) the assessee will not invest or deposit its fund (other than voluntary contributions received and maintained in the form of jewellery, furniture etc.) for any period during the previous years relevant to the assessment years mentioned above otherwise than in any one or more of the forms or modes specified in Sub-section (5) of Section 11;
- (iii) this notification will not apply in relation to any income being profits and gains of business, unless the business is incidental to the attainment of the objectives of the assessee and separate books of account are maintained in respect of such business;
- (iv) the assessee will regularly file its return of income before the Income-tax authority in accordance with the provisions of the Income-tax Act, 1961;
- (v) that in the event of dissolution, its surplus and the assets will be given to a charitable organisation with similar objectives.

[Notification No. 260/2004/F.No. 197/109/2004-ITA-I]

DEEPAK GARG, Under Secy.

नई दिल्ली, 18 अक्टूबर, 2004

( आयकर )

का.आ. 2847.—आयकर अधिनियम, 1961 (1961 का 43) की धारा 10 के खंड (23ग) के उप-खंड (iv) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए केन्द्र सरकार एतद्वारा "दि इंस्टीट्यूट आफ चार्टर्ड एकाउंटेंट्स आफ इण्डिया" को वर्ष 2003-2004 से 2005-2006 तक के लिए निम्नलिखित शर्तों के अधीन रहते हुए उक्त उप खंड के प्रयोजनार्थ अनुमोदित करती है, अर्थात् :—

- (i) कर-निर्धारिती अपनी आय का इस्तेमाल अथवा अपनी आय का इस्तेमाल करने के लिए उसका संचयन पूर्णतया तथा अनन्यतया उन उद्देश्यों के लिए करेगा जिनके लिए इसकी स्थापना की गई है;
- (ii) कर-निर्धारिती उपर्युक्त कर-निर्धारण वर्षों से संगत पूर्ववर्ती वर्षों की किसी भी अवधि के दौरान धारा 11 की उपधारा (5) में विनिर्दिष्ट किसी एक अथवा एक से अधिक ढंग अथवा तरीकों से भिन्न तरीकों से उसकी निधि (जेवर-जवाहिरात, फर्नीचर आदि किसी अन्य वस्तु आदि के रूप में प्राप्त तथा अनुरक्षित स्वैच्छिक अंशदान से भिन्न) का निवेश नहीं करेगा अथवा उसे जमा नहीं करवा सकेगा;
- (iii) यह अधिसूचना किसी ऐसी आय के संबंध में लागू नहीं होगी, जो कि कारोबार से प्राप्त लाभ तथा अभिलाभ हो जब तक कि ऐसा कारोबार उक्त कर निर्धारिती के उद्देश्यों की प्राप्ति के लिए प्रासंगिक नहीं हो तथा ऐसे कारोबार के संबंध में अलग से लेखा पुस्तिकाएं नहीं रखी जाती हों;
- (iv) कर-निर्धारिती आयकर अधिनियम, 1961 के प्रावधानों के अनुसार अपनी आय विवरणी नियमित रूप से आयकर प्राधिकारी के समक्ष फाइल करेगा;
- (v) विघटन की स्थिति में इसकी अतिरिक्त राशियाँ और परिसम्पत्तियाँ समान उद्देश्यों वाले धर्मार्थ संगठन को दे दी जाएंगी।

[ अधिसूचना सं. 261/2004/फ. सं. 197/115/2004-आई टी ए-1 ]

दीपक गर्ग, अवर सचिव

New Delhi, the 18th October, 2004

(INCOME-TAX)

S. O. 2847.—In exercise of powers conferred by the sub-clause (iv) of clause (23C) of Section 10 of the Income-tax Act, 1961 (43 of 1961), the Central Government hereby notifies the "The Institute of Chartered Accountants of India, New Delhi" for the purpose of the said sub-clause for the assessment years 2003-2004 to 2005-2006 subject to the following conditions, namely:—

- (i) the assessee will apply its income, or accumulate for application, wholly and exclusively to the objects for which it is established;
- (ii) the assessee will not invest or deposit its fund (other than voluntary contributions received and maintained in the form of jewellery,

furniture etc.) for any period during the previous years relevant to the assessment years mentioned above otherwise than in any one or more of the forms or modes specified in sub-section (5) of Section 11;

- (iii) this notification will not apply in relation to any income being profits and gains of business, unless the business is incidental to the attainment of the objectives of the assessee and separate books of accounts are maintained in respect of such business;
- (iv) the assessee will regularly file its return of income before the Income-tax authority in accordance with the provisions of the Income-tax Act, 1961;
- (v) that in the event of dissolution, its surplus and the assets will be given to a charitable organisation with similar objectives.

[Notification No. 261/2004/F.No. 197/115/2004-ITA-I]

DEEPAK GARG, Under Secy.

नई दिल्ली, 18 अक्टूबर, 2004

( आयकर )

का.आ. 2848.—आयकर अधिनियम, 1961 (1961 का 43) की धारा 10 के खंड (23ग) के उप-खंड (iv) द्वारा प्रदत्त शक्तियों को प्रयोग करते हुए केन्द्रीय सरकार एतद्वारा "जहाँगीर आर्ट गैलरी, मुम्बई" को वर्ष 2005-2006 तक के लिए निम्नलिखित शर्तों के अधीन रहते हुए उक्त उप-खंड के प्रयोजनार्थ अनुमोदित करती है, अर्थात् :—

- (i) कर-निर्धारिती अपनी आय का इस्तेमाल अथवा अपनी आय का इस्तेमाल करने के लिए उसका संचयन पूर्णतया तथा अनन्यतया उन उद्देश्यों के लिए करेगा जिनके लिए इसकी स्थापना की गई है;
- (ii) कर-निर्धारिती उपर्युक्त कर निर्धारण वर्षों से संगत पूर्ववर्ती वर्षों की किसी भी अवधि के दौरान धारा 11 की उप-धारा (5) में विनिर्दिष्ट किसी एक अथवा एक से अधिक ढंग अथवा तरीकों से भिन्न तरीकों से उसकी निधि (जेवर-जवाहिरात, फर्नीचर आदि किसी अन्य वस्तु आदि के रूप में प्राप्त तथा अनुरक्षित स्वैच्छिक अंशदान से भिन्न) का निवेश नहीं करेगा अथवा उसे जमा नहीं करवा सकेगा;
- (iii) यह अधिसूचना किसी ऐसी आय के संबंध में लागू नहीं होगी, जो कि कारोबार से प्राप्त लाभ तथा अभिलाभ हो जब तक कि ऐसा कारोबार उक्त कर निर्धारिती के उद्देश्यों की प्राप्ति के लिए प्रासंगिक नहीं हो तथा ऐसे कारोबार के संबंध में अलग से लेखा पुस्तिकाएं नहीं रखी जाती हों;
- (iv) कर-निर्धारिती आयकर अधिनियम, 1961 के प्रावधानों के अनुसार अपनी आय विवरणी नियमित रूप से आयकर प्राधिकारी के समक्ष फाइल करेगा;
- (v) विघटन की स्थिति में इसकी अतिरिक्त राशियाँ और परिसम्पत्तियाँ समान उद्देश्यों वाले धर्मार्थ संगठन को दे दी जाएंगी।

[ अधिसूचना सं. 262/2004/फ. सं. 197/104/2004-आई टी ए-1 ]

दीपक गर्ग, अवर सचिव

New Delhi, the 18th October, 2004

**(INCOME-TAX)**

**S. O. 2848.**—In exercise of powers conferred by the sub-clause (iv) of clause (23C) of Section 10 of the Income-tax Act, 1961 (43 of 1961), the Central Government hereby notifies the “Jehangir Art Gallery, Mumbai” for the purpose of the said sub-clause for the assessment year 2005-2006 subject to the following conditions, namely:—

- (i) the assessee will apply its income, or accumulate for application, wholly and exclusively to the objects for which it is established;
- (ii) the assessee will not invest or deposit its fund (other than voluntary contributions received and maintained in the form of jewellery, furniture etc.) for any period during the previous years relevant to the assessment years mentioned above otherwise than in any one or more of the forms or modes specified in Sub-section (5) of Section 11;
- (iii) this notification will not apply in relation to any income being profits and gains of business, unless the business is incidental to the attainment of the objectives of the assessee and separate books of accounts are maintained in respect of such business;
- (iv) the assessee will regularly file its return of income before the Income-tax authority in accordance with the provisions of the Income-tax Act, 1961;
- (v) that in the event of dissolution, its surplus and the assets will be given to a charitable organisation with similar objectives.

[Notification No. 262/2004/F.No. 197/104/2004-ITA-I]

DEEPAK GARG, Under Secy.

नई दिल्ली, 29 अक्टूबर, 2004

( आयकर )

**का.आ. 2849.**—आयकर अधिनियम, 1961 (1961 का 43) की धारा 10 के खंड (23ग) के उप-खंड (iv) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए केन्द्र सरकार एतद्वारा “इण्डिया ट्रेड प्रमोशन ऑर्गेनाइजेशन, नई दिल्ली” को वर्ष 2004-2005 से 2006-2007 तक के लिए निम्नलिखित शर्तों के अधीन रहते हुए उक्त उप-खंड के प्रयोजनार्थ अनुमोदित करती है, अर्थात् :—

- (i) कर-निर्धारिती अपनी आय का इस्तेमाल अथवा अपनी आय का इस्तेमाल करने के लिए उसका संचयन पूर्णतया तथा अनन्यतया उन उद्देश्यों के लिए करेगा जिनके लिए इसकी स्थापना की गई है;
- (ii) कर-निर्धारिती उपर्युक्त कर निर्धारण वर्षों से संगत पूर्ववर्ती वर्षों की किसी भी अवधि के दौरान धारा 11 की उपधारा (5) में विनिर्दिष्ट किसी एक अथवा एक से अधिक ढंग अथवा तरीकों से भिन्न तरीकों से उसकी निधि (जेवर-

जवाहिरात, फर्नीचर आदि के रूप में प्राप्त तथा अनुरक्षित स्वेच्छिक अंशदान से भिन्न) का निवेश नहीं करेगा अथवा उसे जमा नहीं करेगा;

- (iii) यह अधिसूचना किसी ऐसी आय के संबंध में लागू नहीं होगी, जो कि कारोबार से प्राप्त लाभ तथा अभिलाभ हो जब तक कि ऐसा कारोबार उक्त कर-निर्धारिती के उद्देश्यों की प्राप्ति के लिए प्रासंगिक नहीं हो तथा ऐसे कारोबार के संबंध में अलग से लेखा पुस्तिकाएं नहीं रखी जाती हों;
- (iv) कर-निर्धारिती आयकर अधिनियम, 1961 के प्रावधानों के अनुसार अपनी आय विवरणी नियमित रूप से आयकर प्राधिकारी के समक्ष फाइल करेगा।

[अधिसूचना सं. 270/2004/फा. सं. 197/36/2004-आयकर नि.-I]

दीपक गर्ग, अवर सचिव

New Delhi, the 29th October, 2004

**(INCOME-TAX)**

**S. O. 2849.**—In exercise of powers conferred by the sub-clause (iv) of clause (23C) of Section 10 of the Income-tax Act, 1961 (43 of 1961), the Central Government hereby notifies the “India Trade Promotion Organisation, New Delhi” for the purpose of the said sub-clause for the assessment years 2004-2005 to 2006-2007 subject to the following conditions, namely:—

- (i) the assessee will apply its income, or accumulate for application, wholly and exclusively to the objects for which it is established;
- (ii) the assessee will not invest or deposit its fund (other than voluntary contributions received and maintained in the form of jewellery, furniture etc.) for any period during the previous years relevant to the assessment years mentioned above otherwise than in any one or more of the forms or modes specified in sub-section (5) of Section 11;
- (iii) this notification will not apply in relation to any income being profits and gains of business, unless the business is incidental to the attainment of the objectives of the assessee and separate books of accounts are maintained in respect of such business;
- (iv) the assessee will regularly file its return of income before the Income-tax authority in accordance with the provisions of the Income-tax Act, 1961;

[Notification No. 270/2004/F.No. 197/36/2004-ITA-I]

DEEPAK GARG, Under Secy.

नई दिल्ली, 27 अक्टूबर, 2004

**का.आ. 2850.**—सर्वसाधारण की जानकारी के लिए यह अधिसूचित किया जाता है कि आयकर नियमावली, 1962 के नियम 23 के साथ पठित आयकर अधिनियम, 1961 की धारा 10(23-छ) के प्रयोजनार्थ केन्द्र सरकार द्वारा कर-निर्धारण वर्ष 2004-05 से



कर निर्धारण वर्ष 2029-2030 (12-1-2028 तक) तक अर्थात् केन्द्रीय विद्युत नियामक आयोग द्वारा जारी किए गए दिनांक 13-11-2003 के लाइसेंस में विनिर्दिष्ट 25 वर्ष की अवधि की समाप्ति तक अथवा इससे पूर्व लाइसेंस की शर्तों के उल्लंघन होने की स्थिति में नीचे पैरा (3) में उल्लिखित उद्यम/उपक्रम को अनुमोदित किया गया है।

2. यह अनुमोदन इस शर्त के अधीन है कि :

- (i) उद्यम/उपक्रम आयकर नियमावली, 1962 के नियम 2ड के साथ पठित आयकर अधिनियम, 1961 की धारा 10(23छ) के उपबंधों के अनुरूप होगा और उनका अनुपालन करेगा;
- (ii) केन्द्र सरकार यह अनुमोदन वापिस ले लेगी यदि उद्यम/उपक्रम :—
  - (क) आयकर नियमावली, 1962 के नियम 2ड की व्याख्या (ख) में यथापरिभाषित पात्र कारोबार सुविधा को जारी रखना बंद कर देता है; अथवा
  - (ख) खाता बहियों का रख-रखाव नहीं करता है तथा आयकर नियमावली, 1962 के नियम 2ड के उप-नियम (6) द्वारा यथाअपेक्षित किसी लेखाकार द्वारा ऐसे खातों की लेखा परीक्षा नहीं कराता है; अथवा
  - (ग) आयकर नियमावली, 1962 के नियम 2ड के उप-नियम (6) द्वारा यथाअपेक्षित लेखा परीक्षा रिपोर्ट प्रस्तुत नहीं करता है।
- (iii) उद्यम/उपक्रम आयकर अधिनियम, 1961 को धारा 80 झ क (4) (iv) (ख) के उपबंधों के अनुसार, 31 मार्च, 2006 को अथवा इससे पूर्व नए ट्रांसमिशन के नेटवर्क की स्थापना अथवा वितरण की लाइनें बिछा कर पारेषण अथवा वितरण करेगा जिसके न होने पर अनुमोदन वापस ले लिया जाएगा।

3. मैसर्स पावर लिंक्स ट्रांसमिशन लिमिटेड, पंजीकृत कार्यालय बी-9, कुतुब इस्टीट्यूशनल एरिया, कटवारिया सराय, नई दिल्ली-110016 (पूर्व नाम मैसर्स टाटा दिल्ली ट्रांसमिशन लिमिटेड) द्वारा पावर ग्रिड कॉर्पोरेशन ऑफ इंडिया लिमिटेड और पावर लिंक्स ट्रांसमिशन के बीच दिनांक 08-04-2004 के हुए करार (दिनांक 04-07-2003 के मूल करार) के संश्लेषित तथा पुनर्व्योक्त कार्यान्वयन के अनुसार निर्माण, निजी, प्रचालन तथा हस्तांतरण के आधार पर टाटा हद्द्रे इलेक्ट्रिक परियोजना, ईस्ट नार्थ इंटरकनेक्टर एण्ड नार्थ रीजन ट्रांसमिशन सिस्टम से जुड़ी सिल्लीगुड़ी से मंडौला तक 1171 कि. मी. ट्रांसमिशन सिस्टम की उनकी परियोजना के लिए (फ. सं. 203/23/2004-आ क नि-II)।

[ अधिसूचना सं. 269/2004/फ. सं. 205/23/2004-आ क नि-II ]

निधि सिंह, अवर सचिव

New Delhi, the 27th October, 2004

S.O. 2850.— It is notified for general information that the enterprise/undertaking, listed at para (3) below

has been approved by the Central Government for the purpose of Section 10(23G) of the Income-tax Act, 1961, read with Rule 2E of the Income-tax Rules, 1962 with effect from the Assessment Year 2004-05 to Assessment Year 2029-2030 (upto 12-11-2028) i.e. end of period of 25 years specified in the Licence dt. 13-11-2003 issued by the Central Electricity Regulatory Commission or earlier in the event of violation of the terms of the Licence.

2. The approval is subject to the conditions that—

- (i) the enterprise/undertaking will conform to and comply with the provisions of Section 10(23G) of the Income-tax Act, 1961, read with Rule 2E of the Income-tax Rules, 1962;
- (ii) the Central Government shall withdraw this approval if the enterprise/undertaking :—
  - (a) ceases to carry on the eligible business as defined in Explanation (b) to Rule 2E of I.T. Rules, 1962; or
  - (b) fails to maintain books of account and get such accounts audited by an accountant as required by sub-rule (6) of Rule 2E of the Income-tax Rules, 1962; or
  - (c) fails to furnish the audit report as required by Sub-rule (6) of Rule 2E of the Income-tax Rules, 1962.
- (iii) the enterprise/undertaking starts transmission or by distribution by laying a network of new transmission or distribution lines of the project mentioned in para (3) below on or before 31st day of March, 2006 as per provisions of Section 80 IA(4)(iv)(b) of the Income-tax Act, 1961 failing which the approval shall be withdrawn.

3. The enterprise/undertaking approved is :—

M/s. Powerlinks Transmission Ltd., Regd. Office B-9, Qutab Institutional Area, Katwaria Sarai, New Delhi-110016 (formerly M/s. Tata Delhi Transmission Ltd.) for their project of 1171 kms. Transmission System from Siliguri to Mandaula associated with Tata Hydro Electric Project, East North Interconnector and Northern Region Trans-mission System on Build, Own, Operate and Transfer (BOOT) basis as per Amended and Restated Implementation Agreement dated 08-04-2004 (original agreement dated 04-07-2003) between the Power Grid Corporation of India Ltd. and Power Links Transmission Ltd. (F. No. 205/23/2004-ITA-II).

[Notification No. 269/2004/F. No. 205/23/2004/ITA-II]

NIDHI SINGH, Under Secy.

नई दिल्ली, 27 अक्टूबर, 2004

( आयकर )

का.आ. 2851.—सामान्य जानकारी के लिए यह अधिसूचित किया जाता है कि केन्द्र सरकार द्वारा अधोलिखित संगठन को उसके

नाम के सामने उल्लिखित अधिधि के लिए आयकर नियमावली, 1962 के नियम 6 के साथ पठित आयकर अधिनियम, 1961 की धारा 35 की उपधारा (1) के खंड (ii) के प्रयोजनार्थ 'संस्था' श्रेणी के अंतर्गत निम्नलिखित शर्तों के अधीन अनुमोदित किया गया है :—

- (i) संगठन अपने अनुसंधान कार्यकलापों के लिए अलग लेखा बहियों का रखरखाव करेगा;
- (ii) अधिसूचित संगठन प्रत्येक वित्तीय वर्ष के लिए अपनी वैज्ञानिक अनुसंधान गति-विधियों की वार्षिक विवरणी प्रत्येक वर्ष 31 मई को अथवा उससे पहले सचिव, वैज्ञानिक और औद्योगिक अनुसंधान विभाग टेक्नोलॉजी भवन, न्यू महरोली रोड, नई दिल्ली-110016 को प्रस्तुत करेगा;
- (iii) अधिसूचित संगठन केन्द्र सरकार की तरफ से नामोद्दिष्ट निर्धारण अधिकारी को आयकर की विवरणी प्रस्तुत करने के अतिरिक्त अपने लेखा परीक्षित वार्षिक लेखों की एक प्रति तथा अपने अनुसंधान कार्यकलापों, जिसके लिए आयकर अधिनियम, 1961 की धारा 35 की उपधारा (1) के अंतर्गत छूट प्रदान की गई थी, के संबंध में आय एवं व्यय खाते की लेखा परीक्षा की भी एक प्रति संगठन पर अधिकार क्षेत्र वाले (क) आयकर महानिदेशक (छूट) 9वां तथा 10वां तल, सेक्टर 3, वैशाली, गाजियाबाद (ख) संगठन के ऊपर अधिकार क्षेत्र वाले आयकर आयुक्त/आयकर निदेशक (छूट) को प्रत्येक वर्ष 31 अक्टूबर को अथवा उससे पहले प्रस्तुत करेगा।

क्र. सं. अनुमोदित संगठन का नाम अवधि जिसके लिए अधिसूचना प्रभावी है

- |   |                       |
|---|-----------------------|
| 1. मैसर्स सेन्ट्रल मैनुफैक्चरिंग टेक्नालाजी इन्स्टीट्यूट, तुमकुर रोड, बंगलौर-560022 | 1-4-2001 से 31-3-2004 |
|---|-----------------------|

टिप्पणी : (i) उपर्युक्त शर्त (i) संघ के रूप में श्रेणीबद्ध संगठन पर लागू नहीं होगी।

- (ii) अधिसूचित संगठन को सलाह दी जाती है कि वह अनुमोदन के नवीकरण के लिए तीन प्रतियों में और पहले ही अधिकार क्षेत्र वाले आयकर आयुक्त/आयकर निदेशक (छूट) के माध्यम से केन्द्र सरकार को आवेदन करें।

[अधिसूचना सं. 268/2004/फा. सं. 203/39/2001-आ क नि-II (खंड-V)]

निधि सिंह, अवर सचिव

New Delhi, the 27th October, 2004

#### INCOME-TAX

S.O. 2851.— It is hereby notified for general information that the organization mentioned below has

been approved by the Central Government for the period mentioned below, for the purpose of clause (ii) of sub-Section (1) of section 35 of the Income-tax Act, 1961, read with Rule 6 of the Income Tax Rules, 1962 under the category "Institution" subject to the following conditions

- (i) The organization shall maintain separate books of accounts for its research activities;
- (ii) The notified organization shall furnish the Annual Return of its scientific research activities to the Secretary, Department of Scientific and Industrial Research 'Technology Bhawan', New Mahrauli Road, New Delhi-110016 for every financial year on or before 31st May of each year;
- (iii) The notified organization shall submit, on behalf of the Central Government, to (a) the Director General of Income Tax (Exemption), Aayakar Bhawan, 9th and 10th Floor, Sector 3, Vaishali, Ghaziabad (b) the Secretary, Department of Scientific and Industrial Research, and (c) the Commissioner of Income-tax/Director of Income Tax (Exemptions) having jurisdiction over the organisation, on or before the 31st October each year, a copy of its audited Annual Accounts and also a copy of audited Income and Expenditure Account in respect of its research activities for which exemption was granted under sub-section (1) of Section 35 of Income-Tax Act, 1961 in addition to the return of income tax to the designated assessing officer.

S. No.	Name of organisation approved	Period for which notification is effective
--------	-------------------------------	--

- |    |  |                       |
|----|--|-----------------------|
| 1. | M/s. Central Manufacturing Technology Institute, Tumkur Road, Bangalore-560022 | 1-4-2001 to 31-3-2004 |
|----|--|-----------------------|

Notes : (i) Condition (i) above will not apply to the organization categorized as "Assosiation".

- (ii) The notified organization is advised to apply in triplicates as well in advance for further renewal of the approval, to the Central Government through the Commissioner of Income Tax/Director of Income Tax (Exemptions) having jurisdiction. Three copies of the application for renewal of approval should also be sent directly to the Secretary, Department of Scientific and Industrial Research.

[Notification No. 268/2004/F. No. 203/39/2001-ITA-II (Vol-V)]

NIDHI SINGH, Under Secy.

नई दिल्ली, 1 नवम्बर, 2004

का.आ. 2852.—सर्वसाधारण की जानकारी के लिए यह अधिसूचित किया जाता है कि केन्द्र सरकार द्वारा आयकर नियमावली, 1962 के नियम 2 ड के साथ पठित आयकर अधिनियम, 1961 की धारा 10 (23-छ) के प्रयोजनार्थ कर निर्धारण वर्ष 2002-03 से नीचे पैरा (3) में उल्लिखित उद्यम/उपक्रम को अनुमोदित किया गया है।

2. यह अनुमोदन इस शर्त के अधीन है कि :—

- (i) उद्यम/उपक्रम आयकर नियमावली, 1962 के नियम 2ड के साथ पठित आयकर अधिनियम, 1961 की धारा 10 (23-छ) के उपबंधों के अनुरूप होगा और उनका अनुपालन करेगा;
- (ii) केन्द्र सरकार यह अनुमोदन वापिस ले लेगी यदि उद्यम/उपक्रम :—
  - (क) आयकर नियमावली, 1962 के नियम 2ड के स्पष्टीकरण (ख) में यथा परिभाषित पात्र कारोबार को जारी रखना बंद कर देता है; अथवा
  - (ख) खाता बहियों का रख-रखाव नहीं करता है तथा आयकर नियमावली, 1962 के नियम 2ड के उप नियम (6) द्वारा यथा अपेक्षित किसी लेखाकार द्वारा ऐसे खातों की लेखा परीक्षा नहीं करता है; अथवा
  - (ग) आयकर नियमावली, 1962 के नियम 2ड के उप नियम (6) द्वारा यथा अपेक्षित लेखा परीक्षा रिपोर्ट प्रस्तुत नहीं करता है।

3. अनुमोदित उद्यम/उपक्रम है :—

मैसर्स ओ. पी. जी. एनर्जी प्राईवेट लिमिटेड, संख्या 17, मुकेर नाला मुथू स्ट्रीट, चेन्नई-600001 को मारुतुर गाँव, मेयिलादुतुराय तालुक, नागापट्टिनम जिला, तमिलनाडु में सामूहिक आन्तरिक विद्युत संयंत्र पर आधारित उनके 17.64 मेगावाट प्राकृतिक गैस के लिए (फा. सं. 205/34/2002-आ.क.न.-II)।

[अधिसूचना सं. 274/2004/फा. सं. 205/34/2002-आ.क.नि.-II]

निधि सिंह, अवर सचिव

New Delhi, the 1st November, 2004

S.O. 2852.—It is notified for general information that the enterprise/undertaking, listed at para (3) below has been approved by the Central Government for the purpose of Section 10(23G) of the Income-tax Act, 1961, read with Rule 2E of the Income-tax Rules, 1962 with effect from the Asstt. Year 2002-2003.

2. The approval is subject to the conditions that—

- (i) the enterprise/undertaking will conform to and comply with the provisions of Section 10(23G)

of the Income-tax Act, 1961, read with Rule 2E of the Income-tax Rules, 1962;

(ii) the Central Government shall withdraw this approval if the enterprise/undertaking :—

- (a) ceases to carry on the eligible business as defined in Explanation (b) to Rule 2E of I.T. Rules, 1962; or
- (b) fails to maintain books of account and get such accounts audited by an accountant as required by sub-rule (6) of Rule 2E of the Income-tax Rules, 1962; or
- (c) fails to furnish the audit report as required by sub-rule (6) of Rule 2E of the Income-tax Rules, 1962.

3. The enterprise/industrial undertaking approved is :—

M/s. OPG Energy Pvt. Ltd. No. 17, Mooker Nalla, Muthu Street, Chennai-600001 for their 17.64 MW natural gas based collective captive power plant at Maruthur Village, Mayiladuthurai Taluk, Nagapattinam District, Tamil Nadu. (F. No. 205/34/2002-ITA-II).

[Notification No. 274/2004/F. No. 205/34/2002/ITA-II]

NIDHI SINGH, Under Secy.

नई दिल्ली, 1 नवम्बर, 2004

का.आ. 2853.—सर्वसाधारण की जानकारी के लिए यह अधिसूचित किया जाता है कि केन्द्र सरकार ने आयकर नियमावली, 1962 के नियम 2ड के साथ पठित आयकर अधिनियम, 1961 की धारा 10 (23-छ) के प्रयोजनार्थ कर निर्धारण वर्ष 2005-2006 से कर निर्धारण वर्ष 2009-2010 तक (21-5-2008 तक) अर्थात् निदेशक (वी. ए. एस.-1) के माध्यम से कार्यरत भारत के राष्ट्रपति, तथा मैसर्स श्रीनिवास टेलिकॉम लिमिटेड के बीच दिनांक 21-5-1998 को हुए लाइसेंस करार संख्या 842-92/97 में यथा उल्लिखित 10 वर्ष की अवधि की समाप्ति तक अथवा इससे पूर्व उपर्युक्त करार की शर्तों के उल्लंघन की स्थिति में निम्न पैरा (3) में उल्लिखित उद्यम/उपक्रम के अनुमोदन को नवीकृत किया है।

2. यह अनुमोदन इस शर्त के अधीन है कि :—

- (i) उद्यम/उपक्रम आयकर नियमावली, 1962 के नियम 2 ड के साथ पठित आयकर अधिनियम, 1961 की धारा 10 (23-छ) के उपबंधों के अनुरूप होगा और उनका अनुपालन करेगा;
- (ii) केन्द्र सरकार यह अनुमोदन वापिस ले लेगी यदि उद्यम/उपक्रम :—
  - (क) आयकर नियमावली, 1962 के नियम 2ड के स्पष्टीकरण (ख) में यथा परिभाषित पात्र कारोबार को जारी रखना बंद कर देता है; अथवा
  - (ख) खाता बहियों का रख-रखाव नहीं करता है तथा आयकर नियमावली, 1962 के नियम 2ड के

उपनियम (6) द्वारा यथा अपेक्षित किसी लेखाकार द्वारा ऐसे खातों की लेखा परीक्षा नहीं कराता है; अथवा

- (ग) आयकर नियमावली, 1962 के नियम 2ख के उप नियम (6) द्वारा यथा अपेक्षित लेखा परीक्षा रिपोर्ट प्रस्तुत नहीं करता है।

3. अनुमोदित उद्यम/उपक्रम है :—

मैसर्स एयरसेल लिमिटेड, स्पटलिंग टवर, 327, अन्नासलाई, तेनम्पेट, चेन्नई-600006 द्वारा निदेशक (बी. ए. एस.-I) के माध्यम से कार्यरत भारत के राष्ट्रपति तथा मैसर्स श्रीनिवास टेलिकॉम लिमिटेड के बीच दिनांक 22-5-1998 को हुए लाइसेंस करार के अनुसार तमिलनाडु सर्किल में सेल्यूलर मोबाईल टेलीफोन सेवा उपलब्ध कराने की उनकी परियोजना के लिए (फ. सं. 205/178/99-आयकर नि.-II(खंड)-1)।

[अधिसूचना सं. 273/2004/फा. सं. 203/178/99-आ.क.नि.-II (खंड-I)]

निधि सिंह, अवर सचिव

New Delhi, the 1st November, 2004

S.O. 2853.— It is notified for general information that the approval to the enterprise, listed at para (3) below has been renewed by the Central Government for the purpose of Section 10(23G) of the Income-tax Act, 1961, read with Rule 2E of the Income-tax Rules, 1962 with effect from the Assessment Year 2005-2006 to the Assessment year 2009-2010 (upto 21-05-2008) i.e. upto the end of period of 10 years as mentioned in Licence Agreement No. 842-92/97 dated 22-05-1998 between the President of India acting through Director (VAS-I) and M/s. Srinivas Telecom Limited or earlier, in the event of violation of the terms of the agreement aforesaid.

2. The approval is subject to the conditions that—

- (i) the enterprise/undertaking will conform to and comply with the provisions of Section 10(23G) of the Income-tax Act, 1961, read with Rule 2E of the Income-tax Rules, 1962;
- (ii) the Central Government shall withdraw this approval if the enterprise/undertaking :—
  - (a) ceases to carry on the eligible business as defined in Explanation (b) to Rule 2E of I.T. Rules, 1962; or
  - (b) fails to maintain book of account and get such accounts audited by an accountant as required by sub-rule (6) of Rule 2E of the Income-tax Rules, 1962; or
  - (c) fails to furnish the audit report as required by sub-rule (6) of Rule 2E of the Income-tax Rules, 1962.

3. The enterprise/undertaking approved is—

M/s. Aircel Limited, 'Sterling Tower', 327, Annasalai, Teynampet, Chennai—600006 for their project of providing Cellular Mobile Telephone Service in Tamil Nadu Circle as per Licence Agreement No. 842-92/97 dated 22-05-1998 between the President of India acting through Director (VAS-I) and M/s. Srinivas Telecom Limited (F. No. 205/178/99-ITA-II) (Vol.I).

[Notification No. 273/2004/F. No. 205/178/99/ITA-II (Vol.I)]

NIDHI SINGH, Under Secy.

नई दिल्ली, 1 नवम्बर, 2004

का.आ. 2854.—सर्वसाधारण की जानकारी के लिए यह अधिसूचित किया जाता है कि केन्द्र सरकार ने आयकर नियमावली, 1962 के नियम 2ख के साथ पठित आयकर अधिनियम, 1961 की धारा 10 (23-ख) के प्रयोजनार्थ कर निर्धारण वर्ष 2004-2005 से कर निर्धारण वर्ष 2010-2011 तक (28-11-2009 तक) अर्थात् बोर्ड आफ ट्रस्टीज आफ जवाहर लाल नेहरू पोर्ट ट्रस्ट, शेवा, न्यू मुम्बई-400707 के साथ निम्न दिनांक 22-10-1999 के पट्टा विलेख में यथा उल्लिखित 15 वर्ष की अवधि की समाप्ति तक अथवा इससे पूर्व उपर्युक्त पट्टा विलेख की शर्तों के उल्लंघन की दशा में नीचे पैरा 3 में उल्लिखित उद्यम/उपक्रम में अनुमोदन को नवीकृत किया है।

2. यह अनुमोदन इस शर्त के अधीन है कि :—

- (i) उद्यम/उपक्रम आयकर नियमावली, 1962 के नियम 2ख के साथ पठित आयकर अधिनियम, 1961 की धारा 10 (23-ख) के उपबंधों के अनुरूप होगा और उनका अनुपालन करेगा;
- (ii) केन्द्र सरकार यह अनुमोदन वापिस ले लेगी यदि उद्यम/उपक्रम :—
  - (क) आयकर नियमावली, 1962 के नियम 2ख के स्पष्टीकरण (ख) में यथा परिभाषित पात्र कारोबार को जारी रखना बंद कर देता है; अथवा
  - (ख) खाता बहियों का रख-रखाव नहीं कराता है तथा आयकर नियमावली, 1962 के नियम 2ख के उपनियम (6) द्वारा यथा अपेक्षित किसी लेखाकार द्वारा ऐसे खातों की लेखा परीक्षा नहीं करता है; अथवा
  - (ग) आयकर नियमावली, 1962 के नियम 2ख के उपनियम (6) द्वारा यथा अपेक्षित लेखा परीक्षा रिपोर्ट प्रस्तुत नहीं करता है।

3. अनुमोदित उद्यम/उपक्रम है :—

मैसर्स विराज एग्रो प्रोडक्ट्स प्राइवेट लिमिटेड, 86 वेस्ट पीरा स्वामी रोड, आर. एस. पुरम, कोयम्बतूर-641002 द्वारा मैसर्स विराज एग्रो प्रोडक्ट्स प्राइवेट लिमिटेड और बोर्ड आफ ट्रस्टीज जवाहर लाल नेहरू पोर्ट ट्रस्ट, शेवा,

न्यू मुम्बई-4000707 के बीच दिनांक 22-10-1999 को हुए करार के तहत जवाहर लाल नेहरू पोर्ट ट्रस्ट, शेवा, न्यू मुम्बई में बल्क लिक्विड स्टोरेज टर्मिनल के विकास, रख-रखाव तथा प्रचालन की उनकी परियोजना के लिए (फा. सं. 205/53/2000-आयकर नि.-II(खंड)।

[अधिसूचना सं. 272/2004/फा. सं. 203/53/2000-आ.क.नि.-II (खंड-I)]

निधि सिंह, अवर सचिव

New Delhi, the 1st November, 2004

S.O. 2854.— It is notified for general information that approval to the enterprise undertaking listed at para (3) below has been renewed by the Central Government for the purpose of section 10(23G) of the Income-tax Act, 1961, read with rule 2E of the Income-tax Rules, 1962 with effect from the Assessment Year 2004-2005 to the Assessment Year 2010-2011 (upto 28-11-2009) i.e. end of period of 15 years as mentioned in the lease deed dt. 22-10-1999 entered into with the Board of Trustees of Jawaharlal Nehru Port Trust Sheva, New Mumbai-400707, or earlier in the event of violation of terms of the lease deed as aforesaid.

2. The approval is subject to the conditions that—

- (i) the enterprise/undertaking will confirm to and comply with the provisions of section 10(23G) of the Income-tax Act, 1961, read with Rule 2E of the Income-tax Rules, 1962;
- (ii) the Central Government shall withdraw this approval if the enterprise/undertaking :—
  - (a) ceases to carry on the eligible business as defined in Explanation (b) to Rule 2E of I. T. Rules, 1962; or
  - (b) fails to maintain books of account and get such accounts audited by an accountant as required by sub-rule (6) of Rule 2E of the Income-tax Rules, 1962; or
  - (c) fails to furnish the audit report as required by sub-rule (6) of Rule 2E of the Income-tax Rules, 1962.

3. The enterprise/undertaking approved is :—

M/s. Viraj Agro Products Pvt. Ltd. 86, West Peiraswamy Road, R. S. Puram, Coimbatore-641002 for their project of developing, maintaining and operating of bulk liquid storage terminal at Jawaharlal Nehru Port, Sheva, New Mumbai under the agreement dated 22-10-1999 between M/s. Viraj Agro products Pvt. Ltd., and the Board of trustees of Jawaharlal Nehru Port Trust, Sheva, New Mumbai-400707. (F.No. 205/53/2000-JTA-II) (Vol.I).

[Notification No. 272/2004/F.No. 203/53/2000/JTA-II (Vol I)]

NIDHI SINGH, Under Secy.

नई दिल्ली, 3 नवम्बर, 2004

(आयकर)

का.आ. 2855.— सामान्य जानकारी के लिए यह अधिसूचित किया जाता है कि केन्द्र सरकार द्वारा अधोलिखित संगठन को उसके नाम के सामने उल्लिखित अवधि के लिए आयकर नियमावली, 1962 के नियम 6 के साथ पठित आयकर अधिनियम, 1961 की धारा 35 की उपधारा (I) के खंड (ii) के प्रयोजनार्थ "संस्था" श्रेणी के अन्तर्गत निम्नलिखित शर्तों के अधीन अनुमोदित किया गया है—

- (i) संगठन अपने अनुसंधान कार्यकलापों के लिए अलग लेखा बहियों का रख-रखाव करेगा;
- (ii) अधिसूचित संगठन प्रत्येक वित्तीय वर्ष के लिए अपनी वैज्ञानिक अनुसंधान गतिविधियों की वार्षिक विवरणी प्रत्येक वर्ष 31 मई को अथवा उससे पहले सचिव वैज्ञानिक और औद्योगिक अनुसंधान विभाग 'टेक्नोलॉजी भवन' न्यू महरोली रोड, नई दिल्ली—110016 को प्रस्तुत करेगा;
- (iii) अधिसूचित संगठन केन्द्र सरकार की तरफ से नामोनिर्दिष्ट निर्धारण अधिकारी को आयकर की विवरणी प्रस्तुत करने के अतिरिक्त अपने लेखा परीक्षित वार्षिक लेखों की एक प्रति तथा अपने अनुसंधान कार्यकलापों, जिसके लिए आयकर अधिनियम, 1961 की धारा 35 की उपधारा (I) के अन्तर्गत छूट प्रदान की गई थी, के संबंध में आय एवं व्यय खाते की लेखा परीक्षा की भी एक प्रति संगठन पर अधिकार क्षेत्र वाले (क) आयकर महानिदेशक (छूट) आयकर भवन, नवीं व दसवीं मंजिल, सैक्टर-3, वैजाली, गाजियाबाद (ख) सचिव, वैज्ञानिक एवं औद्योगिक अनुसंधान विभाग तथा (ग) आयकर आयुक्त/आयकर निदेशक (छूट) को प्रत्येक वर्ष 31 अक्टूबर को अथवा उससे पहले प्रस्तुत करेगा।

क्रम सं.	अनुमोदित संगठन का नाम	अवधि जिसके लिए अधिसूचना प्रभावी है
1.	मैसर्स के. ई. एम. हॉस्पिटल रिसर्च सेंटर, सरदार मुदलियार रोड, रास्ता पेट, पुणे-411011	1-4-2002 से 31-3-2005

टिप्पणी: (i) उपर्युक्त शर्त (i) "संघ" के रूप में श्रेणीबद्ध संगठन पर लागू नहीं होगी।

- (ii) अधिसूचित संगठन को सलाह दी जाती है कि वह अनुमोदन के नवीकरण के लिए तीन प्रतियों में और पहले ही अधिकार क्षेत्र वाले आयकर आयुक्त/आयकर निदेशक (छूट) के माध्यम से केन्द्र सरकार को आवेदन करें। अनुमोदन के नवीकरण के लिए आवेदन पत्र की तीन प्रतियां सचिव, वैज्ञानिक और औद्योगिक अनुसंधान विभाग को सीधे भेजी जाएगी।

[अधिसूचना सं. 275/2004/फा. सं. 203/59/2003-आ.क.नि. II]

निधि सिंह, अवर सचिव

New Delhi, the 3rd November, 2004

**INCOME-TAX**

**S.O. 2855.**— It is hereby notified for general information that the organisation mentioned below has been approved by the Central Government for the period mentioned below, for the purpose of clause (ii) of Sub-section (1) of Section 35 of the Income Tax Act, 1961, read with Rule 6 of the Income Tax Rules, 1962 under the category "Institution" subject to the following conditions:—

- (i) The organization shall maintain separate books of accounts for its research activities;
- (ii) The notified organization shall furnish the Annual Return of its scientific research activities to the Secretary, Department of Scientific & Industrial Research, 'Technology Bhawan', New Mehrauli Road, New Delhi-110016 for every financial year on or before 31st May of each year;
- (iii) The notified organization shall submit, on behalf of the Central Government, to (a) the Director General of Income Tax (Exemption), Aayakar Bhawan, 9th & 10th Floor, Sector 3, Vaishali, Ghaziabad (b) the Secretary, Department of Scientific & Industrial Research, and (c) the Commissioner of Income tax/Director of Income Tax (Exemptions) having jurisdiction over the organisation, on or before the 31st October each year, a copy of its audited Annual Accounts and also a copy of audited Income & Expenditure Account in respect of its research activities for which exemption was granted under sub-section (1) of Section 35 of Income tax Act, 1961 in addition to the return of Income Tax to the designated assessing officer.

S. No.	Name of the organisation approved	Period for which notification is effective
1.	M/s. K.E.M. Hospital Research Centre, Sardar Mudliar Road, Rasta Peth, Pune—411011	1-4-2002 to 31-3-2005

- Notes :**
- (i) Condition (i) above will not apply to the organization categorized as "Association".
  - (ii) The notified organization is advised to apply in triplicates as well in advance for further renewal of the approval, to the Central Government through the Commissioner of Income tax/Director of Income tax (Exemptions) having jurisdiction. Three copies of the application for renewal of approval should also be sent directly to the Secretary, Department of Scientific and Industrial Research.

[Notification No. 275/2004/F.No. 203/59/2003-ITA-II]

NIDHI SINGH, Under Secy.

नई दिल्ली, 3 नवम्बर, 2004

**( आयकर )**

**का.आ. 2856.**— सामान्य जानकारी के लिए यह अधिसूचित किया जाता है कि केन्द्र सरकार द्वारा अधोलिखित संगठन को उसके नाम के सामने उल्लिखित अवधि के लिए आयकर नियमावली, 1962 के नियम 6 के साथ पठित आयकर अधिनियम, 1961 की धारा 35 की उपधारा (I) के खंड (ii) के प्रयोजनार्थ "संस्था श्रेणी" के अन्तर्गत निम्नलिखित शर्तों के अधीन अनुमोदित किया गया है—

- (i) संगठन अपने अनुसंधान कार्यकलापों के लिए अलग लेखा बहियों का रख-रखाव करेगा;
- (ii) अधिसूचित संगठन प्रत्येक वित्तीय वर्ष के लिए अपनी वैज्ञानिक अनुसंधान गतिविधियों की वार्षिक विवरणी प्रत्येक वर्ष 31 मई को अथवा उससे पहले सचिव वैज्ञानिक और औद्योगिक अनुसंधान विभाग 'टेक्नोलॉजी भवन' न्यू महरोली रोड, नई दिल्ली—110016 को प्रस्तुत करेगा;
- (iii) अधिसूचित संगठन केन्द्र सरकार की तरफ से नामोनिर्दिष्ट निर्धारण अधिकारी को आयकर की विवरणी प्रस्तुत करने के अतिरिक्त अपने लेखा परीक्षित वार्षिक लेखों की एक प्रति तथा अपने अनुसंधान कार्यकलापों, जिसके लिए आयकर अधिनियम, 1961 की धारा 35 की उपधारा (I) के अन्तर्गत छूट प्रदान की गई थी, के संबंध में आय एवं व्यय खाते की लेखापरीक्षा की भी एक प्रति संगठन पर अधिकार क्षेत्र वाले (क) आयकर महानिदेशक (छूट) आयकर भवन, नवीं व दसवीं मंजिल, सैक्टर-3, वैशाली, गाजियाबाद (ख) सचिव, वैज्ञानिक एवं औद्योगिक अनुसंधान विभाग तथा (ग) आयकर आयुक्त/आयकर निदेशक (छूट) को प्रत्येक वर्ष 31 अक्टूबर को अथवा उससे पहले प्रस्तुत करेगा।

क्रम सं.	अनुमोदित संगठन का नाम	अवधि जिसके लिए अधिसूचना प्रभावो है
----------	-----------------------	------------------------------------

1. टेक्नालॉजी इन्फार्मेशन फॉरकास्टिंग एण्ड एसेसमेंट काउंसिल, विज्ञान और प्रौद्योगिकी विभाग, टेक्नालॉजी भवन, न्यू महरोली रोड, नई दिल्ली।

**टिप्पणी:** (i) उपर्युक्त शर्त (i) "संघ" के रूप में श्रेणीबद्ध संगठन पर लागू नहीं होगी।

- (ii) अधिसूचित संगठन को मलाह दी जाती है कि वह अनुमोदन के नवीकरण के लिए तीन प्रतियों में और पहले ही अधिकार क्षेत्र वाले आयकर आयुक्त/आयकर निदेशक (छूट) के माध्यम से केन्द्र सरकार को आवेदन करें। अनुमोदन के



नवीकरण के लिए आवेदन पत्र की तीन प्रतियां  
सचिव, वैज्ञानिक अनुसंधान विभाग को सीधे भेजी  
जाएगी।

[ अधिसूचना सं. 276/2004/फा. सं. 203/40/2002-आ.क.नि.-II ]

निधि सिंह, अवर सचिव

New Delhi, the 3rd November, 2004

**(INCOME-TAX)**

**S.O. 2856.**— It is hereby notified for general information that the organisation mentioned below has been approved by the Central Government for the period mentioned below, for the purpose of clause (ii) of Sub-section (1) of Section 35 of the Income Tax Act, 1961, read with Rule 6 of the Income Tax Rules, 1962 under the category "Institution" subject to the following conditions:—

- (i) The organization shall maintain separate books of accounts for its research activities;
- (ii) The notified organisation shall furnish the Annual Return of its scientific research activities to the Secretary, Department of Scientific & Industrial Research, 'Technology Bhawan', New Mehrauli Road, New Delhi—110016 for every financial year on or before 31st May of each year;
- (iii) The notified organization shall submit, on behalf of the Central Government, to (a) the Director General of Income Tax (Exemption), Aayakar Bhawan, 9th & 10th Floor, Sector 3, Vaishali, Ghaziabad (b) the Secretary, Department of Scientific & Industrial Research, and (c) the Commissioner of Income tax/Director of Income-tax (Exemptions) having jurisdiction over the organisation, on or before the 31st October each year, a copy of its audited Annual Accounts and also a copy of audited Income & Expenditure Account in respect of its research activities for which exemption was granted under Sub-section (1) of Section 35 of Income tax Act, 1961 in addition to the return of income tax to the designated assessing officer:

S. No.	Name of the organisation approved	Period for which notification is effective
1.	Technology Information, Forecasting & Assessment Council (TIFAC), Department of Science & Technology, Technology Bhawan, New Mehrauli Road, New Delhi	I-4-2002 to 31-3-2003

- Notes :**
- (i) Condition (i) above will not apply to the organization categorized as "Association".
  - (ii) The notified organization is advised to apply in triplicates as well in advance for further renewal of the approval, to the Central Government through the Commissioner of Income tax/Director of Income-tax (Exemptions) having jurisdiction. Three copies of the application for renewal of approval should also be sent directly to the Secretary, Department of Scientific and Industrial Research.

[Notification No. 276/2004/F. No. 203/40/2002/ITA-II]

NIDHI SINGH, Under Secy.

( आर्थिक कार्य विभाग )

( बैंकिंग प्रभाग )

नई दिल्ली, 28 अक्टूबर, 2004

**का.आ. 2857.**—केन्द्रीय सरकार, राजभाषा (संघ के शासकीय प्रयोजनों के लिए प्रयोग) नियम, 1976 के नियम 10 के उप नियम (4) के अनुसरण में, संलग्न अनुबंध में निम्नलिखित बैंकों/वित्तीय संस्थाओं के सूचीबद्ध कार्यालयों/शाखाओं को, जिनके 80% से अधिक कर्मचारियों ने हिन्दी का कार्यसाधक ज्ञान प्राप्त कर लिया है, अधिसूचित करती है :—

क्रम सं.	बैंक का नाम	कार्यालयों/शाखाओं की संख्या
1.	स्टेट बैंक आफ बीकानेर एंड जयपुर	16
2.	सिंडिकेट बैंक	12
3.	पंजाब नैशनल बैंक	15
4.	कार्पोरेशन बैंक	03
5.	आन्ध्रा बैंक	01
6.	स्टेट बैंक आफ मैसूर	53
7.	केनरा बैंक	57
8.	इंडियन ओवरसीज बैंक	83
9.	इंडियन बैंक	20
10.	भारतीय लघु उद्योग विकास बैंक	01
11.	राष्ट्रीय कृषि और ग्रामीण विकास बैंक	02
कुल		263

[ फा. सं. 11016/5/2004-हिन्दी ]

रमेशबाबू अणिवेरी, उप निदेशक (राजभाषा)

स्टेट बैंक ऑफ़ बीकानेर एण्ड जयपुर  
प्रधान कार्यालय,  
जयपुर

शाखा जिसे राजभाषा नियम 1976 के नियम 10 (4) के अन्तर्गत  
राजपत्र में अधिसूचित करना है।

1. नदबई ( भरतपुर ),

नदबई-321 602  
जिला-भरतपुर  
( राजस्थान )

2. महेश नगर, जयपुर,

सी-24, महेश नगर,  
जयपुर-302 015

3. प्रताप नगर, जयपुर,

80/10, कुम्भा मार्ग,  
प्रताप नगर ( सांगानेर )  
जयपुर-303 906

4. पीडब्लूडी काम्प्लेक्स, जयपुर

पीडब्लूडी काम्प्लेक्स,  
जैकब रोड  
हसनपुरा,  
जयपुर

5. गणपति प्लाजा, जयपुर,

गणपति प्लाजा,  
एम. आई. रोड,  
जयपुर

6. चित्रकूट, जयपुर,

सी 8/2, चित्रकूट,  
जयपुर-302 021

7. बापू बाजार, जयपुर,

बापू बाजार,  
जयपुर-302 003

8. ट्रेजरी बिल्डिंग, टोंक,

ट्रेजरी बिल्डिंग,  
टोंक-304 001  
( राजस्थान )

9. गुवाहाटी,

एस.आर.सी.बी. रोड,  
फैन्सी बाजार,  
गुवाहाटी-781 001

10. बेरहमपुर,

ब्रह्मनगर स्क्वायर,  
न्यू बस स्टेण्ड रोड,  
बेरहमपुर-760 001

11. कटक,

बजरकबटी रोड,  
कटक-753 001,  
( उड़ीसा )

12. आसनसोल,

32, जी.टी.रोड,  
बी.बी. रोड के पास,  
आसनसोल-713 301,  
जिला-वर्धमान,  
पश्चिम बंगाल

13. सिलीगुड़ी,

मंगतूराम रोड,  
सिलीगुड़ी-734 405,  
जिला-दार्जिलिंग,  
पश्चिम बंगाल

14. कुम्हेर,

कुम्हेर-321 201,  
जिला - भरतपुर,  
( राजस्थान )

15. एस.एम.एस. हॉस्पिटल, जयपुर,

एस.एम.एस. हॉस्पिटल,  
जयपुर-302 004  
( राजस्थान )

16. शिक्षा संकुल, जयपुर,

डॉ. राधाकृष्ण शिक्षा संकुल,  
बैंक भवन, ब्लॉक नं. 1,  
जवाहर लाल नेहरू मार्ग,  
जयपुर-302 015  
( राजस्थान )

1. सिंडिकेट बैंक,

यशवंतपुर शाखा,  
गोपाल काम्प्लेक्स,  
नं. 47, एस. सी. रोड, यशवंतपुर,  
बैंगलूर-560 022,  
कर्नाटक राज्य

2. सिंडिकेट बैंक,

डॉ. ए. वी. बी. कॉलेज शाखा,  
डॉ. ए. वी. बालिगा कॉलेज,  
हेगडे रोड, कुमटा-581 343,  
जिला उत्तर कन्नड़,  
कर्नाटक राज्य

3. सिंडिकेट बैंक,  
मुंडगोड शाखा,  
बंकापुर रोड, मुंडगोड-581 349  
जिला उत्तर कन्नड़  
कर्नाटक राज्य
4. सिंडिकेट बैंक,  
कटगल शाखा,  
कटगल-581 444  
डाकघर कटगल, तालुक कुमटा,  
जिला उत्तर कन्नड़,  
कर्नाटक राज्य
5. सिंडिकेट बैंक,  
हेगडे शाखा,  
शांतिका परमेश्वरी मंदिर के पास,  
हेगडे-581 330, तालुक कुमटा,  
जिला उत्तर कन्नड़,  
कर्नाटक राज्य
6. सिंडिकेट बैंक,  
बंकिकोडला शाखा,  
मुख्य मार्ग, बंकिकोडला-581 319,  
तालुक कुमटा,  
जिला उत्तर कन्नड़,  
कर्नाटक राज्य
7. सिंडिकेट बैंक,  
बिल्ली शाखा,  
एस.आर. हाई स्कूल बिल्डिंग,  
बिल्ली-581 322,  
तालुक सिद्धापुर,  
जिला उत्तर कन्नड़,  
कर्नाटक राज्य
8. सिंडिकेट बैंक  
एक्कंबी शाखा,  
मस्करेन्हस बिल्डिंग,  
एक्कंबी-581 358,  
तालुक सिसी,  
जिला उत्तर कन्नड़,  
कर्नाटक राज्य
9. सिंडिकेट बैंक,  
मजाली शाखा,  
पार्वतीशंकर काम्प्लेक्स,  
मजाली-581 345,  
जिला उत्तर कन्नड़,  
कर्नाटक राज्य
10. सिंडिकेट बैंक,  
मल्लापुर शाखा,  
सुभद्रा होटल, पहला तल,  
कैगा रोड, मल्लापुर-581 400  
जिला उत्तर कन्नड़,  
कर्नाटक राज्य
11. सिंडिकेट बैंक,  
मंचिकेरी शाखा,  
बिल्की रोड, मंचिकेरी-581 347,  
तालुक यल्लापुर,  
जिला उत्तर कन्नड़,  
कर्नाटक राज्य
12. सिंडिकेट बैंक,  
सिसी शाखा, देवीकेरे रोड,  
सिसी-581 401  
जिला उत्तर कन्नड़,  
कर्नाटक राज्य
1. प्रबंधक,  
पंजाब नेशनल बैंक,  
बालीपुट, भाया-गबकुंड,  
जिला-पुरी-752 045,  
(उड़ीसा)
2. प्रबंधक,  
पंजाब नेशनल बैंक,  
छईतना,  
जिला-पुरी-752 002,  
(उड़ीसा)
3. प्रबंधक,  
पंजाब नेशनल बैंक,  
छत्रचकडा, भाया-डेराबीस,  
जिला-केंद्रापाड़ा-754 289,  
(उड़ीसा)
4. प्रबंधक,  
पंजाब नेशनल बैंक,  
कंटाला, पो.-पालहड़ा,  
जिला-अनगुल-759 119  
(उड़ीसा)
5. प्रबंधक,  
पंजाब नेशनल बैंक,  
नौधाना परियाकुली,  
पो.-कुलियाना,  
जिला-मयुरभंज  
(उड़ीसा)
6. प्रबंधक,  
पंजाब नेशनल बैंक,  
पाईकरापुर,  
पटपुर, सालेपुर,  
जिला-कटक-754 284  
(उड़ीसा)

7. प्रबंधक,  
पंजाब नैशनल बैंक,  
सातमाईल,  
पो.-दुदुरकोटे,  
भाया-बाल्मी  
जिला-धनकेनाल-759 020  
(उड़ीसा)

8. प्रबंधक,  
पंजाब नैशनल बैंक,  
तालतुम्ब,  
पो.-देऊली,  
जिला-खोदा-752 064  
(उड़ीसा)

9. प्रबंधक,  
पंजाब नैशनल बैंक,  
टेंडाबादी,  
दासपाला  
जिला-नयागढ़-752 084  
(उड़ीसा)

#### पूर्व नेह्रुगढ़ी शाखाओं के पते

10. पंजाब नैशनल बैंक,  
शाखा-अंधेरी (पूर्व),  
निर्माण दर्शन,  
राजमाता जीजा बाई मार्ग,  
पम्प हाउस, अंधेरी (पूर्व),  
मुम्बई-400 093.  
वि. सं.- K-4364

11. पंजाब नैशनल बैंक,  
शाखा-डोम्बोवली (पूर्व)  
गोपाल भवन, केलकर रोड,  
रामनगर, डोम्बोवली (पूर्व),  
मुम्बई-421 201.  
वि. सं.- K-4365

12. पंजाब नैशनल बैंक,  
शाखा-सेक्टर 17, वाशी,  
विग स्प्लेंश बिल्डिंग  
प्लॉट नं. 78 और 79,  
सेक्टर 17, वाशी,  
नई मुम्बई-400 703.  
वि. सं.- K-4368

13. पंजाब नैशनल बैंक,  
शाखा-सी.बी.डी., बेलापूर,  
सेक्टर 11,  
प्लॉट नं. 29,  
सी.बी.डी., बेलापूर,  
नई मुम्बई-400 614.

14. पंजाब नैशनल बैंक,  
शाखा : एम. जी. मार्ग,  
लखनऊ

15. पंजाब नैशनल बैंक,  
शाखा : जानकीपुरम  
भावना काम्पलैक्स,  
जानकीपुरम,  
लखनऊ

1. कार्पोरेशन बैंक,  
(भारत सरकार का उद्यम)  
राय फिलिंग स्टेशन के सामने,  
मेन रोड, बंगा-144 505  
(पंजाब)

2. कार्पोरेशन बैंक,  
गोरूर शाखा  
हासन-अलकलगूड रोड,  
गोरूर-573 120  
हासन जिला  
कर्नाटक राज्य

3. कार्पोरेशन बैंक,  
चन्नरायपट्टणा शाखा  
गुरुराज कॉम्प्लेक्स,  
बालाजी टाकीज के पास,  
बी. एम. रोड,  
चन्नरायपट्टणा-573 116  
कर्नाटक राज्य

1. अन्ध्रा बैंक,  
सुल्तानाबाद शाखा,  
बस स्टैंड के पास  
सुल्तानाबाद करीमनगर जिला  
आंध्र प्रदेश  
बेंगलूर आंचल

1. स्टेट बैंक ऑफ मैसूर,  
बेंगलूर अंचल,  
बीकेजी कॉम्प्लेक्स,  
अविन्यू रोड,  
बेंगलूर-560 009

2. स्टेट बैंक ऑफ मैसूर,  
बेंगलूर अंचल,  
बीकेजी कॉम्प्लेक्स,  
अविन्यू रोड,  
बेंगलूर-560 009

3. स्टेट बैंक ऑफ मैसूर,  
बेंगलूर अंचल,  
बीकेजी कॉम्प्लेक्स,  
अविन्यू रोड,  
बेंगलूर-560 009

4. स्टेट बैंक ऑफ मैसूर,  
बेंगलूर अंचल,  
बीकेजी कांप्लेक्स,  
अविन्यू रोड,  
बेंगलूर-560 009
5. स्टेट बैंक ऑफ मैसूर,  
बेंगलूर अंचल,  
बीकेजी कांप्लेक्स,  
अविन्यू रोड,  
बेंगलूर-560 009
6. स्टेट बैंक ऑफ मैसूर,  
तुमकूर क्षेत्र,  
एन.आर. कांप्लेक्स,  
अशोका रोड,  
तुमकूर-572 101  
केंद्रीय अंचल
7. चेंगनूर शाखा,  
पी.बी. सं. 27  
चर्च बिल्डिंग, एम.सी.रोड,  
चेंगनूर-689 121  
अलिप्पि जिला, केरला
8. एरनाकुलम शाखा,  
38/1119 एल. आई. सी. बिल्डिंग  
तल मंजिल,  
एम जी रोड,  
एरनाकुलम-682 035
9. कोचि शाखा,  
पी. बी. सं.-159, सूरज कांप्लेक्स,  
सं./1731ए, मंत्रा रोड,  
ए. एम. क्रास रोड कूचपदम,  
कोचि-682 002  
केरला
10. कोल्लम शाखा,  
पी. बी. सं.-357, पी. जी. आर. बिल्डिंग  
पहली मंजिल, पैकडा रोड,  
अंदमुक्कम-691 001,  
कोल्लम केरला
11. कोट्टायम शाखा,  
वेटील एस्टेट,  
प्रांटेशन कार्पोरेशन के सामने,  
कोट्टायम-686 004,  
केरला
12. सुल्तानपेट शाखा,  
पुदुस्सेरी पहली मंजिल, वी.एच. रोड,  
पालक्कड-678 001  
केरला
13. कुंभनाड शाखा,  
पी बी सं.-5,  
तिरुवल्ला कोर्जेचेरी रोड  
कुंभनाड-682 547  
केरला राज्य
14. तिरुवनंतपुरम शाखा,  
पी बी सं.4 डी नं.-टीली/38/599(2)  
पोन्नी बिल्डिंग,  
पावर हाउस रोड,  
तिरुवनंतपुरम-695 023,  
केरला
15. अहमदाबाद,  
हिति रत्ना भवन,  
तल मंजिल, पंचवटी  
संकुल, अहमदाबाद-38
16. अंधेरी पूर्व,  
डा.पे.सं. 9445,  
महाकाली केक्स रोड,  
अंधेरी, पूर्व  
मुंबई
17. बेलापुर,  
प.पे. सं. 2, बेलापुर भवन,  
सेक्टर 2 कार्यालय सं. 3  
नवी मुंबई-400 614
18. बोरिविली (पश्चिम),  
वेस्ट पार्क क्रास रोड,  
आई.सी. कालनी, बोरिविली पश्चिम,  
मुंबई-400 103
19. चेंबूर,  
प.पे. सं. 2, दयानन्द सरस्वती मार्ग,  
चेंबूर, मुंबई-400 071
20. दलाल स्ट्रीट,  
प.पे. सं. 1066, 24426,  
दलाल स्ट्रीट फ्लैट,  
मुंबई-400 023
21. गोखलेनगर,  
शिवाजीनगर,  
प्रबोधन भवन,  
पुणे-411 010
22. खार शाखा,  
प.पे. सं. 16948 सं. 199,  
सैबिल मानेशन, एस.बी. रोड,  
संताक्रूज (पूर्व)  
मुंबई-400 054

23. कोल्हापुर,  
प.पे. सं. 255,  
पं 659, सी.ई.वार्ड,  
2वां लेन शहपुरे,  
कोल्हापुर-416001
24. लोखण्डवाला,  
गोल्डन चेंबर्स,  
प.पे. सं. 11938,  
लिंक रोड, मोंगिन्स के पास,  
अंधेरी पश्चिम,  
मुंबई-400 058
25. मलाड,  
प.पे. सं. 17614, 657,  
सहकारा अपार्टमेंट्स, मलाड (पश्चिम)  
मुंबई-400 064
26. मातुंगा,  
प.पे. सं. 16641,  
नायम शांतिनाथ भवन,  
डा. अंबेडकर रोड, मातुंगा,  
मुंबई-400 019
27. महिम,  
प.पे. सं. 6470, 6/7  
कर्मभूमी मोरी रोड,  
महिम,  
पूर्व मुंबई-400 064
28. नागापुर,  
प.पे. सं. 224,  
वार्धा रोड,  
नागापुर-440012
29. नेरूल,  
ग्रेड ईस्टर्न गल्लेरिया,  
1 मंजिल, प्लॉट सं. 20,  
सेक्टर 4 जिला थाने,  
नवी मुंबई-400 706
30. पुणे,  
प.पे. सं. 603,  
पूर्णमा टवर्स,  
शंकरसेठ रोड,  
पुणे-411037
31. सेवा शाखा मुम्बई,  
मुम्बई प.पे. सं. 11595, 4वां मंजिल  
नारीमन पाइंट,  
मुंबई-400 021
32. सोलापुर,  
प.पे. सं. 146, नं. 152, 7/7  
कन्ना चौक,  
सोलापुर-413 005
33. सूरत,  
उप्पल टवर्स,  
प.पे. सं. 125,  
एफ.पी. 62/8 पहली मंजिल,  
अश्विनी कुमार रोड,  
सूरत-395 009
34. वडोदरा,  
प.पे. सं. 3712,  
विमलनाथ कंप्लेक्स,  
प्लाजा, सुबानपुरा हाई टेंशन रोड,  
वडोदरा-390 007
35. बेंटिक स्ट्रीट,  
प.पे. सं. 2, 10, 1 और 2  
पुराने कोर्ट हाऊस कार्नर,  
टबाको हाऊस, कोलकाता-700 001
36. भोपाल,  
निर्मल टवर्स,  
अप्सरा टाकिस के पास,  
रैसन रोड,  
भोपाल-462023
37. कनाॅट प्लेस,  
प.पे. सं. 196,  
अंतरिक्ष भवन,  
22 कस्तूरबा गांधी मार्ग,  
नई दिल्ली-110001
38. गांधीनगर,  
6127, कोशिक कंप्लेक्स,  
मुख्य रास्ता, गांधीनगर,  
नई दिल्ली-110031
39. गोल्फ ग्रीन,  
डीटी 12ए उदय शंकर सरानी रोड,  
कोलकाता-110095
40. इंदौर,  
मैसर्स सनरैस टवर्स, नं. 579,  
एम. जी. रोड,  
इंदौर
41. जयपुर,  
प.पे. सं. 124, थंबी टवर्स,  
शरतचंद्र बोस रोड,  
जयपुर-302001



42. जनकपुरी,  
जनक सिनेमा कॉम्प्लेक्स,  
'सी' ब्लॉक, पंखा रोड,  
नई दिल्ली-110058

43. करोलबाग,  
प.पे. सं. 2618 नं. 2396  
गुरुद्वारा रोड,  
नई दिल्ली-110005

44. नजफगढ़,  
न्यू ग्रेन मार्केट कॉम्प्लेक्स  
बहादुरगढ़ रोड,  
नजफगढ़,  
नई दिल्ली-110043

45. नोयडा,  
सेक्टर-27, अट्टा मार्केट,  
दादरी मुख्य रास्ता,  
नोयडा-201301

46. पश्चिम एनक्लेव,  
प्लॉट सं. 2 और 3,  
स्थानीय शापिंग कॉम्प्लेक्स,  
नैशनल मार्केट,  
पश्चिम विहार,  
नई दिल्ली-110087

47. 13, पंजाबी बाग,  
प्लॉट सं. 1 सेक्टर 4,  
मार्केट नार्थ वेस्ट एवेन्यू,  
पंजाबी बाग (पश्चिम),  
नई दिल्ली-110026

48. राश बिहारी एवेन्यू,  
प.पे.सं. 216203, 180,  
आर बी एवेन्यू,  
कोलकाता-700 028

49. रूबी पार्क,  
पी. 27, फेस 1 कसबा इंडस्ट्रियल एस्टेट,  
पी एम बैपास ईस्ट,  
कोलकाता-700107

50. साल्ट लेक सिटी,  
सी. एल. 25/26 मुख्य रोड,  
सी. के. स्थानीय मार्केट के सामने,  
सेक्टर-22, साल्ट लेक सिटी,  
कोलकाता-700091

51. सेवा शाखा दिल्ली,  
12/1 रीगन बिल्डिंग,  
संसद मार्ग,  
नई दिल्ली-110001

52. सेवा शाखा कोलकाता,  
पहली मंजिल, टबाको हाऊस, 1 एवं 2,  
पुराने कोर्ट हाऊस कार्नर  
कोलकाता-700 001

53. शेक्सपीयर सरानी,  
नं. 24, 'ए' पारिजात,  
कोलकाता-700 017

#### अंचल कार्यालय, लखनऊ

1. केनरा बैंक,  
29, खुनखुनजी रोड,  
चौक, लखनऊ
2. केनरा बैंक,  
मालवीय रोड  
बस्ती, ग्रामीण बैंक के सामने,  
बस्ती, उत्तर प्रदेश,  
पिन-227001
3. केनरा बैंक,  
761, कहमरी रोड,  
हर्ष नगर  
इटावा-206001, यू.पी.
4. केनरा बैंक,  
होटल कुंमाऊ पलाजा  
नैनीताल रोड,  
एन. एच. नं. 74, काशीपुर,  
जिला ऊधम सिंह नगर,  
उत्तरांचल

#### अंचल कार्यालय, दिल्ली

5. केनरा बैंक,  
44/93-96, सेक्टर-4, जोन-44,  
किरण पथ और रजत पथ के बीच  
मध्य मार्ग, मानसरोवर  
जयपुर, राजस्थान
6. केनरा बैंक,  
स्कीम नं. 16, गिरनार कॉलोनी,  
प्लॉट नं. 190, गांधी पथ,  
वैशाली नगर, जयपुर,  
राजस्थान

## अंचल कार्यालय, पटना

7. केनरा बैंक,  
निफ्ट शाखा,  
निफ्ट कैम्पस,  
हटिया, रांची (झारखंड)  
पिन-834 004
8. केनरा बैंक,  
लोयला स्कूल शाखा,  
बेलडिह काली मंदिर के पास  
बिस्तुपुर, जमशेदपुर (झारखंड)  
पिन-831 001
9. केनरा बैंक,  
तरपखना शाखा,  
यूनियन क्लब कैम्पस,  
हजारी बाग रोड,  
राँची (झारखंड)  
पिन-834001
10. केनरा बैंक,  
राजेन्द्र नगर शाखा,  
147-बी, आर्य कुमार रोड,  
राजेन्द्र नगर, पटना (बिहार)  
पिन-800016

## अंचल कार्यालय, कोलकाता

11. केनरा बैंक,  
अँलाजोडी,  
डाकघर-अँलाजोडी,  
मयुरभंज-757042 उड़ीसा
12. केनरा बैंक, अंगुल,  
अमलापाड़ा बस स्टैंड के पास  
अंगुल-759122  
ढेंकानाल, उड़ीसा
13. केनरा बैंक, बाघड़ा  
वाया-सुलीपद,  
बाघड़ा-757022  
मयुरभंज-उड़ीसा
14. केनरा बैंक,  
धुमाला मेन रोड,  
डाकघर नयाहाट,  
धुमाला-752107  
जिला-पुरि, उड़ीसा

15. केनरा बैंक,  
दिगपहंडी,  
बसर स्ट्रीट, मेन रोड,  
दिगपहंडी-761012  
गंजाम, उड़ीसा
16. केनरा बैंक,  
गिडिघाटि,  
पोस्ट-तराना,  
वाया-बहलदा रोड आर एस  
गिडिघाटि-757046  
मयुरभंज, उड़ीसा
17. केनरा बैंक,  
पात्रपुर,  
राम मंदिर रोड,  
पात्रपुर-761004  
गंजाम, उड़ीसा
18. केनरा बैंक,  
पुराणा,  
ग्राम+पोस्ट-पुराणा,  
वाया-अंखिया,  
कटक-754102  
कटक, उड़ीसा
19. केनरा बैंक,  
रामबाग,  
ग्राम पंचायत बिल्डिंग,  
वाया-जाजपुर टाऊन,  
पोस्ट-रामबाग-755014  
कटक, उड़ीसा
20. केनरा बैंक,  
सुलेईपाट,  
पोस्ट-सुलेईपाट,  
वाया-रायरंगपुर-757043  
मयुरभंज, उड़ीसा
21. केनरा बैंक,  
तालगांव,  
वाया-जामदा,  
तालगांव-757045  
मयुरभंज, उड़ीसा
22. केनरा बैंक,  
तनराडा,  
पोस्ट-तनराडा-761140  
गंजाम, उड़ीसा

23. केनरा बैंक, उमर,  
पोझदेश्वरपुर  
वाया-निश्चिंतकोइल,  
ब्लॉक-महंगा-754 291  
कटक, उड़ीसा
24. केनरा बैंक, कैरेंसी चेस्ट  
चौधरी बाजार,  
गौरी शंकर पार्क के सामने,  
कटक-753 001  
कटक, उड़ीसा
25. केनरा बैंक, कैरेंसी चेस्ट,  
बहरमपुर,  
पाक लभारी स्ट्रीट (सिटी डाकघर के पीछे),  
सानो बाजार,  
बहरमपुर-760 002  
गंजाम, उड़ीसा
26. केनरा बैंक, चौकुटी,  
पोस्ट-बारबंग,  
चौकुटी-781 325  
बरपेटा, असम
27. केनरा बैंक, चाँदमारी,  
मणीराम दीवान रोड,  
सिलपुखरी, गुवाहाटी,  
जिला-कामरूप, असम
28. केनरा बैंक, मालीगाँव,  
एक्सप्रेस टावर,  
मालीगाँव,  
जिला-कामरूप, असम
29. केनरा बैंक, उदमारी,  
उदमारी हाईस्कूल कम्पाउंड,  
उदमारी, नगाँव,  
असम
30. केनरा बैंक, बालीमोर सरत सरणी  
417, कापासडांगा सरत सरणी,  
पी डी हुगली प. बं,  
सरत सरणी
31. केनरा बैंक, बारासात,  
66, पायनियर पार्क (कॉलनी मोड़),  
पोस्ट-बारासात,  
जिला-24 परगणा (उत्तर)-743 201  
पश्चिम बंगाल
32. केनरा बैंक, बासुदेवपुर,  
पोस्ट-चाचांदा,  
वाया निमतिता,  
मुर्शिदाबाद-प. बंगाल
33. केनरा बैंक, लेखा अनुभाग,  
60/1 जी, निर्मल चंद्र दे स्ट्रीट,  
कोलकाता-700 012
34. केनरा बैंक, ए आर एम शाखा,  
5/1 ए जे सी बोस रोड (तृतीय तल),  
कोलकाता-700 020
35. केनरा बैंक, समाशोधन अनुभाग,  
नं. 7, रेड क्रॉस प्लेस,  
कोलकाता-700 001
36. केनरा बैंक, कैरेंसी चेस्ट, यादवपुर,  
98/10/1, राजा एस सी मल्लिक रोड,  
यादवपुर,  
कोलकाता-700 032
37. केनरा बैंक, कैरेंसी चेस्ट,  
हेयर स्ट्रीट,  
2, हेयर स्ट्रीट,  
कोलकाता-700 001
38. केनरा बैंक, हाइटेक शाखा,  
9, लाला लाजपतराय रोड,  
कोलकाता-700 020
39. केनरा बैंक, लेकटाउन शाखा,  
111, लेकटाउन, ब्लॉक-ए  
कोलकाता-700 089
40. केनरा बैंक, ओवरसीज शाखा,  
2/1, रसल स्ट्रीट  
कोलकाता-700 071
41. केनरा बैंक, शेक्सपीयर सरणी,  
21, कैमक स्ट्रीट  
कोलकाता-700 016
42. केनरा बैंक, एस एस आई शाखा,  
5/1, ए जे सी बोस रोड, प्रथम तल,  
कोलकाता-700 020
43. केनरा बैंक, चामितारा शाखा,  
ग्राम-चामितारा  
पोस्ट-बार्नल-721 516  
मिदनापुर (प. ब.)

44. केनरा बैंक, जसपुर शाखा,  
जसपुर ग्रामपंचायत ऑफिस,  
ग्राम-लोहाग्राम  
पोस्ट-पोचियारा-731 140  
बीरभूम (प. बं.)
45. केनरा बैंक, कल्याणी शाखा,  
बी-7/33 (एस) व 34 (एस),  
सेंट्रल पार्क (पश्चिम),  
कल्याणी  
जिला-नदिया (प. बं.) 741 235
46. केनरा बैंक, कांकुरिया शाखा,  
ग्राम + पोस्ट-कांकुरिया,  
मुर्शिदाबाद-624 705 (प. बं.)
47. केनरा बैंक, काशिमनगर शाखा,  
ग्राम + पोस्ट-दफाहाट काशिमनगर,  
वाया-निमतिता-742 224  
मुर्शिदाबाद (प. बं.)
48. केनरा बैंक, केचुयाडांगा शाखा,  
ग्राम + पोस्ट-केचुआडांगा,  
पी ओ बाम नदिया-741 172  
पी एस-करीमपुर,  
नदिया (प. बं.)
49. केनरा बैंक, खड़काटा शाखा,  
ग्राम-खड़काटा  
पी ओ -जीबनदी-722164  
बाँकुड़ा (प. बं.)
50. केनरा बैंक, मिर्जानगर शाखा,  
ग्राम-मिर्जानगर,  
पोस्ट-केचना-743 424  
उत्तर 24-परगणा (प. बं.)
51. केनरा बैंक, निगॉन शाखा  
ग्राम + पोस्ट-सिमुलिया,  
वाया-कीचर-713 143  
बर्दवान (प. बं.)
52. केनरा बैंक, राजापुर शाखा,  
राजापुर ग्राम पंचायत ऑफिस  
पोस्ट-राजापुर-742 306  
मुर्शिदाबाद (प. बं.)
53. केनरा बैंक, सरची शाखा,  
ग्राम-देउलाहाट,  
वाया-उस्ति  
पोस्ट-सरची-743 375  
दक्षिण 24-परगणा (प. बं.)
54. केनरा बैंक, श्रीरामपुर शाखा,  
120, नेताजी सुभाष एवन्यू,  
श्रीरामपुर, प. बं.-712 201
55. केनरा बैंक, सोनपुरहाट शाखा,  
ग्राम + पोस्ट-सोनपुरहाट,  
वाया-भांगर,  
दक्षिण 24-परगणा, प. बं.
56. केनरा बैंक, टेंगरा कॉलोनी शाखा,  
टेंगरा ग्राम पंचायत ऑफिस,  
पास्ट-टेंगरा कालोनी,  
पी एस-बेनेगाँव-743 251  
नार्थ 24-परगणा, प. बं.
57. केनरा बैंक,  
भिकुरडिहि शाखा  
ग्राम+पोस्ट-भिकुरडिहि-722 146  
बाँकुड़ा, प. बं.

## तिरुवनंतपुरम क्षेत्र

1. इंडियन ओवरसीज बैंक,  
25/1 एवं 2, वाइ एम सी ए बिल्डिंग,  
एम जी रोड, तिरुवनंतपुरम  
केरल-695 001
2. इंडियन ओवरसीज बैंक,  
प्लॉट नं. 7, वृन्दावन हाऊसिंग कालोनी,  
मेडिकल कालेज रोड, पट्टम,  
तिरुवनंतपुरम,  
केरल-695 004
3. इंडियन ओवरसीज बैंक,  
सी 37/144 ठाकरपरम्ब रोड,  
श्रीकण्ठेश्वरम,  
केरल-695023
4. इंडियन ओवरसीज बैंक,  
कार्मेल बिल्डिंग,  
गांधीनगर, कॉटन मिल,  
वाजीतकडड, त्रिवेन्द्रम  
केरल-695 014
5. इंडियन ओवरसीज बैंक,  
जी एच जंक्शन, अंडूर बिल्डिंग,  
जनरल हॉस्पिटल रोड,  
तिरुवनंतपुरम,  
केरल-695 037

6. इण्डियन ओवरसीज बैंक,  
के के बिल्डिंग, अरिस्टो जंक्शन,  
ताम्पनूर, तिरुवनंतपुरम,  
केरल-695014

इण्डियन ओवरसीज बैंक,  
टी सी नं. 4/1091, चेरुतोने,  
कुरवंकोणम कौडियार,  
त्रिवेन्द्रम,  
केरल-695003

8. इण्डियन ओवरसीज बैंक,  
के पी वी/203, मुक्कोलक्कल,  
तिरुवनंतपुरम,  
केरल-695044

9. इण्डियन ओवरसीज बैंक,  
टी सी 21/99, प्रशांत बिल्डिंग,  
किल्लिपालम, तिरुवनंतपुरम  
केरल-695002

#### चण्डीगढ़ क्षेत्र

10. इण्डियन ओवरसीज बैंक,  
डी.एम. 15, दक्षिण मार्ग,  
डी.एफ.एल. कुतुब इन्क्लेव फेस-II,  
गुडगांव,  
हरियाणा-122002

11. इण्डियन ओवरसीज बैंक,  
एस.सी.ओ. 26, सैक्टर-7 सी,  
मध्य मार्ग, सैक्टर 7 सी,  
चण्डीगढ़-160019

12. इण्डियन ओवरसीज बैंक,  
37 ए.बी./बी., गांधी नगर,  
एक्सटेंन्सन, रेलवे रोड,  
जम्मू

13. इण्डियन ओवरसीज बैंक,  
एस.पी.एफ.-50, सैक्टर-9,  
पंचकुला,  
हरियाणा-134109

14. इण्डियन ओवरसीज बैंक,  
एस.सी.एफ. 36, सैक्टर 11-12, पार्ट-I,  
पानीपत,  
हरियाणा-132103

15. इण्डियन ओवरसीज बैंक,  
करण गेट,  
करनाल,  
हरियाणा-132001

16. इण्डियन ओवरसीज बैंक,  
2/47, सदर बाजार, सिरसा,  
जिला-सिरसा,  
हरियाणा-125055

17. इण्डियन ओवरसीज बैंक,  
17, परिहार शॉपिंग सेन्टर,  
शिकारिया चौराहा, फतेहपुर,  
जिला-शेखावटी, सीकर,  
राजस्थान-332301

18. इण्डियन ओवरसीज बैंक,  
141, दीपक टाकीज कम्पाउण्ड,  
पावर हाउस रोड,  
सैलाना बस स्टेशन,  
रतलाम-457001

#### कोषिकोड क्षेत्र

19. इण्डियन ओवरसीज बैंक,  
8/24, परंतन शॉपिंग कॉम्प्लैक्स,  
इथई कुन्डलीपुर,  
जिला-त्रिशूर,  
केरल-680616

20. इण्डियन ओवरसीज बैंक,  
8/3/72, पॉपुलर आटोमोबाइल बिल्डिंग,  
सिविल स्टेशन के सामने, कल्पेट्टा नॉर्थ,  
जिला-वयनाड,  
केरल-673122

21. इण्डियन ओवरसीज बैंक,  
श्री शॉपिंग कॉम्प्लैक्स,  
त्रिशूर इरिजलकुडा मेन रोड,  
बंगलो जे.एन. करुवनूर,  
केरल-680711

22. इण्डियन ओवरसीज बैंक,  
टी.एस. नं. 9/386 ए,  
चेरुटी रोड, कोपिकोड,  
केरल-673001

23. इण्डियन ओवरसीज बैंक,  
16/215-216, कोपिकोड रोड,  
बाजार पी.ओ., मन्जेरी,  
जिला-अर्नड मालप्पुरम,  
केरल-676121

24. इण्डियन ओवरसीज बैंक,  
के.बी.पी.वी/639 ए,  
उदयांचल, पदिमरुतु, पो.ओ.  
आनन्द आश्रम, जिला-कासरगोड,  
केरल-671531
  25. इण्डियन ओवरसीज बैंक,  
लॉर्ड माता शॉपिंग सेंटर,  
कालीकट रोड,  
पेरिन्तलमाण्णा, जिला-मालापुरम,  
केरल-679322
  26. इण्डियन ओवरसीज बैंक,  
अंजुमुरी पुत्तुकोडे,  
अलातुर (तालुका),  
जिला-पालक्काड,  
केरल-678637
  27. इण्डियन ओवरसीज बैंक,  
मैन रोड,  
कोयिलांडि, जिला-कोपिकोड,  
केरल-673305
  28. इण्डियन ओवरसीज बैंक,  
नारंगपुरम तलशेरी,  
जिला-कन्नूर,  
केरल-670101
  29. इण्डियन ओवरसीज बैंक,  
कोल्लानूर देवसी बिल्डिंग,  
पैलेस रोड, त्रिशूर,  
केरल-680020
  30. इण्डियन ओवरसीज बैंक,  
बी.पी.पी. बिल्डिंग नं. डी.पी. III, 571-ए,  
स्टेशन रोड, त्रिक्करपुर,  
जिला-कासरगोड,  
केरल-671310
  31. इण्डियन ओवरसीज बैंक,  
बी.पी. II, 130 स्टेशन रोड, वालपट्टनम,  
जिला-कन्नूर,  
केरल-670010
  32. इण्डियन ओवरसीज बैंक,  
चेम्मन्नूर बिल्डिंग वारन्टपल्लि,  
जिला-त्रिशूर,  
केरल-680303
- बडौदा क्षेत्र**
33. इण्डियन ओवरसीज बैंक,  
284/1 अमरोली, गाँव अमरोली,  
पो.ओ. अमरोली, नसवाडी तालुका,  
जिला बडौदा, गुजरात-391150
  34. इण्डियन ओवरसीज बैंक,  
इटोला रोड, इटोला,  
बडौदा,  
गुजरात-391240
  35. इण्डियन ओवरसीज बैंक,  
उण्डेरा रिफाइनरी सर्किल,  
पो.ओ. उण्डेरा कोयली,  
जिला-बडौदा, गुजरात-391330
  36. इण्डियन ओवरसीज बैंक,  
गोपालपुरा,  
जिला-खैरा, गुजरात-388370
  37. इण्डियन ओवरसीज बैंक,  
ब्लॉक नं ए/5 नार्थ टाउनशिप,  
आईपीसीएल कॉम्प्लैक्स,  
जवाहर नगर, जिला बडौदा,  
गुजरात-391346
  38. इण्डियन ओवरसीज बैंक,  
ग्राम पंचायत बिल्डिंग घनश्याम फालिया मैतपुर,  
जिला-खैरा,  
गुजरात-388620
  39. इण्डियन ओवरसीज बैंक,  
गाँव-बोरा, तिलकवाडा तालुक,  
जिला-बडौदा, गुजरात-391105
  40. इण्डियन ओवरसीज बैंक,  
हाउस नं. 1/30 हजीरा,  
जिला-सूरत, गुजरात-394270
  41. इण्डियन ओवरसीज बैंक,  
कलाली रोड, कलाली,  
जिला-बडौदा, गुजरात-390012
  42. इण्डियन ओवरसीज बैंक,  
आदित्य चैम्बर, प्रथम तल,  
कल्याण बंग के सामने, स्टेशन रोड,  
पी.ओ. वल्साड, जिला-वल्साड,  
गुजरात-396001
- पटना क्षेत्र**
43. इण्डियन ओवरसीज बैंक,  
नसीमा बिल्डिंग 2 व 3 मंजिल,  
पश्चिमी गाँधी मैदान, पटना,  
बिहार-800001
  44. इण्डियन ओवरसीज बैंक,  
मकत पुर चौक, शान्ति भवन मार्ग,  
गिरीडीह,  
बिहार-815301



45. इण्डियन ओवरसीज बैंक,  
लक्ष्मी मैन्शन प्रथम तल,  
मेन रोड, बिस्तुपुर, जमशेदपुर,  
बिहार-831001
46. इण्डियन ओवरसीज बैंक,  
हरदयाल रोड, कटिहार,  
बिहार-854105
47. इण्डियन ओवरसीज बैंक,  
राँची रोड, मरार,  
जिला-हजारीबाग,  
बिहार-829117
48. इण्डियन ओवरसीज बैंक,  
कौरा मैदान,  
कालेज रोड, मुँगेर,  
बिहार-8112001
49. इण्डियन ओवरसीज बैंक,  
गिरिजा प्लाजा,  
अंधोरिया बाजार चौक,  
मुजफ्फर पुर,  
बिहार-842002
50. इण्डियन ओवरसीज बैंक,  
निओरी विकास विद्यालय,  
जिला-राँची,  
बिहार-8352117
51. इण्डियन ओवरसीज बैंक,  
गाँव एवं पोस्ट ऑफिस तरोसिल्डोन,  
द्वारा-आर के मिशन,  
जिला-राँची,  
बिहार-835221

#### गोवा क्षेत्र

52. इण्डियन ओवरसीज बैंक,  
आरती बिल्डिंग,  
अंकोला तालुका,  
उत्तर कन्नाडा, जिला-बेलेकेरी,  
कर्नाटक-581321
53. इण्डियन ओवरसीज बैंक,  
बी-235 लक्ष्मी साउकार बिल्डिंग,  
बोरिम पोन्डा रोड, बोरिम,  
गोवा-403401
54. इण्डियन ओवरसीज बैंक,  
सन्तोष टेक्सटाइल बिल्डिंग,  
प्रथम तल, हलप्पा सर्किल,  
एचबी रोड, भद्रावती,  
जिला-शिमोगा,  
कर्नाटक-577301
55. इण्डियन ओवरसीज बैंक,  
1732 रामदेव गली,  
बेलगाँव,  
कर्नाटक-590002
56. इण्डियन ओवरसीज बैंक,  
उमा कॉम्पलेक्स प्रथम तल,  
म्यूनिसिपल स्टाल के सामने,  
डबल रोड, बेल्लारी,  
कर्नाटक-583101
57. इण्डियन ओवरसीज बैंक,  
कोलिम इंडस्ट्रियल स्टेट,  
कोलिम, इल्हास,  
गोवा-403110
58. इण्डियन ओवरसीज बैंक,  
मालानाद बिल्डिंग,  
एनएम सर्किल के सामने, प्रथम तल,  
रत्नगिरि रोड, चिकमंगलूर,  
कर्नाटक-5771001
59. इण्डियन ओवरसीज बैंक,  
जी.वी. पंडित एण्ड ब्रदर्स बिल्डिंग,  
दासनक्रोप्पा पोस्ट, सिसी तालुका,  
जिला-उत्तर कन्नडा,  
कर्नाटक-581358
60. इण्डियन ओवरसीज बैंक,  
715, सुभाष रोड, मंडीपेट,  
दावणगेरे, जिला-चित्रादुग,  
कर्नाटक-577001
61. इण्डियन ओवरसीज बैंक,  
डॉ. मिश्रा बिल्डिंग प्रथम तल,  
कर्नाटक विश्वविद्यालय रोड,  
सप्तापुर धारवाड़,  
कर्नाटक-580001
62. इण्डियन ओवरसीज बैंक,  
मातृ छाया, मेन रोड गरग,  
जिला-धारवाड़,  
कर्नाटक-581105
63. इण्डियन ओवरसीज बैंक,  
प्लॉट नं. 11-बी, सेदम मेन रोड,  
गुलबर्गा,  
कर्नाटक-585105
64. इण्डियन ओवरसीज बैंक,  
उमाचणी बिल्डिंग, कोम्पिकार रोड, हुबली,  
जिला-धारवाड़,  
कर्नाटक-580020

65. इण्डियन ओवरसीज बैंक,  
नेहरु सर्किल बस स्टैण्ड,  
कोंड्लहल्ली मोलकालमुह,  
जिला-चित्रादुर्ग,  
कर्नाटक-577529
66. इण्डियन ओवरसीज बैंक,  
मेन रोड कुडलुर, तरिकेरी तालुका,  
जिला-चिकमंगलूर,  
कर्नाटक-577157
67. इण्डियन ओवरसीज बैंक,  
गोपाल टावर्स मेन रोड कारकला,  
जिला-उडपी,  
कर्नाटक-574104
68. इण्डियन ओवरसीज बैंक,  
नंजुंडे गोएडा मैन्शन,  
मेन रोड, लिंगदहल्ली,  
तरिकेरी तालुका, जिला-चिकमंगलूर,  
कर्नाटक-577129
69. इण्डियन ओवरसीज बैंक,  
डोर नं. एमडी-3 बी, 2 सीएच नं. 6,  
एच.वी.एन. बिल्डिंग प्रथम तल,  
नेहरु रोड, शिमोगा,  
कर्नाटक-581204
70. इण्डियन ओवरसीज बैंक,  
तुमारीकोप्पा पी.ओ., कालाघाटगी तालुका,  
जिला-धारवाड़,  
कर्नाटक-581204
71. इण्डियन ओवरसीज बैंक,  
श्री बूधराहा कॉम्प्लैक्स, बडिराजा रोड,  
कार स्ट्रीट, उडुपी,  
कर्नाटक-576101
72. इण्डियन ओवरसीज बैंक,  
प्रियदर्शिनी मेन रोड, वारंगा,  
कर्कला तालुका, वारंगा,  
दक्षिण कन्नड जिला,  
कर्नाटक-576144
73. इण्डियन ओवरसीज बैंक,  
पैरा चैम्बर्स, पी.ई. जोस, जाव रोड,  
वास्को-डी-गामा,  
गोवा-403802
74. इण्डियन ओवरसीज बैंक,  
41/1 अजीजुद्दीन रोड,  
बंदर, मंगलूर,  
कर्नाटक-575001
75. इण्डियन ओवरसीज बैंक,  
कारेकर बिल्डिंग, अंगोद,  
मापसा बर्देज,  
गोवा-403507
76. इण्डियन ओवरसीज बैंक,  
ई-9, भगवदो, पी.ओ. मुलगाँव,  
अस्सनोरा गोवा,  
बिचोलिम तालुका  
गोवा-403503
77. इण्डियन ओवरसीज बैंक,  
13-13-1530 केएस राव रोड,  
हंपन्कट्टा, मंगलौर,  
जिला-दक्षिण कन्नड,  
कर्नाटक-575001
78. इण्डियन ओवरसीज बैंक,  
हाऊस नं. 558, पोवोअसओ,  
नुवेम सालेट,  
गोवा-403604
79. इण्डियन ओवरसीज बैंक,  
नेप्चून होटल बिल्डिंग,  
डॉ ए पिस्सूरलकर रोड,  
पणजी, गोवा-403001
80. इण्डियन ओवरसीज बैंक,  
चेन्नावीरप्पाज बिल्डिंग,  
बेल्लारी-हिरयूर मेन रोड, रामपुरा,  
जिला-चित्रादुर्ग,  
कर्नाटक-577540
81. इण्डियन ओवरसीज बैंक,  
कुमार कृपा, कार स्ट्रीट,  
सुब्रहमण्या डी.के. जिला,  
कर्नाटक-574238
82. इण्डियन ओवरसीज बैंक,  
पंचायत बिल्डिंग, सवाई वेरेम गाँव,  
पोण्डा तालुका,  
गोवा-403401
83. इण्डियन ओवरसीज बैंक,  
ई-393, मंगेरियल,  
सांतो इस्तेवम, इल्हास,  
गोवा-403106

## राज्य/संघ राज्य क्षेत्र—केरल

1. इंडियन बैंक  
पी बी सं. 30,  
एससीएस जंक्शन,  
टी के रोड  
तिरुवल्ला-689 101
2. इंडियन बैंक  
पी बी सं. 66,  
मेन रोड,  
नार्थ कोट्टचेरि  
कन्हनगाड-671 315
3. इंडियन बैंक  
पी बी सं. 4,  
चुंगम;  
पाप्पिनिशशेरी-670 561  
कन्नूर जिला
4. इंडियन बैंक  
पी बी सं. 1005,  
पट्टम पैलेस जंक्शन  
पट्टम तिरुवनन्तपुरम-695 004
5. इंडियन बैंक  
पी बी सं. 91,  
कीर्ति काम्प्लेक्स,  
11/687, कोर्ट रोड,  
पालक्काड-678 001
6. इंडियन बैंक  
पी बी सं. 105,  
एम सी रोड,  
बेकर जंक्शन,  
कोट्टायम-686 001
7. इंडियन बैंक  
पी बी सं. 16  
238 वार्ड 12  
पत्तनमतिट्टा-689 645
8. इंडियन बैंक  
पी बी सं. 25  
19/78 एवीके नायर  
रोड, नारंगपुरम  
तलशशरी-670 101
9. इंडियन बैंक  
पूरुम्पपत्तूर  
तिरुवनन्तपुरम-695 126
10. इंडियन बैंक  
क्यू एस रोड,  
केरलपुरम  
चंदनथोप-691 014  
कोल्लम जिला
11. इंडियन बैंक  
7/341 कृष्णा रोड जंक्शन,  
पिरायिरी-678 019
12. इंडियन बैंक  
कल्लुन्कु जंक्शन,  
वित्तुरा,  
तिरुवनन्तपुरम-695 551
13. इंडियन बैंक  
पी बी सं. 3814,  
मुल्लक्कल  
आलप्पुषा-688 010
14. इंडियन बैंक  
पी बी सं. 523,  
114/18, कल्लाई रोड  
कोजीक्कोड-673 002
15. इंडियन बैंक  
पी बी सं. 25,  
34/1581 इडोडी जंक्शन,  
वडकरा-673 101
16. इंडियन बैंक  
मय्यनाड, कोल्लम,  
मय्यनाड-691 303
17. इंडियन बैंक  
10/340 ईस्ट नड  
गुरुवायूर-680 101
18. इंडियन बैंक  
पी बी सं. 5  
कोषन्चेरी-689 641  
पत्तनमतिट्टा जिला
19. इंडियन बैंक  
चुंडा जंक्शन,  
चेरुकुलम अंचल  
इट्टिका-691 306  
कोल्लम जिला
20. इंडियन बैंक  
टी सी 48/1144,  
श्रीवास,  
अम्बलत्तरा  
तिरुवनन्तपुरम-695 026

1. भारतीय लघु उद्योग विकास बैंक,  
गुवाहाटी क्षेत्रीय कार्यालय,  
द्वितीय तल, आईडीबीआई बिल्डिंग,  
सेन्टिनल प्रेस के सामने,  
जी.एस. रोड,  
गुवाहाटी-781 005
1. राष्ट्रीय कृषि और ग्रामीण विकास बैंक, झारखण्ड  
क्षेत्रीय कार्यालय, काली बाबू स्ट्रीट,  
सिविल कोर्ट के पीछे,  
अपर बाजार, रांची-834 001
2. राष्ट्रीय कृषि और ग्रामीण विकास बैंक, झारखण्ड,  
क्षेत्रीय कार्यालय, काली बाबू स्ट्रीट,  
सिविल कोर्ट के पीछे,  
अपर बाजार, रांची-834 001

(Department of Economic Affairs)

(BANKING DIVISION)

New Delhi, the 28th October, 2004

S.O. 2857.—In pursuance of Sub-rule (4) of rule 10 of the Official Languages (Use of official purposes of the Union) Rules, 1976 the Central Government, hereby, notifies the listed offices/branches of the following banks/Financial Institution in the attached annexure, more than 80% of the staff whereof have acquired the working knowledge of Hindi :—

S. No.	Name of the Banks	Number of Offices/Branches
1.	State Bank of Bikaner & Jaipur	16
2.	Syndicate Bank	12
3.	Punjab National Bank	15
4.	Corporation Bank	03
5.	Andhra Bank	01
6.	State Bank of Mysore	53
7.	Canara Bank	57
8.	Indian Overseas Bank	83
9.	Indian Bank	20
10.	SIDBI	01
11.	NABARD	02
	Total	263

[F. No. 11016/5/2004-Hindi]

RAMESH BABU ANIYERY, Dy. Director (OL)

State Bank of Bikaner and Jaipur  
Head Office : Jaipur

Branch to be notified in the Official Gazette under Rule 10(4) of Official Language Rules 1976.

1. NADBAI (Bharatpur)  
Nadbai-321 602  
Distt. Bharatpur  
(Rajasthan)

2. Mahesh Nagar, Jaipur  
C-24, Mahesh Nagar,  
Jaipur-302015
3. Pratap Nagar, Jaipur  
80/10, Kumbha Marg,  
Pratap Nagar (Sanganer)  
Jaipur-303 906
4. PWD Complex, Jaipur  
PWD Complex,  
Jaikabh Road,  
Hasanpura,  
Jaipur.
5. Ganpati Plaza, Jaipur  
Ganpati Plaza,  
M.I. Road,  
Jaipur.
6. Chitrakoot, Jaipur,  
C-8/2, Chitrakoot,  
Jaipur-302 021
7. Bapu Bazar, Jaipur  
Bapu Bazar,  
Jaipur-302 003
8. Treasury Building, Tonk  
Treasury Building,  
Tonk-304 001  
(Rajasthan)
9. Guwahati,  
S.R.C.B. Road,  
Fancy Bazar,  
Guwahati-781 001
10. Berhampur,  
Bramhanagar Square,  
New Bus Stand Road,  
Berhampur-760 001
11. Cuttack  
Bajrakabati Road,  
Cuttack-753 001  
(Orissa)
12. Asansol,  
32, G.T. Road,  
Near B.B. Road,  
Asansol-713301  
Distt. Burdwan,  
West Bengal.
13. Siliguri,  
Mangturam Road,  
Siliguri-734 405  
Distt. Darjling,  
West Bengal.
14. Kumher,  
Kumher-321201  
Distt. Bharatpur,  
(Rajasthan)

15. **S.M.S. Hospital, Jaipur**  
S.M.S. Hospital,  
Jaipur-302 004.  
(Rajasthan)
16. **Shiksha Sankul, Jaipur,**  
Dr. Radha Krishnan Shiksha Sankul,  
Bank Bhawan, Block No. 1,  
Jawahar Lal Nehru Marg,  
Jaipur-302 015  
(Rajasthan).
1. Syndicate Bank,  
Yeshwantpur Branch,  
Gopal Complex, No. 47,  
S.C. Road, Yeshwantpur,  
Bangalore-560 022.  
Karnataka State.
2. Syndicate Bank,  
Dr. A.V.B. College Branch,  
Dr. A.V. Baliga College,  
Hegde Road, Kumta-581 343  
Uttara Kannada District,  
Karnataka State.
3. Syndicate Bank,  
Mundgod Branch,  
Bankapur Road,  
Mundgod-581 349  
Uttara Kannada District,  
Karnataka State.
4. Syndicate Bank,  
Kathgal Branch,  
Kathgal-581 444  
P.O. Kathgal, Kumta Taluk,  
Uttara Kannada District,  
Karnataka State.
5. Syndicate Bank,  
Hegde Branch,  
Near Shantika Parameshwari Temple,  
Hegde-581 330, Kumta Taluk,  
Uttara Kannada District,  
Karnataka State.
6. Syndicate Bank,  
Bankikodla Branch, Main Road,  
Bankikodla-581 319  
Kumta Taluk,  
Uttara Kannada District,  
Karnataka State.
7. Syndicate Bank,  
Bilgi Branch,  
S. R. High School Building,  
BILGI-581 322, Siddapur Taluk,  
Uttara Kannada District,  
Karnataka State.
8. Syndicate Bank,  
Ekkambi Branch,  
Mascarenhas Building,  
Ekkambi-581 358  
Sirsi Taluk, Uttara Kannada District,  
Karnataka State.
9. Syndicate Bank,  
Majali Branch,  
Parvathi Shankar Complex,  
Majali-581 345  
Uttara Kannada District,  
Karnataka State.
10. Syndicate Bank,  
Mallapur Branch,  
Subhadra Hotel, I Floor,  
Kaiga Road,  
Mallapur-581 400  
Uttara Kannada District,  
Karnataka State.
11. Syndicate Bank,  
Manchikere Branch,  
Bilki Road,  
Manchikere-581 347  
Yellapur Taluk,  
Uttara Kannada District,  
Karnataka State.
12. Syndicate Bank,  
Sirsi Branch,  
Devikere Road,  
Sirsi-581 401  
Uttara Kannada District,  
Karnataka State.
1. The Manager,  
Punjab National Bank,  
Baliput,  
Via-Gabkund,  
Dist. Puri-752 045  
(Orissa)
2. The Manager,  
Punjab National Bank,  
Chhaitana,  
Dist. Puri-752 002  
(Orissa)
3. The Manager,  
Punjab National Bank,  
Chhatrachakada,  
Via-Derabis,  
Dist. Kendrapara-754289  
(Orissa)
4. The Manager,  
Punjab National Bank,  
Kantala,  
Via-Pallahada,  
Dist. Angul-759119  
(Orissa)

5. The Manager,  
Punjab National Bank,  
Nodhana,  
Pariakuli,  
P.O. Kuliana,  
Dist. Mayurbhanj  
(Orissa)
6. The Manager,  
Punjab National Bank,  
Paikarapur,  
Patapur, Salipur,  
Dist. Cuttack-754284  
(Orissa)
7. The Manager,  
Punjab National Bank,  
Satnile,  
PO : Dudurkote,  
Via-Baluni,  
Distt. Dhenkanal-759020  
(Orissa)
8. The Manager,  
Punjab National Bank,  
Talatumba,  
PO : Deuli,  
Dist. Khurda-752 064  
(Orissa)
9. The Manager,  
Punjab National Bank,  
Tendabadi,  
Dasapala,  
Dist. : Nayagarh-752084,  
(Orissa)
10. Punjab National Bank,  
B.O. : Andheri (East),  
Nirman Darshan,  
Rajmata Jija Bai Marg,  
Pump House, Andheri (East),  
Mumbai-400 093,  
Dist. No. K-4364
11. Punjab National Bank,  
B.O. : Dombivalli (East),  
Gopal Bhavan, Kelkar Road,  
Ramnagar, Dombivalli (East),  
Mumbai-421 201  
Dist. No. : K-4365
12. Punjab National Bank,  
B.O. : Sector 17, Vashi,  
Big Splash Building,  
Plot No. 78 & 79,  
Sector 17, Vashi,  
New Mumbai-400 703,  
Dist. No. K-4368
13. Punjab National Bank,  
B.O. : CBD Belapur,  
Sector 11,  
Plot No. 29,  
CBD Belapur,  
New Mumbai-400 614,  
Dist. No. 4138
14. Punjab National Bank,  
B.O. : M.G. Marg,  
Lucknow
15. Punjab National Bank,  
B.O. : Jankipuram,  
Bhavana Complex,  
Jankipuram,  
Lucknow.
1. Corporation Bank  
(A Government of India Enterprise)  
Opposite Rai Filling Station  
Main Road, Banga-144 505  
(Punjab)
2. Corporation Bank  
Gorur Branch,  
Hassan Arakalgud Road,  
Gorur-573 120  
Hassan District  
Karnataka State
3. Corporation Bank  
Channarayapattana Branch,  
Gururaj Complex,  
Near Balaji Theatre  
B.M. Road,  
Chennarayapattana-573 116  
Karnataka State
1. Andhra Bank  
Sultanabad Branch,  
Near Bus Stand,  
Sultanabad,  
Karimnagar Dist.  
Andhra Pradesh.
1. State Bank of Mysore  
Bangalore Zone  
B.K.G. Complex,  
Avenue Road,  
Bangalore-560 009
2. State Bank of Mysore  
Bangalore Zone,  
BKG Complex,  
Avenue Road,  
Bangalore-560 009



3. State Bank of Mysore  
Bangalore Zone,  
BKG. Complex,  
Avenue Road,  
Bangalore-560 009
4. State Bank of Mysore  
Bangalore Zone,  
BKG Complex,  
Avenue Road,  
Bangalore-560 009
5. State Bank of Mysore  
Bangalore Zone,  
BKG Complex,  
Avenue Road,  
Bangalore-560 009
6. State Bank of Mysore,  
Tumkur Region,  
N.R. Complex, Ashoka Road,  
Tumkur-572 101
7. State Bank of Mysore,  
Chengalur Branch,  
P.B. No. 27,  
Church Building, M.G. Road,  
Chengalur-689 121  
Aleppey Dist,  
Kerala.
8. State Bank of Mysore,  
Ernakulam Branch,  
38/1119 LIC Building,  
Ground Floor,  
M.G. Road,  
Ernakulam-682 035
9. State Bank of Mysore,  
Kochi (Cochin) Branch  
P.B. No. 159, Suraj Complex,  
No. 8/1731 A, Mantra Road,  
M.M. Cross Road, Koovapadam,  
Kochi-682  
Kerala
10. State Bank of Mysore,  
Kollam Branch,  
P.B. No. 357 PGR Building,  
1 Floor, Paikada Road,  
Andamukkam-691 001  
Kollam, Kerala
11. State Bank of Mysore,  
Kottayam Branch,  
Veteel Estate, Opposite to Plantation Corporation,  
Kottayam-686 004 Kerala.
12. State Bank of Mysore,  
Sultanpet Branch,  
Pudussery Buildings,  
1st Floor, VH Road,  
Palakkad-678 001  
Kerala
13. State Bank of Mysore,  
Kumbhanad Branch,  
P.B. No. 5.  
Tiruvalla-Kozencherry Road,  
Kumbhanad-682 547  
Kerala State
14. State Bank of Mysore,  
Tiruvanantha Puram Branch,  
P.B. No. 4D No. TC/38/599(2),  
Ponni Building,  
Power House Road,  
Tiruvananthapuram-695 023  
Kerala.
15. State Bank of Mysore,  
Hiti Rathna Bhavan,  
Ground Floor, Panchavati Circle,  
Ahmedabad-38.
16. State Bank of Mysore,  
P.B. No. 9445,  
Mahakali Caves Road,  
Andheri East,  
Mumbai.
17. State Bank of Mysore,  
P.B. No. 2, Belapur Bhavan,  
Sector 2, Office No. 3,  
Navi Mumbai-400 614
18. State Bank of Mysore,  
West Park Cross Road,  
I.C. Colony, Borivili West,  
Mumbai-400 103
19. State Bank of Mysore,  
P.B. No. 2, Dayanand Saraswathi Road,  
Chembur, Mumbai-400 071
20. State Bank of Mysore,  
P.B. No. 1066, 24426,  
Dalal Street, Fort,  
Mumbai 400023
21. State Bank of Mysore,  
Gokhalenagar,  
Shivajinagar,  
Prabodhan Bhavan,  
Pune-411 010

22. State Bank of Mysore,  
Khar,  
P.B. No. 16948 No. 199,  
Cybil Mansion, S.V. Road,  
Santacruz (East),  
Mumbai-400 054
23. State Bank of Mysore,  
PB. No. 255,  
659, C.E. Ward,  
2nd Lane Shahapuri,  
Kolhapur-416 001
24. State Bank of Mysore,  
Lokhandwala,  
Golden Chambers,  
P.B. No. 11938,  
Link Road, Near Mongins,  
Andheri West,  
Mumbai-400 058
25. State Bank of Mysore,  
Malad,  
P.B. No. 17614, 657,  
Sahakara Apartments, Malad (West)  
Mumbai-400 064
26. State Bank of Mysore,  
Matunga  
P.B. No. 16641,  
Nayam Shanthinath Bhavan,  
Dr. Ambedkar Road, Matunga,  
Mumbai-400 019.
27. State Bank of Mysore,  
P.B. No. 6470, 6/7,  
Karmabhooni Mori Road,  
Mahim East, Mumbai-400 064.
28. State Bank of Mysore,  
P.B. No. 224, Wardha Road,  
Nagpur-44 0012
29. State Bank of Mysore,  
Gred Eastern Galleria,  
1st Floor, Plot No. 20, Sector 4 Dist.  
Thane, Navi Mumbai-400 706
30. State Bank of Mysore,  
P.B. No. 603, Purnima Towers,  
Shankarseth Road,  
Pune-411 037
31. State Bank of Mysore,  
Service Branch Mumbai,  
P.B. No. 11595, 4th Floor,  
Nariman Point,  
Mumbai-400 021
32. State Bank of Mysore,  
P.B. No. 146, No. 152, 7/7,  
Kanna Chowk,  
Solapur-413 005
33. State Bank of Mysore,  
Uppal Towers, P.B. No. 125,  
F.P. 62/8 1st Floor,  
Aswini Kumar Road,  
Surat-395 009
34. State Bank of Mysore,  
P.B. No. 3712, Vimalnath Complex,  
Plaza, Subanpura High Tension Road,  
Vadodara-390 007
35. State Bank of Mysore,  
Bentick Street,  
P.B. No. 2, 10, 1 & 2,  
Old Fort House Corner,  
Tobacco House,  
Kolkata-700001
36. State Bank of Mysore,  
Nirmal Towers, Near Apsara Talkies,  
Raisen Road,  
Bhopal-462 023
37. State Bank of Mysore,  
Connaught Place,  
P.B. No. 196, Anthariksh Bhavan, 22,  
Kasturba Gandhi Road,  
New Delhi-110 001.
38. State Bank of Mysore,  
6127, Koshik Complex,  
Main Road, Gandhinagar,  
New Delhi-110 031
39. State Bank of Mysore,  
Golf Green,  
DT 12A Uday Shankar Sarani Road,  
Kolkata-110 095
40. State Bank of Mysore,  
M/s. Sunrise Towers No. 579,  
M.G. Road, Indore
41. State Bank of Mysore,  
P.B. No. 124, Thambi Towers,  
Sharat Chandra Bose Road,  
Jaipur-302 001

42. State Bank of Mysore,  
Janakpuri,  
Janak Cinema Complex,  
'C' Block, Panka Road,  
New Delhi-110 058
43. State Bank of Mysore,  
Karol Bagh,  
P.B. No. 2618, No. 2396,  
Gurudwara Road,  
New Delhi-110 005
44. State Bank of Mysore,  
Nazafgarh,  
New Green Market Complex,  
Bahadurgarh Road, Nazafgarh,  
New Delhi-110 043
45. State Bank of Mysore,  
Noida,  
Sector-27, Ata Market,  
Dadri Main Road,  
Noida-201 301
46. State Bank of Mysore,  
Paschim Enclave,  
Flat No. 2 and 3,  
Local Shopping Complex,  
National Market, Paschim Vihar,  
New Delhi-110 087
47. State Bank of Mysore,  
Flat No. 1, Sector 4,  
Market North West Avenue,  
Punjabi Bagh, West,  
New Delhi-110 026
48. State Bank of Mysore,  
Rash Bihari Avenue,  
P.B. No. 216203, 180,  
R.B. Avenue,  
Kolkata-700 028
49. State Bank of Mysore,  
Ruby Park,  
P. 27, Phase 1 Kasva Industrial Estate,  
PM Bypass East,  
Kolkata-700 107
50. State Bank of Mysore,  
Salt Lake City,  
C.L. 25/26/Main Road,  
Opp. to C.K. Local Market,  
Sector-22, Salt Lake City,  
Kolkata-700 091
51. State Bank of Mysore,  
Service Branch Delhi,  
12/1, Regal Building, Sansad Marg,  
New Delhi-110 001

52. State Bank of Mysore,  
Service Branch Kolkata,  
1st Floor, Tobacco House, 1 and 2,  
Old Fort House Corner,  
Kolkata-700 001.
53. State Bank of Mysore,  
Shakespear Sarani,  
No. 24, 'A' Parijat,  
Kolkata-700 017

#### Circle Office, Lucknow

1. Canara Bank  
29, Khun Khun Ji Road,  
Chowk, Lucknow
2. Canara Bank  
Malviya Road,  
Opp. Basti Gramin Bank  
Basthi, Uttar Pradesh  
Pin-227 001
3. Canara Bank  
761, Katcheri,  
Harsh Nagar,  
Eathwa-206001, UP
4. Canara Bank  
Hotel Kumaun Plaza,  
National Road,  
NH No. 74, Kashipur  
Dist. Udham Singh Nagar  
Uttaranchal

#### Circle Office, Delhi

5. Canara Bank  
44/93-96, Sector-4, Zone-44  
Between Kiran Path and Rajat Path  
Madhya Marg, Mansarovar and  
Jaipur, Rajasthan
6. Canara Bank  
Scheme No. 16, Girnar Colony,  
Plot No. 190, Gandhi Path  
Vaishali Nagar, Jaipur  
Rajasthan

#### Circle Office, Patna

7. Canara Bank  
NIFFT Branch,  
NIFFT Campus,  
Hatia, Ranchi (Jharkhand)  
Pin -834004
8. Canara Bank  
Loyala School Branch,  
Near Beldih Kali Mandir  
Bistupur, Jamshedpur (Jharkhand)  
Pin-831001

9. Canara Bank  
Tarpakhna Branch,  
Union Club Campus,  
Hazaribagh Road,  
Ranchi (Jharkhand)  
Pin-834001
10. Canara Bank  
Rajendra Nagar Branch,  
147-B, Arya Kumar Road,  
Rajendra Nagar, Patna (Bihar)  
Pin-800016
- Circle Office, Kolkata**
11. Canara Bank  
Anlajodi  
P.O.-Anlajodi  
Mayurbhanj-757042,  
Orissa
12. Canara Bank, Angul  
Near Anlapara Bus Stand,  
Angul-759122  
Dhenkanal, Orissa
13. Canara Bank, Baghada  
Via-Sulipada  
Baghada-757022  
Mayurbhanj, Orissa
14. Canara Bank,  
Dhumala Main Road,  
P.O. -Nayahat  
Dhumala-752107  
Dist-Puri, Orissa
15. Canara Bank, Digapahandi  
Basar Street, Main Road,  
Digapahandi-761012  
Ganjam, Orissa
16. Canara Bank, Gidhighatty  
P.O.-Tarana  
Via-Bahalda Road, R.S.  
Gidhighatty-757046  
Mayurbhanj, Orissa
17. Canara Bank, Patrapur  
Ram Mandir Road,  
Patrapur-761004  
Ganjam, Orissa
18. Canara Bank, Purana  
Vill.+Post-Purana,  
Via-Anakhia  
Cuttack-754102  
Cuttack, Orissa
19. Canara Bank, Rambagh  
Gram Panchayat Building,  
Via-Jajpur Town,  
Post-Rambagh-755014  
Cuttack, Orissa
20. Canara Bank, Sulaipet  
Post-Sulaipet  
Via-Rairangpur-757043  
Mayurbhanj, Orissa
21. Canara Bank, Talagaon  
Via-Jamda, Talagaon-757045  
Mayurbhanj, Orissa
22. Canara Bank, Tanarada  
Post-Tanarada-761140  
Ganjam, Orissa
23. Canara Bank, Umara  
Pojhandeswarpur  
Via-Nischintakoi  
Block-Mahanga-754291  
Cuttack, Orissa
24. Canara Bank, Currency Chest, Cuttack  
Chowdhury Bazaar  
Opp. Gouri Shankar Park  
Cuttack-753001  
Cuttack, Orissa
25. Canara Bank, Currency Chest, Berhampur  
Pake Lavary Street (Opp. Sano Bazar City P.O.)  
Sano Bazar  
Berhampur-760002  
Ganjam, Orissa
26. Canara Bank, Chowkhuty  
Post-Barbang  
Chowkhuty-781325  
Barpeta, Assam
27. Canara Bank, Chandmari  
Maniram Dewan Road  
Silpukhri, Guwahati  
Dist-Kamrup, Assam
28. Canara Bank, Maligaon  
Express Tower  
Maligaon, Dist.-Kamrup,  
Assam
29. Canara Bank, Udmari  
Udmari High School Compound  
Udmari  
Nowgong, Assam
30. Canara Bank, Sarat Sarani Ballymore  
417, Kapasdanga Sarat Sarani  
P.D. Hooghly W.B.
31. Canara Bank, Barasat  
66, Pioneer Park (Colony More)  
Post-Barasat  
Dist.-24 Paraganas  
(North)-743201 (W.B.)

32. Canara Bank, Basudevpur,  
Post-Chachanda,  
Via-Nimtita-742224  
Murshidabad-W.B.
33. Canara Bank, Accounts Section,  
60/1, Nirmal Chandra Dey Street,  
Kolkata-700012
34. Canara Bank, A.R.M. Branch,  
5/1, A.J.C Bose Road (3rd Floor),  
Kolkata-700020
35. Canara Bank, Clearing Section,  
No. 7, Red Cross Place,  
Kolkata-700001  
Kolkata (W.B.)
36. Canara Bank, Currency Chest, Jadavpur,  
98/10/1, Raja SC Mallick Road,  
Jadavpur, Kolkata-700032
37. Canara Bank, Currency Chest,  
Hare Street. 2, Hare Street,  
Kolkata-700001
38. Canara Bank, High Tech Branch,  
9, Lala Lajpat Roy Road,  
Kolkata-700020
39. Canara Bank, Laketown Branch,  
111, Laketown, Block-A,  
Kolkata-700089
40. Canara Bank, Overseas Branch,  
2/1, Russle Street,  
Kolkata-700071
41. Canara Bank,  
Shakespeare Sarani Branch,  
21, Camac Street,  
Kolkata-700016
42. Canara Bank, SSI Branch,  
5/1, A J C Bose Road, 1st Floor,  
Kolkata-700020
43. Canara Bank, Chamitara Branch,  
Vill.-Chamitara,  
Post-Barnal-721516  
Midnapore (W.B.)
44. Canara Bank, Jashpur Branch,  
Jashpur Grampanchayat Office,  
Vill.-Lohagram,  
Post-Pochiyara-731140  
Birbhum (W.B.)
45. Canara Bank, Kalyani Branch,  
B-7/33, (S) and 34 (S),  
Central Park (West),  
Kalyani,  
Dist.-Nadia (W.B.) 741235
46. Canara Bank, Kankuria Branch,  
Vill.+Post-Kankuria,  
Murshidabad-624705  
Murshidabad (W.B.)
47. Canara Bank, Kashimnagar Branch,  
Vill.+P.O.-Dafahat Kashimnagar,  
Via-Nimtita-742224  
Murshidabad (W.B.)
48. Canara Bank,  
Kechuadanga Branch,  
Vill.+Post-Kechuadanga,  
P.O. Bam Nadia-741172  
P.S. Kareempur,  
Nadia (W.B.)
49. Canara Bank, Kharkata Branch,  
Vill.-Kharkata,  
P.O. Jiaband-722164  
Bankura (W.B.)
50. Canara Bank, Mirzanagar Branch,  
Vill.-Mirzanagar,  
Post-Kechina-743424  
North 24 Parganas (W.B.)
51. Canara Bank, Negera Branch,  
Vill.-Simulia, Post,  
Via-Kichar-713143  
Burdwan (W.B.)
52. Canara Bank, Rajapur Branch,  
Rajapur Grampanchayat Office,  
Post-Rajapur-742306  
Murshidabad (W.B.)
53. Canara Bank, Sarachi Branch,  
Vill.-Deulahat,  
Via-Ustui,  
P.O. Sarachi 743375  
South 24 Parganas (W.B.)
54. Canara Bank, Srirampur Branch,  
120, Netaji Subhas Avenue,  
Srirampur W.B.-712201
55. Canara Bank, Shonepurhat Branch,  
Vill.+Post Shonepurhat,  
Via-Bhangar,  
South 24-Parganas (W.B.)
56. Canara Bank, Tengra Colony Branch,  
Tengra Grampanchayat Office,  
Post-Tengra Colony,  
P.S.-Benegaon-743251  
North 24 -Parganas (W.B.)
57. Canara Bank,  
Vikurdihi Branch,  
Vill.+Post Vikurdihi-722146  
Bankura (W.B.)

**Thiruvananthapuram Region**

1. Indian Overseas Bank,  
25/1 and 2 YMCA Building, M.G. Road,  
Thiruvananthapuram,  
**Kerala-695001**
2. Indian Overseas Bank,  
P No. 7, Vrindavan Housing Colony  
Medical College Road, Pattom  
Thiruvananthapuram,  
**Kerala-695004**
3. Indian Overseas Bank,  
C 37/144, Thakaraparamba Road,  
Sreekanteswaram,  
**Kerala-695023**
4. Indian Overseas Bank,  
Carnel Buildings,  
Gandhi Nagar Cotten Mill,  
Vazhathand Trivandrum,  
**Kerala-695014**
5. Indian Overseas Bank,  
G. H Junction Andoor Building,  
General Hospital Road,  
Thiruvananthapuram,  
**Kerala-695037**
6. Indian Overseas Bank,  
K. K. Building, Aristo Junction,  
Thampanoor,  
Thiruvananthapuram,  
**Kerala-695014**
7. Indian Overseas Bank,  
T. C. No. 4/1091 Cheruthone,  
Kuravankonan Koudiar,  
Trivandrum,  
**Kerala-695003**
8. Indian Overseas Bank,  
K. P. V/203, Mukkolakkal,  
Thiruvananthapuram,  
**Kerala-695044**
9. Indian Overseas Bank,  
T.C. 21/99, Prashanth Building, Killipalam,  
Thiruvananthapuram,  
**Kerala-695002**

**Chandigarh Region**

10. Indian Overseas Bank,  
D.M. 15, Dakshin Marg,  
D.L.F. Qutub Enclave Phase II,  
Gurgaon,  
**Haryana-122002**
11. Indian Overseas Bank,  
SCO 26, Sector 7C,  
Madhya Marg, Sector 7 C,  
**Chandigarh-160019**

12. Indian Overseas Bank,  
37 A.B/B Gandhi Nagar,  
Extension, Railway Road,  
**Jammu**
13. Indian Overseas Bank,  
SCF-50, Sector 9,  
Panchkula,  
**Haryana-134109**
14. Indian Overseas Bank,  
SCF 36, Sector 11-12, Part I,  
Panipat,  
**Haryana-132103**
15. Indian Overseas Bank,  
Karan Gate,  
Karnal,  
**Haryana-132001**
16. Indian Overseas Bank,  
2/47, Sadar Bazar,  
Sirsa, Sirsa District,  
**Haryana-125055**
17. Indian Overseas Bank,  
17, Parihar Shopping Center,  
Sikariya Chauraha, Fatehapur,  
Shehawati, Sikar District  
**Rajasthan-332301**
18. Indian Overseas Bank,  
141, Deepak Takies Compound,  
Power House Road,  
Sailana Bus Station,  
**Ratlam-457001**

**Kozhikode Region**

19. Indian Overseas Bank,  
8/24, Paranthan Shopping Complex,  
Ethai Kundaliyur,  
Thrissur District  
**Kerala-680616**
20. Indian Overseas Bank,  
8/3/72, Popular Automobiles Buld.,  
Opp Civil Station, Kalpetta North  
Waynad District  
**Kerala-673122**
21. Indian Overseas Bank,  
Shree Shopping Complex,  
Thrissur Irinjalakuda Main Road,  
Bangalow J.N. Karuvannur,  
**Kerala-680711**
22. Indian Overseas Bank,  
T.S. No. 9/386 A,  
Cherooty Road, Kozhikode,  
**Kerala-673001**

23. Indian Overseas Bank,  
16/215-216, Kozhikode Road,  
Bazaar P.O. Manjeri  
Ernad Malappuram District  
**Kerala-676121**
24. Indian Overseas Bank,  
K.B.P.V/639 A  
Odayanchal Padimaruthu P.O.  
Anandasraman, Kasargod District  
**Kerala-671531**
25. Indian Overseas Bank,  
Lourdu Matha, Shopping Centre  
Calicat Road,  
Perinthalmanna, Malapuram District  
**Kerala-679322**
26. Indian Overseas Bank,  
Anjumuri Puthucode, Alathur (Taluk)  
Palakkad District,  
**Kerala-678687**
27. Indian Overseas Bank,  
Main Road Koyilandy,  
Kozhikode District  
**Kerala-673305**
28. Indian Overseas Bank,  
Narangapuram, Thalassery  
Kannur District,  
**Kerala-670101**
29. Indian Overseas Bank,  
Kollanur Devassy Building,  
Palace Road, Thrissur  
**Kerala-680020**
30. Indian Overseas Bank,  
V.P.P. Building No. T.P. III 571A,  
Station Road, Thrikkarpur,  
Kasargod District  
**Kerala-671310**
31. Indian Overseas Bank,  
B.P. II, 130 Station Road, Valapatnam  
Kannur District  
**Kerala-670010**
32. Indian Overseas Bank,  
Chemmannur Building, Varandrapilly,  
Thrissur District  
**Kerala-680303**

**Baroda Region**

33. Indian Overseas Bank,  
284/1, Amroli Village, Amroli,  
P.O. Amroli, Naswadi Taluka,  
Badodara District,  
**Gujarat-391150**

34. Indian Overseas Bank,  
Itola Road, Itola,  
Baroda  
**Gujarat-391240**
35. Indian Overseas Bank,  
Undera Refinery Circle,  
P.O. Undera Koyli,  
Baroda District  
**Gujarat-391330**
36. Indian Overseas Bank,  
Gopalpura,  
Khaira District  
**Gujarat-388370**
37. Indian Overseas Bank,  
Block No. A/5, North Township,  
IPCL Complex Jawahar Nagar,  
Baroda District,  
**Gujarat-391346**
38. Indian Overseas Bank,  
Gram Panchayat Building,  
Ghanshyam Fatia Metpur,  
Khera District,  
**Gujarat-388620**
39. Indian Overseas Bank,  
Village Vora Tilak Wara Taluk,  
Baroda District,  
**Gujarat-391105**
40. Indian Overseas Bank,  
House No. 1/30, Hajira,  
Surat District  
**Gujarat-394270**
41. Indian Overseas Bank,  
Kalali Road Kalali,  
Baroda District,  
**Gujarat-390012**
42. Indian Overseas Bank,  
Aditya Chambers, Ist Floor,  
Opp. Kalyan Bang Station Road,  
P.O. Valsad, District Valsad.  
**Gujarat-396001**

**Patna Region**

43. Indian Overseas Bank,  
Naseema Building, II and III Floor,  
West Gandhi Maidan, Patna  
**Bihar-800001**
44. Indian Overseas Bank,  
Makat Pur Chowk,  
Shanti Bhawan Marg  
Girdih,  
**Bihar-815301**

45. Indian Overseas Bank,  
Lakshmi Mansion, 1st Floor,  
Main Road Bistupur,  
Jamshedpur,  
Bihar-831001

46. Indian Overseas Bank,  
Hardayal Road, Kathihaar  
Bihar-854105

47. Indian Overseas Bank,  
Ranchi Road Marar,  
Hazaribag District,  
Bihar-829117

48. Indian Overseas Bank,  
Kaura Maidan,  
College Road, Munger  
Bihar-811201

49. Indian Overseas Bank,  
Girja Plaza,  
Aghoria Bazar Chowk,  
Muzaffarpur,  
Bihar-842002

50. Indian Overseas Bank,  
Neori, Vikas Vidyalaya,  
Ranchi District,  
Bihar-835117

51. Indian Overseas Bank,  
Tarosildon Village and P.O.  
Via R.K. Mission,  
Ranchi District,  
Bihar-835221

#### Goa Region

52. Indian Overseas Bank,  
Arati Building, Ankola Taluka,  
Belkeri,  
Uttar Kannada District,  
Karnataka-581321

53. Indian Overseas Bank,  
B-235, Sawkar Building,  
Borem Ponda Road, Borem  
Goa-403401

54. Indian Overseas Bank,  
Santosh Textile Building,  
1st Floor, Halappa Circle,  
H.B. Road Bharavathi,  
Shimoga Dist.,  
Karnataka-577302

55. Indian Overseas Bank,  
1732, Ramdev Galli,  
Belgaun,  
Karnataka-590002

56. Indian Overseas Bank,  
Uma Complex, 1st Floor,  
Opp. Municipal Stalls,  
Double Road, Bellary,  
Karnataka-583101

57. Indian Overseas Bank,  
Corlim Industrial Estate,  
Corlim, Ilhas,  
Goa-403110

58. Indian Overseas Bank,  
Malanad Building,  
Opp. N.M. Circle, 1st Floor,  
Rathnagiri Road Chikmagalur  
Karnataka-5771001

59. Indian Overseas Bank,  
G.V. and Brothers Building,  
Dāsankoppa Post Sirsi T.K.  
Uttar Kannada District  
Karnataka-581358

60. Indian Overseas Bank,  
715, Subhas Road Mandipet  
Davangere, Chitradurg District  
Karnataka-577001

61. Indian Overseas Bank,  
Dr. Mishra Building, 1st Floor,  
Karnatak University Road,  
Saptapur, Dharwad  
Karnataka-580001

62. Indian Overseas Bank,  
Mathru Chaya, Main Road, Garag  
Dharwar District  
Karnataka-581105

63. Indian Overseas Bank,  
Plot No. 11B, Sedam Main Road,  
Gulbarga,  
Karnataka-58105

64. Indian Overseas Bank,  
Umachagi Building Koppikar Road, Hubli  
Dharwar District  
Karnataka-580020

65. Indian Overseas Bank,  
Nehru Circle Bus Stand  
Kondlahalli, Molakalmuru  
Chitradurga District  
Karnataka-57529



66. Indian Overseas Bank  
Main Road Kudlur Tarikeri Taluka  
Chickmagalur District  
Karnataka 577157
67. Indian Overseas Bank  
Gopal Towers Main Road Karkala  
Udipi District  
Karnataka 574104
68. Indian Overseas Bank  
Nanjunde Goeda Mansion  
Main Road Lingadahalli,  
Tarikere T.K. Chickmagalur District  
Karnataka 577129
69. Indian Overseas Bank  
Door No MD 3 B 2, CH. No 6  
H.V.N. Building 1st Floor  
Nehru Road Shimoga  
Karnataka 581204
70. Indian Overseas Bank  
Tumarikoppa P.O. Kalaghatgi Taluka  
Dharwar District,  
Karnataka 581204
71. Indian Overseas Bank  
Sri Boovaraha Complex, Vadhiraja Road  
Car Street. Udipi  
Karnataka 576101
72. Indian Overseas Bank  
Priaydharshini Main Road, Varanga  
Karkala Taluka. Varanga  
Dakshin Kannad  
Karnataka 576144
73. Indian Overseas Bank  
Pereira Chambers, P.E. Jose Zav Road,  
Vasco-da-Gama.  
Karnataka 403802
74. Indian Overseas Bank  
41/1 Azizuddin Road,  
Bunder, Mangalore,  
Karnataka 575001
75. Indian Overseas Bank  
Karckar Building, Angod  
Mapusa Bardez,  
Goa 403507
76. Indian Overseas Bank.  
E-9 Bhagwado Mulgaon P.O.  
Assanora Goa.  
Bicholim Taluka.  
Goa 403503
77. Indian Overseas Bank  
13-13-1530 k.s. Rao Road  
Hampankatta, Mangalore,  
Dakshin Kannad District  
Karnataka 575001
78. Indian Overseas Bank  
House No 558 Povoasao,  
Nuvem, Salcete  
Goa 403604
79. Indian Overseas Bank  
Neptune Hotal Building  
Dr. A. Pissurikar Road, Panjim  
Goa 403001
80. Indian Overseas Bank  
Chennaveerappa's Building  
Bellari-Hiryur Main Road  
Rampura, Chitradurga District.  
Karnataka 577540
81. Indian Overseas Bank  
Kumara Kripa, Car Street  
Subramanya, D.K. District  
Karnataka 574238
82. Indian Overseas Bank  
Panchayat Building, Savai Verem Village  
Ponda Taluka  
Goa 403401
83. Indian Overseas Bank  
E-393 Manguerial  
Santo Estevam, Ilhas  
Goa 403106
- Indian Bank**  
State/Union Territory—KERALA
1. Indian Bank  
P.B. No. 30,  
SCS Junction,  
T K Road,  
Thiruvalla 689 101
2. Indian Bank  
P B No. 66,  
Main Road,  
North Kottacherry  
Kanhangad 671 315
3. Indian Bank  
P B No. 4,  
Chungam,  
Pappinisseri 670 561  
Kannur Dist.

- |   |  |
|---|--|
| <p>4. Indian Bank<br/>PB No. 1005,<br/>Pattam Palace Jn.<br/>Pottam, Thiruvananthapuram<br/>695 004</p> <p>5. Indian Bank<br/>PB No. 91<br/>Keerthi Complex,<br/>11/687 Court Road,<br/>Palakkad 678 001</p> <p>6. Indian Bank<br/>PB No. 105,<br/>M C Road,<br/>Baker Junction,<br/>Kottayam 686 001</p> <p>7. Indian Bank<br/>PB No. 16<br/>238 Ward XII,<br/>Pathanamthitta<br/>689 645</p> <p>8. Indian Bank<br/>PB No. 25 19/78<br/>AVK Nair Road,<br/>Narangapuram,<br/>Thalassery 670 101</p> <p>9. Indian Bank<br/>Perumpazhuthoor,<br/>Thiruvananthapuram<br/>695 126</p> <p>10. Indian Bank<br/>Q. S. Road,<br/>Keralapuram,<br/>Chandanthope,<br/>Kollam Dist. 691 014</p> <p>11. Indian Bank<br/>7/341 Krishna Road<br/>Junction,<br/>Pirayiri 678 019</p> <p>12. Indian Bank<br/>Kalunku Junction,<br/>Vithura,<br/>Thiruvananthapuram<br/>695 551</p> | <p>13. Indian Bank<br/>PB No. 3814,<br/>Mullakkal,<br/>Alappuzha 688 010</p> <p>14. Indian Bank<br/>PB No. 523,<br/>114/18, Kallai Road,<br/>Kozhikode 673 002</p> <p>15. Indian Bank<br/>PB No. 25<br/>34/1581 Edodi<br/>Junction,<br/>Vadakara 673 101</p> <p>16. Indian Bank<br/>Mayyanad,<br/>Kollam 691 303</p> <p>17. Indian Bank<br/>10/340 East Nada,<br/>Guruvayoor 680 101</p> <p>18. Indian Bank<br/>PB No. 5,<br/>Kozhencherry<br/>689 641<br/>Pathanamthitta Dist.</p> <p>19. Indian Bank<br/>Chunda Junction,<br/>Ittiva 691 306<br/>Cherukulam Anchal<br/>Kollam Dist</p> <p>20. Indian Bank<br/>T/C 48/1144,<br/>Sreevas<br/>Ambalathara,<br/>Thiruvananthapuram<br/>695 026</p> <p><b>Small Industries Development Bank of India</b><br/>Guwahati Regional Office.<br/>2nd Floor, IDBI Building.<br/>Opposite Sentinel Press, G.S. Road,<br/>Guwahati-781 005</p> <p>1. National Bank for Agriculture and Rural<br/>Development.<br/>Kalibabu Street,<br/>Behind Civil Court, Upper Bazar,<br/>Ranchi-834 001</p> <p>2. National Bank for Agriculture and Rural<br/>Development,<br/>Kalibabu Street, Behind Civil Court,<br/>Upper Bazar, Ranchi-834 001</p> |
|---|--|

नई दिल्ली, 1 नवम्बर, 2004

**का.आ. 2858.**— राष्ट्रीयकृत बैंक (प्रबंध एवं प्रकीर्ण उपबंध) योजना, 1970 के खंड 3 के उप-खंड (1), खंड 6, खंड 7 और खंड 8 के उप-खंड (1) के साथ पठित बैंककारी कंपनी (उपक्रमों का अर्जन एवं अंतरण) अधिनियम, 1970 की धारा 9 की उप-धारा (3) के खंड (क) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार, एतद्वारा भारतीय रिजर्व बैंक से परामर्श करने के पश्चात्, श्री वी.पी. शेटी, अध्यक्ष एवं प्रबंध निदेशक, यूको बैंक को उनके कार्यभार ग्रहण करने की तारीख से 30-6-2007 तक या अगला आदेश होने तक, जो भी पहले हो, केनरा बैंक के अध्यक्ष एवं प्रबंध निदेशक के रूप में नियुक्त करती है।

[ फा. सं. 9/22/2004-बीओ-1 ]

रमेश चन्द, अवर सचिव

New Delhi, the 1st November, 2004

**S.O. 2858.**— In exercise of the powers conferred by clause (a) of Sub-section (3) of Section 9 of the Banking Companies (Acquisition and Transfer of Undertakings) Act, 1970, read with sub-clause (1) of clause 3, clause 5, clause 6, clause 7 and sub-clause (1) of clause 8 of the Nationalised Banks (Management and Miscellaneous Provisions) Scheme, 1970, the Central Government, after consultation with the Reserve Bank of India, hereby appoints Shri V.P. Shetty, Chairman and Managing Director, UCO Bank as Chairman and Managing Director, Canara Bank for the period from the date of his taking charge and upto 30-6-2007 or until further orders, whichever is earlier.

[F.No. 9/22/2004-BO-I]

RAMESH CHAND, Under Secy.

नई दिल्ली, 2 नवम्बर, 2004

**का.आ. 2859.**— राष्ट्रीयकृत बैंक (प्रबंध एवं प्रकीर्ण उपबंध) योजना, 1980 के खंड 3 के उप-खंड (1), और खंड 8 के उप-खंड (1) के साथ पठित बैंककारी कंपनी (उपक्रमों का अर्जन एवं अंतरण) अधिनियम, 1980 की धारा 9 की उप-धारा (3) के खंड (क) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार, भारतीय रिजर्व बैंक से परामर्श करने के पश्चात्, एतद्वारा श्री एम.एस. आफताब (जन्म तिथि-22-03-1946), जो वर्तमान में पंजाब नेशनल बैंक के महाप्रबंधक है, को उनके कार्यभार ग्रहण करने की तारीख और 31-3-2006 तक या अगला आदेश होने, जो भी पहले हो, विजया बैंक के पूर्णकालिक निदेशक (कार्यपालक निदेशक के रूप में पदनामित) के रूप में नियुक्त करती है। यह नियुक्ति यूनियन बैंक आफ इंडिया में महाप्रबंधक श्री एस.पी. राय द्वारा रिट याचिका (सी) सं. 4037/2004 में सी एम 6846/2004 के संबंध में दिल्ली उच्च न्यायालय के अंतिम निर्णय के अध्वधीन है।

[ फा. सं. 9/8/2004-बीओ-I(X) ]

रमेश चन्द, अवर सचिव

New Delhi, the 2nd November, 2004

**S.O. 2859.**— In exercise of the powers conferred by clause (a) of Sub-section (3) of Section 9 of the Banking Companies (Acquisition and Transfer of Undertakings) Act, 1980, read with sub-clause (1) of clause 3, sub-clause (1) of clause 8 of the Nationalised Banks (Management and Miscellaneous Provisions) Scheme, 1980, the Central Government, after consultation with the Reserve Bank of India, hereby appoints Shri M.S. Aftab (Date of Birth 22-03-1946), presently, General Manager, Punjab National Bank as a whole time director (designated as the Executive Director) of Vijaya Bank for the period from the date of his taking charge and until 31-3-2006 or until further orders, whichever is earlier. The appointment is subject to the final decision of the High Court of Delhi in CMs 6846/2004 in WP(C) NO. 4037/2004 filed by Shri S.P. Roy, General Manager, Union Bank of India.

[F.No. 9/8/2004-BO-I(X)]

RAMESH CHAND, Under Secy.

( बीमा खंड )

नई दिल्ली, 3 नवम्बर, 2004

**का.आ. 2860.**— केन्द्रीय सरकार, भारतीय जीवन बीमा निगम वर्ग 3 और 4 कर्मचारी, (सेवा के निबंधनों और शर्तों का पुनरीक्षण) नियम 1985 के नियम 13 के उप-नियम (2) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, यह निर्धारित करती है कि वर्ग 3 और 4 वर्ग के कर्मचारियों से प्रत्येक को 1 अप्रैल, 2003 को आरंभ होने वाली और 31 मार्च, 2004 को समाप्त होने वाली अवधि के लिए बोनस के बदले में संदाय, उक्त उप-नियम ने अन्य उपबंधों के अधीन रखते हुए उसके संबलम के 15 प्रतिशत की दर पर किया जाएगा।

[ फा.सं. 2(15)/96/बीमा-3 ]

डी. आर. भल्ला, अवर सचिव

(INSURANCE DIVISION)

New Delhi, the 3rd November, 2004

**S.O. 2860.**— In exercise of the powers conferred by Sub-rule (2) of Rule 13 of the Life Insurance Corporation of India Class III and Class IV Employees (Revision of Terms and Conditions of Service) Rules, 1985, the Central Government hereby determine that, subject to the other provisions of the said Sub-rule, the payment in lieu of bonus for the period commencing on 1st day of April, 2003 and ending with 31st March, 2004 to every Class III and Class IV employee shall be at the rate of 15 per cent of his/her salary.

[F.No. 2(15)/96/Ins.-III]

D. R. BHALLA, Under Secy.

## ( बैंकिंग प्रभाग )

नई दिल्ली, 5 नवम्बर, 2004

का.आ. 2861.— भारतीय लघु उद्योग विकास बैंक अधिनियम, 1989 (1989 का 39) की धारा 2 के खंड (ज) के उप-खंड (xvii) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए केन्द्रीय सरकार, उक्त अधिनियम के उद्देश्य को ध्यान में रखते हुए, एतद्वारा उक्त उप-खंड (xvii) के प्रयोजन हेतु निम्नलिखित कार्य-कलापों को विनिर्दिष्ट करती है :—

- (i) पुष्पकृषि, जिसमें पुष्पों की खेती, प्रसंस्करण और वेष्टन अथवा पुष्पों से संबंधित अन्य कोई प्रक्रिया जो एक मूल्य योजित कार्यकलाप में परिणीत होती हो, शामिल है;
- (ii) पर्यटन संबंधी सुविधाओं, जिनमें मनोरंजन उद्यानों, सांस्कृतिक केन्द्रों, सम्मेलन केन्द्रों, जलपान गृहों, यात्रा एवं परिवहन (हवाई अड्डों पर सहित), पर्यटक सेवा एजेंसियों, पर्यटकों को मार्गदर्शन व परामर्श सेवाओं से संबंधित कार्यकलाप शामिल हैं, की स्थापना या विकास;
- (iii) उद्यम के लिए, पूंजी, आदत और बट्टे के जरिये वित्तीय सहायता देना;
- (iv) सड़कों का विकास, रख-रखाव और निर्माण;
- (v) निर्माण;
- (vi) मनोरंजन (चलचित्र सहित) उद्योग।

2. यह अधिसूचना प्रकाशन की तारीख से प्रभावी होगी।

[एफ. सं. 8(10)/2004-आई एफ-1]

मार्गरेट गंगटे, अवर सचिव

## (Banking Division)

New Delhi, the 5th November, 2004

S.O. 2861.— In exercise of the powers conferred by Sub-clause (xvii) of Clause (h) of Section 2 of the Small Industries Development Bank of India Act, 1989 (39 of 1989), the Central Government having regard to the object of the said Act, hereby specifies the following activities for the purposes of the said Sub-clause (xvii), namely :—

- (i) Floriculture, including cultivation, treatment and packaging of flowers or any other process connected with flowers which results in a value added activity;
- (ii) setting up or development of tourism related facilities, including amusement parks, cultural centres, convention centres, restaurants, travel and transport (including those at airports), tourist service agencies,

guidance and counselling services to tourists;

(iii) rendering financial assistance by way of venture capital, risk capital, factoring and discounting;

(iv) development, maintenance and construction of roads;

(v) construction;

(vi) entertainment (including film) industry.

2. The Notification will be effective from the date of its publication.

[F. No. 8(10)/2004-IF-1]

MARGARET GANGTE, Under Secy.

## ( राजस्व विभाग )

केन्द्रीय उत्पाद एवं सीमा शुल्क, पुणे-III के आयुक्त का कार्यालय,

पुणे, 27 अक्टूबर, 2004

सं. 3/2004-05 केन्द्रीय उत्पाद शुल्क ( नॉन टैरिफ )

का.आ. 2862.— भारत सरकार, वित्त मंत्रालय, राजस्व विभाग, नई दिल्ली द्वारा दिनांक 1-7-1994 को जारी की गई अधिसूचना संख्या 33/94 सीमा शुल्क (नॉन टैरिफ) के अधीन मुझे प्रदत्त अधिकारों को कार्यान्वित करते हुए, मैं, ए. एस. आर. नायर, आयुक्त, केन्द्रीय उत्पाद शुल्क पुणे III आयुक्तालय, पुणे एतद्वारा महाराष्ट्र राज्य के गांव : खलद, तालुका : पुरंदर, जिला पुणे-412105 को सीमा शुल्क अधिनियम, 1962 (1962 का 52) की धारा 9 के अधीन तथा 100% निर्यातलक्ष्यी यूनिट स्थापना हेतु, वेअरहाउसिंग स्टेशन के रूप में घोषित करता हूँ।

[फा. सं. बी जी एन (30)/553/टी ए/2004]

ए. एस. आर. नायर, आयुक्त

## (Department of Revenue)

OFFICE OF THE COMMISSIONER OF CENTRAL  
EXCISE & CUSTOMS, PUNE-III COMMISSIONERATE

Pune, the 27th October, 2004

No. 3/2004-05, Central Excise (N. T.)

S.O. 2862.— In exercise of the powers conferred on me by Notification No. 33/94-Cus (N.T.), dated 01-07-1994, of the Government of India, Ministry of Finance (Department of Revenue), I, A. S. R. Nair, the Commissioner of Central Excise, Pune-III Commissionerate, Pune, hereby declare, Village : Khalad, Taluka : Purandar, Dist. Pune-412- 301 in the state of Maharashtra to be warehousing station under Section-9 of the Customs Act, 1962 (52 of 1962), for setting up 100% EOU's.

[F. No. VGN(30)/553/TA/2004]

A. S. R. NAIR, Commissioner

पुणे, 31 अगस्त, 2004

Pune, the 31st August, 2004

सं. 1/2004 ( सीमा शुल्क )

No. 1/2004/(CUS)

का.आ. 2863.— भारत सरकार, वित्त मंत्रालय, राजस्व विभाग, नई दिल्ली द्वारा दिनांक 01-07-1994 को जारी की गई अधिसूचना संख्या 33/94 सीमा शुल्क (नॉन टैरिफ) द्वारा प्रदत्त अधिकारों को कार्यान्वित करते हुए, मैं, एतद्वारा सीमा शुल्क अधिनियम, 1962 की धारा 9 की व्यवस्थाओं के अधीन, गोवा राज्य के पोंडा जिले के 'उंदीर ग्राम परिसर' को वेअरहाउसिंग स्टेशन घोषित करता हूँ।

S.O. 2863.— In exercise of the powers conferred upon me by Notification No. 33/94-Cus (N.T.), dated 01-07-1994, of the Government of India, Ministry of Finance, Department of Revenue, New Delhi, I, hereby declare the place "Undir village" in Taluka Ponda in the State of Goa to be a Warehousing Station, under Section 9, of the Customs Act, 1962.

[ फा. सं. : VIII/18-28/सी सी यू/पी जैड/01 ]

[ F. No. VIII/18-28/CCU/PZ/01 ]

आर. के. तिवारी, मुख्य आयुक्त

R. K. TEWARI, Chief Commissioner

## परमाणु ऊर्जा विभाग

मुम्बई, 21 अक्टूबर, 2004

का.आ. 2864.— सार्वजनिक परिसर (अनधिकृत दखल से बेदखली) अधिनियम, 1971 (अधिनियम सं. 1971 का 40) के खंड 3 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए केन्द्रीय सरकार एतद्वारा निम्नलिखित सारणी के कालम 2 में उल्लिखित अधिकारियों, जो सरकार के राजपत्रित अधिकारी की श्रेणी के समकक्ष अधिकारी हैं, को उक्त अधिनियम के प्रयोजनार्थ सम्पदा अधिकारी के रूप में नियुक्त करती है और उक्त अधिकारी सारणी की कालम संख्या 3 में निर्दिष्ट सार्वजनिक परिसरों के संबंध में उनके क्षेत्राधिकार के अंतर्गत स्थानीय सीमाओं में उक्त अधिनियम के द्वारा या उसके तहत सम्पदा अधिकारियों को प्रदत्त शक्तियों का प्रयोग तथा अधिरोपित कर्तव्यभार का निष्पादन करेंगे।

## सारणी

क्रम संख्या	अधिकारी का पदनाम	सार्वजनिक परिसर की श्रेणियाँ तथा स्थानीय सीमाएं या क्षेत्राधिकार
(1)	(2)	(3)
1.	वरिष्ठ प्रबंधक (पी एवं आईआर), भारतीय नाभिकीय विद्युत निगम लिमिटेड, कलपाक्कम, तमिलनाडु-603 102	भारतीय नाभिकीय विद्युत निगम लिमिटेड, कलपाक्कम, तमिलनाडु स्थित परमाणु ऊर्जा विभाग के स्वामित्व वाला या उनके प्रबंधनाधीन परिसर (कार्यालय एवं आवासीय)।
2.	प्रबंधक (पी एवं आईआर), भारतीय नाभिकीय विद्युत निगम लिमिटेड, कलपाक्कम, तमिलनाडु-603 102	भारतीय नाभिकीय विद्युत निगम लिमिटेड, कलपाक्कम, तमिलनाडु स्थित परमाणु ऊर्जा विभाग के स्वामित्व वाला या उनके प्रबंधनाधीन परिसर (कार्यालय एवं आवासीय)।

[ सं. 2/13(5)/2004-पावर/828 ]

के. रविन्द्रन, उप सचिव

## DEPARTMENT OF ATOMIC ENERGY

Mumbai, the 21st October, 2004

S.O. 2864.— In exercise of the powers conferred by Section 3 of the Public Premises (Eviction of Unauthorised Occupation) Act, 1971 (Act No. 40 of 1971), the Central Government hereby appoints the following Officers mentioned in column 2 of the Table below, being officers equivalent to the rank of Gazetted Officers of the Government, to be Estate Officer for the purposes of the said Act, and the said officers shall exercise the powers conferred and perform the duties

imposed on the Estate Officers by or under the said Act, within the local limits of his jurisdiction in respect of the public premises specified in column 3 of the said Table :

TABLE

Sl. No.	Designation of the Officer	Categories of the Public premises & local limits or jurisdiction
1	2	3
1.	Sr. Manager (P&IR), Bharatiya Nabhikiya Vidyut Nigam Limited, Kalpakkam, Tamil Nadu-603 102.	Premises (Office and Residential) belonging to or under the management of the Department of Atomic Energy at Bharatiya Nabhikiya Vidyut Nigam Limited, Kalpakkam, Tamil Nadu.
2.	Manager (P&IR), Bharatiya Nabhikiya Vidyut Nigam Limited, Kalpakkam, Tamil Nadu-603 102.	Premises (Office and Residential) belonging to or under the management of the Department of Atomic Energy at Bharatiya Nabhikiya Vidyut Nigam Limited, Kalpakkam, Tamil Nadu.

[No. 2/13(5)/2004-Power/828]

K. RAVEENDRAN, Dy. Secy.

( बाह्य सम्पर्क अनुभाग )

मुम्बई, 26 अक्टूबर, 2004

का.आ. 2865.—परमाणु ऊर्जा अधिनियम, 1962 ( 1962 का 33 ) के खण्ड 27 द्वारा प्रदत्त शक्तियों तथा इस संबंध में अन्य सामर्थ्यकारी शक्तियों का प्रयोग करते हुए और दि. 20/06/2000 की अधिसूचना सं. 18/1(1)/2000-ईआर/2507 में आंशिक संशोधन करते हुए, राष्ट्रपति निदेश देते हैं कि भाभा परमाणु अनुसंधान केंद्र द्वारा विकसित प्रौद्योगिकियों पर आधारित सभी परियोजनाओं/फैसिलिटीज/संयंत्रों के संबंध में उपरोक्त अधिनियम के तहत यथा उल्लिखित नियामक एवं संरक्षा कार्य, जिन्हें अन्ततः भाप केंद्र के अलावा अन्य संगठनों द्वारा क्रियान्वित किया जाना है, आगे से समय समय पर निदेशक, भाप केंद्र द्वारा किए गए विशेष अनुरोध के आधार पर, डिजाइन पुनरीक्षण चरण से लेकर आगे तक, परमाणु ऊर्जा नियामक बोर्ड ( एईआरबी ) द्वारा किया जायेगा।

[ फा. सं. 18/1/4/2004-ईआर ]

के. पद्मनाभन, अवर सचिव

(OUT CONTACT SECTION)

Mumbai, the 26th October, 2004

S.O. 2865.—In exercise of the powers conferred by Section 27 of the Atomic Energy Act, 1962 (33 of 1962) and all other powers enabling him in this behalf, and in partial modification of the Notification No. 18/1 (1)/2000-ER/2507 dated 20-6-2000, the President is pleased to direct that the regulatory and safety functions as envisaged under the said Act with respect to all the projects/facilities/plants based on technologies developed by the Bhabha Atomic Research Centre (BARC), which would eventually be operated by organisations other than BARC, shall henceforth be carried out by the Atomic Energy Regulatory Board (AERB) from the design review stage onwards, on the basis of specific requests from Director, BARC, from time to time.

[F. No. 18/1/4/2004-ER]

K. PADMANABHAN, Under Secy.

संस्कृति मंत्रालय

( भारतीय पुरातत्त्व सर्वेक्षण )

नई दिल्ली, 4 नवम्बर, 2004

का.आ. 2866.—पुरावशेष तथा बहुमूल्य कलाकृति अधिनियम, 1972 ( 1972 का 52 ), इसमें इसके पश्चात् जिसे उक्त अधिनियम कहा गया है, की धारा 6 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए तथा संस्कृति विभाग ( भारतीय पुरातत्त्व सर्वेक्षण ) की अधिसूचना सं. सा. का. नि. 1789

दिनांक 23 जून, 1998 में आंशिक संशोधन करते हुए, केन्द्रीय सरकार, एतद्वारा, नीचे दी गई तालिका के स्तंभ 2 में विनिर्दिष्ट पदनाम से नियुक्ति, केन्द्रीय सरकार के राजपत्रित अधिकारी होने के नाते उक्त अधिनियम के उद्देश्यों के लिए अनुज्ञापन अधिकारी होने के लिए करती है जो उक्त अधिनियम के द्वारा या उसके तहत अनुज्ञापन अधिकारी को प्रदत्त शक्तियों का प्रयोग, तालिका के स्तंभ 3 में संबंधित प्रविष्टि में विनिर्दिष्ट कार्यक्षेत्र के भीतर करेंगे, अर्थात् :—

क्रम सं.	अधिकारी का पदनाम तथा पता	क्षेत्र की सीमाएं
1.	अधीक्षण पुरातत्त्वविद् भारतीय पुरातत्व सर्वेक्षण, देहरादून मंडल, 4, विश्राम शिविर, त्यागी रोड, देहरादून (उत्तरांचल)	देहरादून, पौड़ी गढ़वाल, चमोली, रुद्रप्रयाग, टिहरी, गढ़वाल, उत्तरकाशी, हरिद्वार, नैनीताल, अल्मोड़ा, पिथौरागढ़, बागेश्वर, ऊधम सिंह नगर, चम्पावत
2.	अधीक्षण पुरातत्त्वविद् भारतीय पुरातत्व सर्वेक्षण, रांची मंडल, हरमू, हाउसिंग कालोनी रांची-834012	बोकारो, चतरा, देवघर, धनबाद, गढ़वा गोड्डा, गुमला, हजारीबाग, जमतारा, कोडरमा, लतेहर, लोहनडांगा, पाकुर, पलामू, पश्चिम सिंहभूम, पूर्वी सिंहभूम, रांची, साहिबगंज, संथाल परगना, सराय केला खरसावन, गिरिडीह, सिमडेगा।
3.	अधीक्षण पुरातत्त्वविद् भारतीय पुरातत्व सर्वेक्षण, रायपुर मंडल, 110, अनुपम नगर, रायपुर (सी. जी.) 492007	बस्तर, कांकर, दंतेवाड़ा, रायपुर, धमतारी, महासमुंद, कवर्धा, विलासपुर, जंजगीर चम्पा कोरवा, रायगढ़, जसपुर, दुर्गा, सगुजा कोरिया, राजनंदगांव।

[ फा. सं. 6-41/2003-पुरा. ]

सी. बाबू राजीव. महानिदेशक

**MINISTRY OF CULTURE**  
(Archaeological Survey of India)

New Delhi, the 4th November, 2004

**S.O. 2866.**— In exercise of the powers conferred by Section 6 of the Antiquities and Art Treasures Act, 1972 (52 of 1972) hereinafter referred to as the said Act and in partial modification of the Notification of the Department of Culture. (Archaeological Survey of India) No. G.S.R. 1789 dated the 23rd June, 1998, the Central Government hereby appoints by Designation specified in column 2 of the table given below, being Gazetted Officers of the Central Government, to be Licensing Officers for the purposes of the said Act, who shall exercise the powers conferred on Licensing Officers by or under the said Act within the jurisdiction specified in the corresponding entry in column 3 of the table, namely :—

Sl. No.	Designation & address of the Officer	Limits of the area
1.	Superintending Archaeologist, Archaeological Survey of India, Dehradun, Circle, 4, Rest Camp, Tyagi Road, Dehradun (Uttaranchal)	Dehradun, Pauri Garhwal, Chamoli, Rudra Prayag, Tehri Garhwal, Uttarkashi, Haridwar, Nainital, Almora, Pithoragarh, Bageshwar, Uddham Singh Nagar, Champawat.
2.	Superintending Archaeologist, Archaeological Survey of India, Ranchi Circle, Harmu Housing Colony, Ranchi-834012 (Jharkhand)	Bokaro, Chatra, Deoghar, Dhanbad, Garhwa, Giridih, Godda, Gumla, Hazaribagh, Jamtara, Kodarma, Latchar, Lohardaga, Pakur, Palamu, West Singhbhum, East Singhbhum, Ranchi, Sahibganj, Santhal Pargana, Saraikela Kharsawan, Simdega.
3.	Superintending Archaeologist, Archaeological Survey of India, Raipur Circle, J-10, Anupam Nagar, Raipur-492007 (Chhattisgarh)	Bastar, Kanker, Dantewada, Raipur, Dhamtari, Mahasamund, Kawardha, Bilaspur, Janjgir-Champa, Korba, Raigarh, Jaspur, Durg, Sarguja Korla, Rajnandgaon.

[ F. No. 6-41/2003-Ant. ]

C. BABU RAJEEV, Director

## उपभोक्ता मामले, खाद्य और सार्वजनिक वितरण मंत्रालय

( उपभोक्ता मामले विभाग )

नई दिल्ली, 7 अक्टूबर, 2004

का० आ० 2867.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स जावेद एण्ड ब्रदर्स, बी-26, गली नं. 1, शास्त्री पार्क, दिल्ली-110053 द्वारा विनिर्मित गणक मशीन जिसके ब्राण्ड का नाम "वी आई पी" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/64 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।

उक्त मॉडल (दी गई आकृति देखें) एक गणक मशीन है। इसकी अधिकतम क्षमता 10 कि.ग्रा. है।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 500 ग्रा. से 50 कि.ग्रा. तक की रेंज में अधिकतम क्षमता वाले हैं।

[ फा.सं. डब्ल्यू. एम.-21(261)/2003 ]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान



**MINISTRY OF CONSUMER AFFAIRS, FOOD AND PUBLIC DISTRIBUTION****(Department of Consumer Affairs)**

New Delhi, the 7th October, 2004

**S.O. 2867.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Models described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of Model of a counter machine with brand name "VIP" (hereinafter referred to as the model) manufactured by M/s. Javed and Brothers, B-26, Gali No. 1, Shastri Park, Delhi-110053 and which is assigned the approval mark IND/09/2004/64;

The said model (figure given) is a counter machine. Its maximum capacity is 10 kg.



Further, in exercise of the power conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity in the range of 500g. to 50 kg. manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved model have been manufactured.

[F. No. WM-21(261)/2003]

P. A. KRISHNAMOORTHY, Director of Legal Metrology


नई दिल्ली, 7 अक्टूबर, 2004

का० आ० 2868.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात्, यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः, अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, मैसर्स प्रिसिजन बैलेंस (इंडिया) 6, बुड स्ट्रीट, कोलकाता-700 016 द्वारा विनिर्मित उच्च यथार्थता (यथार्थता वर्ग-II) वाले "पी टी टी" शृंखला के स्वतः सूचक, अस्वचालित (टेबलटाप टाइप) अंकक सूचन सहित तोलन उपकरण के मॉडल का, जिसके ब्राण्ड का नाम "पी बी आई" है (जिसे इसमें उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2003/383 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) एक विकृतमापी टाइप भार सेल आधारित तोलन उपकरण है। इसकी अधिकतम क्षमता 300 ग्रा. और न्यूनतम क्षमता 0.5 ग्रा. है। सत्यापन मापमान अन्तराल (ई) का मान 0.01 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत-प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को सील बन्द करने के अतिरिक्त, कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्दी की जाती है।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, यह घोषणा करती है कि उक्त मॉडल के इस अनुमोदन प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 1 मि.ग्रा. से 50 मि. ग्रा. तक "ई" मान के लिए 100 से 50,000 तक की रेंज में सत्यापन मापमान अंतराल (एन) और 100 मि. ग्रा. या उससे अधिक के "ई" मान के लिए 5000 से 50,000 तक की रेंज में सत्यापन मान अंतराल (एन) की संख्या सहित 50 कि. ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^6$ ,  $2 \times 10^6$  या  $5 \times 10^6$  के हैं, जिसमें के धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य है।

[फा. सं. डब्ल्यू. एम.-21(22)/99]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान


New Delhi, the 7th October, 2004

**S.O. 2868.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of the self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "PTT" series of high accuracy (Accuracy class-II) and with brand name "PBI" (herein referred to as the Model), manufactured by M/s. Precision Balance (India) 6, Wood Street, Kolkata-700 016 and which is assigned the approval mark IND/09/2003/383;

The said Model (see the figure given) is a strain gauge type load cell based weighing instrument with a maximum capacity of 300g and minimum capacity of 0.5g. The verification scale interval (e) is 0.01g. It has a tare device with a 100 percent subtractive retained tare effect. The light emitting diode display indicates the weighing result. The instrument operates on 230V, 50Hz alternative current power supply.

**Sealing :** In addition to sealing the stamping plat, sealing is also done to prevent the opening of the machine for fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of said Section the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instrument of similar make, accuracy and performance of same series with maximum capacity up to 50kg and with number of verification scale interval (n) in the range 100 to 50,000 for 'e' value of 1mg to 50mg and with number of verification scale interval (n) in the range of 5000 to 50,000 for 'e' value of 100mg or more and with 'e' value  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being the positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved said model has been manufactured.

[F. No. WM-21(22)/99]

P. A. KRISHNAMOORTHY, Director, of Legal Metrology

नई दिल्ली, 8 अक्टूबर, 2004

का० आ० 2869.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स प्रिंसिजन बैलेंस (इंडिया) 6, बुड स्ट्रीट, कोलकाता-700016 द्वारा विनिर्मित मध्यम यथार्थता (यथार्थता वर्ग-III) वाले "पी टी टी" श्रृंखला के स्वतः सूचक, अस्वचालित (टेबल टॉप टाइप) अंकक सूचन सहित तोलन उपकरण के मॉडल का, जिसके ब्राण्ड का नाम "पी बी आई" है (जिसे इसमें उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2003/384 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) एक विकृतमापी टाइप भार सेल आधारित तोलन उपकरण है। इसकी अधिकतम क्षमता 6 कि. ग्रा. और न्यूनतम क्षमता 20 ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 1 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत-प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।



स्टाम्पिंग प्लेट को सोल बन्द करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सील बन्दी की जाती।

और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के इस अनुमोदन प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 100 मि.ग्रा. से 2 ग्रा. तक के "ई" मान के लिए 100 से 10,000 तक की रेंज में सत्यापन मापमान अंतराल (एन) की और 5 ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 10,000 तक रेंज की में सत्यापन मान अंतराल (एन) की संख्या सहित 50 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$  के हैं, जिसमें के धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा.सं. डब्ल्यू. एम.-21(22)/99]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 8th October, 2004

**S.O. 2869.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of the self-indicating non-automatic (Table top type) weighing instrument with digital indication of "PTT" series belonging to medium accuracy (Accuracy class-III) and with brand name "PBI" (herein referred to as the said model), manufactured by M/s. Precision Balance (India) 6, Wood Street, Kolkata-700 016 and which is assigned the approval mark IND/09/2003/384;

The said Model (see the figure given) is a strain gauge type load cell based weighing instrument with a maximum capacity of 6kg and minimum capacity of 20g. The verification scale interval (e) is 1g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode display indicates the weighing result. The instrument operates on 230V, 50Hz alternative current power supply.



**Sealing :** In addition to sealing the stamping plat, sealing is also done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the power conferred by Sub-section (12) of said Section 36 the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity upto 50kg and with number of verification scale interval (n) in the range of 100 to 10,000 for 'e' value of 100mg to 2g and with number of verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5g or more and with 'e' value  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved model has been manufactured.

[F. No. WM-21(22)/99]

P. A. KRISHNAMOORTHY, Director of Legal Metrology


नई दिल्ली, 8 अक्टूबर, 2004

का० आ० 2870.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स इण्डो टेक इलेक्ट्रोनिक्स वेइंग सिस्टम, ए-87, वजीर पुर इण्डस्ट्रियल एरिया, नई दिल्ली-110 052 द्वारा विनिर्मित उच्च यथार्थता (यथार्थता वर्ग-II) वाले "आई टी पी" श्रृंखला के स्वतः सूचक, अंकक सूचन सहित, अस्वचालित तोलन उपकरण (टेबल टाप प्रकार) के मॉडल का, जिसके ब्राण्ड का नाम "इण्डोटैक" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2003/490 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) एक विकृत गज प्रकार का लोड सेल आधारित दुहरी रेंज का तोलन उपकरण है जिसकी अधिकतम क्षमता 12 कि.ग्रा. और न्यूनतम क्षमता 50 ग्रा. है। सत्यापन मापमान अन्तराल (ई) का मान 1 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है,

स्ट्राम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द की जाएगी।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है, विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 1 मि.ग्रा. से 50 मि. ग्रा. तक "ई" मान के लिए 100 से 5,000 तक की रेंज में सत्यापन मान अंतराल (एन) और 100 मि. ग्रा. या उससे अधिक के "ई" मान के लिए 5000 से 50,000 तक की रेंज में सत्यापन मान अंतराल सहित 50 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$ , के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा.सं. डब्ल्यू. एम.-21(73)/2001]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान


New Delhi, the 8th October, 2004

S.O. 2870.—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of self-indicating non-automatic (Table top type) weighing instrument with digital indication of "ITT" series of high accuracy (Accuracy class-II) and with brand name "INDOTECH" (hereinafter referred to as the said model), manufactured by M/s Indo Tech Electronics Weighing System, A-87, Wazipur Industrial Area, New Dehli-110 052 and which is assigned the approval mark IND/09/2003/490;

The said Model (see the figure given below) is a strain gauge type based dual range weighing instrument with a maximum capacity of 12kg and minimum capacity of 50g. The verification scale interval (e) is 1g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode display indicates the weighing result. The instrument operates on 230 Volts and 50-Hertz alternate current power supply.

Sealing : In addition to sealing the stamping plate sealing may be done to prevent the opening of the machine for fraudulent practices.



Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instrument of similar make and performance of same series with maximum capacity upto 50kg and with number of verification scale interval (n) in the range of 100 to 5000 for 'e' value of 1mg to 50mg and number of verification scale interval (n) in the range of 5000 to 50,000 for 'e' value of 100mg or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F. No. WM-21(73)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology


नई दिल्ली, 8 अक्टूबर, 2004

का० आ० 2871.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स इण्डो टैक इलेक्ट्रोनिक्स वेइंग सिस्टम, ए-87, वजीरपुर इण्डस्ट्रियल एरिया, नई दिल्ली-110052 द्वारा विनिर्मित उच्च यथार्थता वर्ग (यथार्थता वर्ग-II) वाले "आई टी पी" शृंखला के स्वतः सूचक, अंकक सूचन सहित, अस्वचालित तोलन उपकरण (प्लेटफार्म प्रकार) के मॉडल का, जिसके ब्राण्ड का नाम "इण्डोटैक" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2003/491 समनुदेशित किया गया है, अनुमोदन प्रमाण-पत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) एक विकृत गेज प्रकार का लोड सेल आधारित दुहरी रेंज का तोलन उपकरण है जिसकी अधिकतम क्षमता 120 कि.ग्रा. और न्यूनतम क्षमता 500 ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 10 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शतप्रतिशत व्यकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द की जाएगी।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाण-पत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 100 मि.ग्रा. या उससे अधिक के "ई" मान के लिए 5000 से 50,000 तक की रेंज में सत्यापन मान अंतराल सहित 50 कि. ग्रा. से 300 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$  हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा० सं० डब्ल्यू एम-21(73)/2001]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान



New Delhi, the 8th October, 2004

**S.O. 2871.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below) is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the self-indicating non-automatic (Platform type) weighing instrument with digital indication of "ITP" series of high accuracy (Accuracy class-II) and with brand name "INDOTECH" (herein referred to as the said Model), manufactured by M/s Indo Tech Electronics Weighing System, A-87, Wazirpur Industrial Area, New Delhi-110052 and which is assigned the approval mark IND/09/2003/491;

The said Model (see the figure given below) is a strain gauge load cell based type dual range weighing instrument with a maximum capacity of 120 kg and minimum capacity of 500g. The verification scale interval (e) is 10g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instrument operates on 230 Volts and 50 Hertz alternate current power supply.

**Sealing :** In addition to sealing stamping plat, sealing is also done to prevent the opening machine for fraudulent practices.



Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instrument of similar make and performance of same series with maximum capacity ranging above 50kg to 300kg and with number of verification scale interval (n) in the range of 5000 to 50,000 for 'e' value of 100mg or more and with 'c' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved Model has been manufactured.

[F. No. WM-21(73)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology


नई दिल्ली, 12 अक्टूबर, 2004

का० आ० 2872.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और उपधारा (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स कैलिबर स्केल्स इण्डिया प्रा. लि. 7/56, पुराना राजेन्द्र नगर, नई दिल्ली-110060 द्वारा विनिर्मित मध्यम यथार्थता वर्ग (यथार्थता वर्ग-III) वाले "सी एस एस" शृंखला के अस्वचालित, अंकक सूचन सहित, तोलन उपकरण (वेब्रिज प्रकार) के मॉडल का, जिसके ब्राण्ड का नाम "कैलिबर" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/96 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) अस्वचालित वेब्रिज प्रकार का तोलन उपकरण है जिसकी अधिकतम क्षमता 30,000 कि.ग्रा. और न्यूनतम क्षमता 100 कि. ग्रा. है। सत्यापन मापमान अन्तराल (ई) का मान 5 कि. ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत प्रतिशत व्यकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है। लोड सेल विकृत गेज प्रकार का है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द की जाएगी।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 5 कि.ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 10,000 तक की रेंज में सत्यापन मान अंतराल सहित 5 टन से 100 टन तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$  हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।


[फा.सं. डब्ल्यू. एम.-21(100)/2001]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 12th October, 2004

**S.O. 2872.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby publishes the certificate of approval of the model of non-automatic weighing instrument (conversion kit for weighbridge) with digital indication belonging to medium accuracy (Accuracy class-III) of "CSC" series with brand name "CALIBER" (herein referred to as the said model), manufactured by M/s Caliber Scales India Pvt.Ltd.7/56, Old Rajender Nagar, New Dehli-110060 and which is assigned the approval mark IND/09/2004/97;



The said Model is a non-automatic weighing instrument (conversion kit for weighbridge) with a maximum capacity of 30,000 kg and minimum capacity of 100 kg. The verification scale interval (e) is 5kg. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instrument operates on 230 Volts and 50-Hertz alternate current power supply. The load cell is of strain gauge type.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 5 tonne and up to 100 tonne with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5kg. or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved Model have been manufactured.

[F. No. WM-21(100)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology


नई दिल्ली, 12 अक्टूबर, 2004

का० आ० 2873.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स कैलिबर स्केल्स इण्डिया प्रा. लि., 7/56, पुराना राजेन्द्र नगर, नई दिल्ली-110060 द्वारा विनिर्मित उच्च यथार्थता (यथार्थता वर्ग-II) वाले "सी एस पी" श्रृंखला के अस्वचालित, अंकक सूचन सहित, तोलन उपकरण (प्लेटफार्म प्रकार) के मॉडल का, जिसके ब्राण्ड का नाम "कैलिबर" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/94 समनुदेशित किया गया है, अनुमोदन प्रमाण-पत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) एक विकृत गैज प्रकार का लोड सेल आधारित तोलन उपकरण है इसकी अधिकतम क्षमता 1000 कि.ग्रा. और न्यूनतम क्षमता 5 कि. ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 100 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत प्रतिशत व्यकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द की जाएगी।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 10 ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 50,000 तक की रेंज में सत्यापन मान अंतराल सहित 50 कि. ग्रा. से 5000 कि. ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$ , के हैं, जो घनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।


[फा.सं. डब्ल्यू. एम.-21(100)/2001]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 12th October, 2004

S.O. 2873.—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic (Platform type) weighing instrument with digital indication of "CSP" series of medium accuracy (Accuracy class-III) and with brand name "CALIBER" (herein referred to as the said Model), manufactured by M/s Caliber Scales India Pvt. Ltd. 7/56, Old Rajender Nagar, New Delhi-110060 and which is assigned the approval mark IND/09/2004/95:



The said model is a strain gauge type load cell based non-automatic weighing instrument (Platform type) with a maximum capacity of 1000kg. and minimum capacity of 2kg. The verification scale interval (e) is 100g. It has a tare device with a 100 per cent subtractive retained tare effect. The Light Emitting Diode (LED) indicates the weighing result. The instrument operates on 230 Volts and 50-Hertz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 50kg. and up to 5000kg. with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 10g. or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F. No. WM-21(100)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology


नई दिल्ली, 12 अक्टूबर, 2004

का० आ० 2874.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और उपधारा (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स कैलिबर स्केल्स इण्डिया प्रा. लि., 7/56, पुराना राजेन्द्र नगर, नई दिल्ली-110060 द्वारा विनिर्मित मध्यम यथार्थता (यथार्थता वर्ग-III) वाले "सी एस सी" शृंखला के अस्वचालित, अंकक सूचन सहित, तोलन उपकरण (वेब्रिज का कनवर्शन किट प्रकार) के मॉडल का, जिसके ब्राण्ड का नाम "कैलिबर" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन बिह्न आई एन डी/09/2004/97 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) एक अस्वचालित वेब्रिज कनवर्शन किट प्रकार का तोलन उपकरण है। इसकी अधिकतम क्षमता 30,000 कि.ग्रा. और न्यूनतम क्षमता 100 कि. ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 5 कि. ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत प्रतिशत व्यकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्ज डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है। लोड सैल विकृत गैज प्रकार का है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द की जाएगी।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 5 कि. ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 10,000 तक की रेंज में सत्यापन मान अंतराल सहित 5 टन से 100 टन तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^{-5}$ ,  $2 \times 10^{-5}$ , या  $5 \times 10^{-5}$  के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।


[फा.सं. डब्ल्यू. एम.-21(100)/2001]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 12th October, 2004

S.O. 2874.—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of section 36 of the said Act, the Central Government hereby publishes the certificate of approval of the model of, non-automatic weighing instrument (weighbridge type) with digital indication belonging to medium accuracy (Accuracy class-III) of "CSF" series with brand name "CALIBER" (herein referred to as the said model), manufactured by M/s Caliber Scales India Pvt. Ltd. 7/56, Old Rajender Nagar, New Dehli-I10060 and which is assigned the approval mark IND/09/2004/96;



The said Model is a non-automatic weighing instrument (weighbridge) with a maximum capacity of 30,000kg and minimum capacity of 100kg. The verification scale interval (e) is 5kg. It has a tare device with a 100 per cent subtractive retained tare effect. The Light Emitting Diode (LED) display indicates the weighing result. The instrument operates on 230 Volts and 50-Hertz alternate current power supply. The load cell is of strain gauge type.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the model shall also cover the weighing instrument of similar make, accuracy and performance of same series with maximum capacity above 5 tonne and upto 100 tonne with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5kg or more and with 'e' value  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the approved model have been manufactured.

[F. No. WM-21(100)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology


नई दिल्ली, 12 अक्टूबर, 2004

का० आ० 2875.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मापक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स कैलिबर स्केल्स इण्डिया प्रा० लि०, 7/56, पुराना राजेन्द्र नगर, नई दिल्ली-110060 द्वारा विनिर्मित उच्च यथार्थता (यथार्थता वर्ग-II) वाले "सी एस टी" श्रृंखला के स्वतः सूचक, अस्वचालित अंकक सूचन सहित तोलन उपकरण (टेबलटाप प्रकार) के मॉडल का, जिसके ब्राण्ड का नाम "कैलिबर" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/92 समनुदेशित किया गया है, अनुमोदन प्रमाण-पत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) एक विकृत गेज प्रकार का लोड सेल आधारित (टेबलटाप प्रकार) तोलन उपकरण है। इसकी अधिकतम क्षमता 6 कि. ग्रा. और न्यूनतम क्षमता 25 ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 500 मि. ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शतप्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द की जायेगी।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उप-धारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाण-पत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 1 मि.ग्रा. से 50 मि. ग्रा. तक "ई" मान के लिए 100 से 5000 तक की रेंज में सत्यापन मान अंतराल (एन) और 100 मि. ग्रा. या उससे अधिक के "ई" मान के लिए 5000 से 50,000 तक की रेंज में सत्यापन मान अंतराल सहित 50 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^*$ ,  $2 \times 10^*$  या  $5 \times 10^*$ , के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[ फा.सं. डब्ल्यूएम-21(100)/2001 ]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान




New Delhi, the 12th October, 2004

S.O. 2875.—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of self-indicating, non-automatic, (Table top type) weighing instrument with digital indication of "CST" series of high accuracy (Accuracy class-II) and with brand name "CALIBER" (hereinafter referred to as the said Model), manufactured by M/s. Caliber Scales India Pvt. Ltd., 7/56, Old Rajender Nagar, New Delhi-110060 and which is assigned the approval mark IND/09/2004/92;

The said Model (see the Figure given below) is a strain gauge type load cell based weighing instrument (Table top type) with a maximum capacity of 6kg. and minimum capacity of 25g. The verification scale interval (e) is 500mg. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instrument operates on 230 Volts, and 50 Hz alternate current power supply.



In addition to sealing the stamping plate sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers, conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instrument of similar make and performance of same series with maximum capacity upto 50 kg and with number of verification scale interval (n) in the range of 100 to 5000 for 'e' value of 1mg. to 50mg. and with number of verification scale interval (n) in the range of 5000 to 50,000 for 'e' value of 100mg. or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being the positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F. No. WM-21(100)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology


नई दिल्ली, 12 अक्टूबर, 2004

का० आ० 2876.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स कैलिबर स्केल्स इण्डिया प्रा० लि०, 7/56, पुराना राजेन्द्र नगर, नई दिल्ली-110060 द्वारा विनिर्मित मध्यम यथार्थता (यथार्थता वर्ग-III) वाले "सी एस टी" श्रृंखला के स्वतः सूचक, अस्वचालित अंकक सूचन सहित तोलन उपकरण (टेबलटॉप प्रकार) के मॉडल का, जिसके ब्राण्ड का नाम "कैलिबर" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/93 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) एक विकृत गैज प्रकार का लोड सेल आधारित (टेबलटॉप प्रकार के) तोलन उपकरण है। इसकी अधिकतम क्षमता 30 कि. ग्रा. और न्यूनतम क्षमता 100 ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 5 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत-प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द की जाएगी।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 100 मि.ग्रा. से 2 ग्रा. तक "ई" मान के लिए 100 से 10,000 तक की रेंज में सत्यापन मान अंतराल (एन) और 5 ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 10,000 तक की रेंज में सत्यापन मान अंतराल सहित 50 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^5$ ,  $2 \times 10^5$  या  $5 \times 10^5$  के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा.सं. डब्ल्यू एम-21(100)/2001]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 12th October, 2004

S.O. 2876.—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby publishes the certificate of approval of non-automatic, (Table top type) weighing instrument with digital indication of "CST" series of medium accuracy (Accuracy class-III) and with brand name "CALIBER" (hereinafter referred to as the said Model), manufactured by M/s. Caliber Scales India Pvt. Ltd., 7/56, Old Rajender Nagar, New Delhi-110060 and which is assigned the approval mark IND/09/2004/93;

The said Model (see the figure given below) is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 30kg and minimum capacity of 100g. The verification scale interval (e) is 5g. It has a tare device with a 100 percent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instrument operates on 230 Volts, 50Hz alternate current power supply.



In addition to sealing the stamping plate sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity up to 50kg. with verification scale interval (n) in the range of 100 to 10,000 for 'e' value of 100mg to 2g or with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5g or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F. No. WM-21(100)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 12 अक्टूबर, 2004

का० आ० 2877.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स कैलिबर स्केल्स इण्डिया प्रा० लि०, 7/56, पुराना राजेन्द्र नगर, नई दिल्ली-110060 द्वारा विनिर्मित मध्यम यथार्थता (यथार्थता वर्ग-III) वाले "सी एस पी" श्रृंखला के अस्वचालित, अंकक सूचन सहित तोलन उपकरण (प्लेट फार्म) के मॉडल का, जिसके ब्राण्ड का नाम "कैलिबर" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/95 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) एक विकृत गैज प्रकार का लोड सेल आधारित अस्वचालित (प्लेटफार्म प्रकार का) तोलन उपकरण है। इसकी अधिकतम क्षमता 1000 कि. ग्रा. और न्यूनतम क्षमता 2 कि. ग्रा. है। सत्यापन मापमान अन्तराल (ई) का मान 100 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत-प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 250 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती विद्युत धारा प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द की जाएगी।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 10 ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 50,000 तक की रेंज में सत्यापन मान अन्तराल सहित 50 कि. ग्रा. से 5,000 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$ , के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा.सं. डब्ल्यू एम-21(100)/2001]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान


New Delhi, the 12th October, 2004

**S.O. 2877.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of non-automatic, (Platform type) weighing instrument with digital indication of "CSP" series of high accuracy (accuracy class-II) and with brand name "CALIBER" (herein referred to as the said Model), manufactured by M/s. Caliber Scales India Pvt. Ltd., 7/56, Old Rajender Nagar, New Delhi-110060 and which is assigned the approval mark IND/09/2004/94;

The said Model (see the figure given below) is a strain gauge type load cell based weighing instrument with a maximum capacity of 1000kg. and minimum capacity of 5kg. The verification scale interval (e) is 100g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instrument operates on 230 Volts and 50 Hertz alternate current power supply.

In addition to sealing stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.




Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, and performance of same series with maximum capacity ranging above 50 kg. to 5,000kg and with number of verification scale interval (n) in the range of 5,000 to 50,000 for 'e' value of 10g or more and with 'e' value  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F. No. WM-21(100)/2001  
P. A. KRISHNAMOORTHY, Director of Legal Metrology]

नई दिल्ली, 18 अक्टूबर, 2004

का० आ० 2878.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स कैपिटल इंडस्ट्रीज, डब्ल्यू जेड 93/3, ततारपुर, टैगोर गार्डन, नई दिल्ली-110 027 द्वारा विनिर्मित उच्च यथार्थता (यथार्थता वर्ग-III) वाले "सी आई पी एफ़" श्रृंखला के अंकक सूचन सहित, अस्वचालित (प्लेटफार्म प्रकार का) तोलन उपकरण के मॉडल का, जिसके ब्राण्ड का नाम "शुद्ध तोला" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2003/601 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।



उक्त मॉडल एक विकृत गेज प्रकार का लोड सेल आधारित अस्वचालित तोलन उपकरण (प्लेटफार्म प्रकार का) है। इसकी अधिकतम क्षमता 50 कि. ग्रा. और न्यूनतम क्षमता 100 ग्रा. है। सत्यापन मापमान अन्तराल (ई) का मान 5 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत-प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती विद्युत धारा प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द किया जाएगा।

और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है, विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 5 ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 10,000 तक की रेंज में सत्यापन मापमान (एन) अंतराल सहित 50 कि. ग्रा. से ऊपर और 300 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$  के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा.सं. डब्ल्यू एम-21(233)/2001]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 18th October, 2004

**S.O. 2878.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;.

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic (Platform type) weighing instrument with digital indication of "C I P F" series of high accuracy (accuracy class-III) and with brand name "SUDH TOLA" (herein referred to as the said Model), manufactured by M/s. Capital Industries, WZ-93/3, Tatarpur, Tagore Garden, New Delhi 110 027 and which is assigned the approval mark IND/09/2003/601;



The said model is a strain gauge type load cell based non-automatic weighing instrument (Platform type) with a maximum capacity of 50 kg. and minimum capacity of 100g. The verification scale interval (e) is 5g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) indicates the weighing result. The instrument operates on 230 Volts, 50 Hz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 50 kg. and upto 300 kg. with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5g. or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.


[F. No. WM-21(233)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 18 अक्टूबर, 2004

का० आ० 2879.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः, अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, मैसर्स कैपिटल इंडस्ट्रीज, डब्ल्यू जेड 93/3, तातारपुर, टैगोर गार्डन, नई दिल्ली-110027 द्वारा विनिर्मित उच्च यथार्थता (यथार्थता वर्ग-II) वाले "सी आई टी टी" श्रृंखला के अंकक सूचन सहित अस्वचालित (टेबल टॉप प्रकार का) तोलन उपकरण के मॉडल का, जिसके ब्राण्ड का नाम "शुद्ध तोला" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2003/600 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।



उक्त मॉडल एक विकृत गेज प्रकार का लोड सेल आधारित अस्वचालित तोलन उपकरण (टेबल टॉप प्रकार का) है। इसकी अधिकतम क्षमता 22 कि. ग्रा. और न्यूनतम क्षमता 40 ग्रा. है। सत्यापन मापमान अन्तराल (ई) का मान 2 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत-प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्क्रॉमिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द किया जाएगा।

और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 1 मि. ग्रा. से 50 मि.ग्रा. तक के "ई" मान के लिए 100 से 50,000 तक की रेंज में सत्यापन मापमान अंतराल (एच) और 100 मि.ग्रा. या उससे अधिक के "ई" मान के लिए 5000 से 50,000 तक की रेंज में सत्यापन मापमान (एन) अन्तराल सहित 50 कि. ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^{-4}$ ,  $2 \times 10^{-4}$  या  $5 \times 10^{-4}$  के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा.सं. डब्ल्यू. एम.-21(233)/2001]


पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान



New Delhi, the 18th October, 2004

**S.O. 2879.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic, (Table Top Type) weighing instrument with digital indication of "CI TT" series of high accuracy (Accuracy class-II) and with brand name "SUDH TOLA" (herein referred to as the said Model), manufactured by M/s. Capital Industries, WZ-93/3, Tatarpur, Tagore Garden, New Delhi 110027 and which is assigned the approval mark IND/09/2003/600;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Table Top Type) with a maximum capacity of 22kg. and minimum capacity of 40g. The verification scale interval (e) is 2g. It has a tare device with a 100 percent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instrument operates on 230V, 50Hz alternate current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity upto 50kg with verification scale interval (n) in the range of 100 to 50000 for 'e' value of 1mg to 50mg or with verification scale interval (n) in the range of 5000 to 50,000 for 'e' value of 100mg. or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.


[F. No. WM-21(233)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 18 अक्टूबर, 2004

का० आ० 2880.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः, अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स ईगल डिजिटल स्केल्स, तीसरा तल, एन के वाई टावर, अजानी स्ववेयर, वर्धा रोड, नांगपुर द्वारा विनिर्मित मध्यम यथार्थता (यथार्थता वर्ग-III) वाले "एकेसी" श्रृंखला के अंकक सूचन सहित, अस्वचालित तोलन उपकरण (यांत्रिक तोल सेतु के लिए कन्वर्जन किट प्रकार) के मॉडल का, जिसके ब्राण्ड का नाम "आईवा" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/704 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।



उक्त मॉडल अंकक सूचन सहित तोलन उपकरण (यांत्रिक तोल सेतु के लिए कन्वर्जन किट) है। इसकी अधिकतम क्षमता 30 टन और न्यूनतम क्षमता 100 कि.ग्रा. है। सत्यापन मापमान अन्तराल (ई) का मान 5 कि. ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत-प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्शन तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्ट्रामिंग प्लेट को सील बन्द करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द भी किया जाएगा।

और, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 5 कि. ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 10,000 तक की रेंज में सत्यापन मापमान (एन) अन्तराल सहित 5 टन से अधिक और 100 टन तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^6$ ,  $2 \times 10^6$  या  $5 \times 10^6$  के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।


[फा.सं. डब्ल्यू. एम.-21(70)/2002]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 18th October, 2004

S.O. 2880.—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of the non-automatic weighing instrument (conversion kit for mechanical weighbridge) with digital indication belonging to medium accuracy (Accuracy class-III) of 'AKC' series with brand name "AIWA" (hereinafter referred to as the said Model), manufactured by M/s. Eagle Digital Scales, 3rd Floor, N.K.Y. Tower, Ajani Square, Waradha Road, Nagpur and which is assigned the approval mark IND/09/2003/704;



The said Model is non-automatic weighing instrument (Conversion kit for mechanical weigh bridge) with digital indication the maximum capacity is 30 tonne and minimum capacity 100kg. The value of verification scale interval 'e' is 5 kg. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instruments operates on 230V, 50Hz alternate current power supply.

In addition to sealing stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 5 tonne and up to 100 tonne with verification scale interval (n) in the range of 500 to 10000 for 'E' value of 5 kg or more and with 'E' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , where k is a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.


[F. No. WM-21(70)/2002]

P. A. KRISHNAMOORTHY, Director, Legal Metrology

नई दिल्ली, 18 अक्टूबर, 2004

**का० आ० 2881.**—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः, अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स ईगल डिजिटल स्केल्स, तीसरा तल, एन के वाई टावर, अजानी स्क्वेयर, वर्धा रोड, नागपुर द्वारा विनिर्मित मध्यम यथार्थता (यथार्थता वर्ग-III) वाले "ए-डब्ल्यू बी" शृंखला के अंकक सूचन सहित, अस्वचालित तोलन उपकरण (तोल सेतु प्रकार) के मॉडल का, जिसके ब्राण्ड का नाम "आईवा" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2003/705 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।



उक्त मॉडल अंकक सूचन सहित तोलन उपकरण (तोल सेतु प्रकार का) है। इसकी अधिकतम क्षमता 40 टन और न्यूनतम क्षमता 100 कि.ग्रा. है। सत्यापन मापमान अन्तराल (ई) का मान 5 कि. ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत-प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द भी किया जाएगा।

और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 5 कि. ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 10,000 तक की रेंज में सत्यापन मापमान अंतराल (एन) अन्तराल सहित 5 टन से अधिक और 100 टन तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$  के हैं, जो घनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।


[फा.सं. डब्ल्यू.एम.-21(70)/2002]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 18th October, 2004

**S.O. 2881.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of the non-automatic weighing instrument (Weighbridge type) with digital indication belonging to medium accuracy (Accuracy class-III) of 'AWB' series with brand name "AIWA" (herein referred to as the said Model), manufactured by M/s. Eagle Digital Scales, 3rd Floor, N.K.Y. Tower, Ajani Square, Waradha Road, Nagpur and which is assigned the approval mark IND/09/2003/705;



The said Model is non-automatic weighing instrument (Weigh bridge) with digital indication the maximum capacity is 40 tonne and minimum capacity 100kg. The value of verification scale interval 'e' is 5 kg. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instruments operates on 230V, 50Hz alternate current power supply.

In addition to sealing stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 5 tonne and up to 100 tonne with number of verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5 kg or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , where k is a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved Model has been manufactured.


[F. No. WM-21(70)/2002]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 19 अक्टूबर, 2004

का० आ० 2882.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः, अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और उपधारा (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स माडर्न बिजनेस इक्विपमेन्ट एण्ड सर्विसेज प्राइवेट लिमिटेड, प्लॉट सं. 646, इण्डस्ट्रियल एरिया, फेज-IX, सास नगर, मोहाली, पंजाब द्वारा विनिर्मित उच्च यथार्थता (यथार्थता वर्ग-II) वाले "एस ई डब्ल्यू" शृंखला के अंकक सूचन सहित, अस्वचालित तोलन उपकरण (टेबल टॉप प्रकार) के मॉडल का, जिसके ब्राण्ड का नाम "लक्ष्मी सेमसन" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/204 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।



उक्त मॉडल विकृति गेज प्रकार का लोड सेल आधारित अस्वचालित तोलन उपकरण (टेबल टॉप प्रकार का) है। इसकी अधिकतम क्षमता 30 कि.ग्रा. है और न्यूनतम क्षमता 100 ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 2 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत-प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए सीलबन्द भी किया जाएगा।

और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 1 मि. ग्रा. से 50 मि. ग्रा. तक "ई" मान के लिए 100 से 50,000 तक की रेंज में, सत्यापन मान अंतराल (एन) और 100 मि. ग्रा. या उससे अधिक के "ई" मान के लिए 5,000 से 50,000 तक की रेंज में सत्यापन मान अंतराल सहित 50 कि. ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$ , या  $5 \times 10^3$  के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा.सं. डब्ल्यू. एम.-21(82)/2004]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 19th October, 2004

**S.O. 2882.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the said Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of non-automatic weighing instrument (Table top type) with digital indication of "SEW" series of high accuracy (accuracy class-II) and with brand name "Lakshmi Samson" (hereinafter referred to as the said Model), manufactured by M/s. Modern Business Equipment and Services Private Limited, Plot No. 646, Industrial Area, Phase-IX, Sas Nagar, Mohali, Punjab and which is assigned the approval mark IND/09/2004/204;



The said Model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 30kg and minimum capacity of 100g. The verification scale interval 'e' is 2 g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instruments operates on 230V, 50Hertz alternate current power supply.

In addition to sealing stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity upto 50kg with verification scale interval (n) in the range of 100 to 50,000 for 'e' value of 1mg to 50 mg and with verification scale interval (n) in the range of 5,000 to 50,000 for 'e' value of 100 mg or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , where k is a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved Model has been manufactured.

[F. No. WM-21(82)/2004]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 19 अक्टूबर, 2004

का० आ० 2883.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उप-धारा (7) और उप-धारा (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स हॉवेल स्केल्स एंड सिस्टम्स, डी-117, सेक्टर-10, नोएडा, गौतम बुद्ध नगर, उत्तर प्रदेश द्वारा विनिर्मित एक वी म्यूखला के अंकक सूचन सहित, टैक्सी मीटर के मॉडल का, जिसके ब्राण्ड का नाम 'हॉवेल' है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन विहिन आई एन डी/09/2004/269 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन खोले जाने को रोकने के लिए भी सील की जाएगी।



उक्त मॉडल 5 अंकीय अंकक सूचन सहित एक टैक्सी मीटर है जो समय और दूरी मापने वाला उपकरण है। यह यात्री पर संदेय प्रभार का निरन्तर योग करता रहता है और यात्रा के किसी भी समय पर इसे उपदर्शित करता है। संदाय के लिए किराया, कतिपय विनिर्दिष्ट गति से अधिक या तय की गई यात्रा और यात्रा के दौरान विनिर्दिष्ट गति के कम पर लगे समय पर निकाला जाता है। मीटर का पठन प्रकाश संसर्जक डायोड (एल ई डी) द्वारा किया जाता है। उपकरण 'के' कारक 2720 पल्स/कि.मी. है।

[फा.सं. डब्ल्यू. एम.-21(338)/2002]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान



New Delhi, the 19th October, 2004

S.O. 2883.—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of a Taxi Meter with digital indication of HV series with brand name "HOVEL" (herein referred to as the said model), manufactured by M/s. Hovel Scales and Systems, D-117, Sector-10, Noida, Gautam Budh Nagar, Uttar Pradesh and which is assigned the approval mark IND/09/2004/269;

In addition to sealing stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.



The model is a Taxi Meter with 5 digital indication incorporated with a distance and time measuring device. It totalizes continuously and indicates at any moment of the journey, the charges payable by the passenger. The fare to pay is a function of the distance travelled above a certain specified speed and the time elapsed below a specified speed during the journey. The reading of the meter is indicated by Light Emitting Diode (LED). The 'k' factor of the instrument is 2720 pulses per kilometer.

[F. No. WM-21(338)/2002]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 19 अक्टूबर, 2004

का० आ० 2884.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उप-धारा (7) और उप-धारा (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स इशीता बेलेंस कार्पोरेशन, 488, गारचा रोड, कोलकाता-700019 द्वारा विनिर्मित उच्च यथार्थता (यथार्थता वर्ग-II) वाले "इतीशा" शृंखला के अंकक सूचन सहित, स्वतः सूचक, अस्वचालित तोलन उपकरण (टेबल टाप प्रकार) के मॉडल का, जिसके ब्राण्ड का नाम "इतीशा" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/203 समनुदेशित किया गया है, अनुमोदन प्रमाण-पत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) एक विद्युत चुम्बकीय प्रकार का लोड सेन्सर आधारित अस्वचालित तोलन उपकरण (टेबल टाप प्रकार का) है। इसकी अधिकतम क्षमता 300 ग्रा. और न्यूनतम क्षमता 200 मि. ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 10 मि. ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत-प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।



स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द की जाएगी।

और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उप-धारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 1 मि. ग्रा. से 50 मि. ग्रा. तक "ई" मान के लिए 100 से 5,000 तक की रेंज में, सत्यापन मान अंतराल (एन) और 100 मि. ग्रा. या उससे अधिक के "ई" मान के लिए 5,000 से 50,000 तक की रेंज में सत्यापन मान अंतराल सहित 50 कि. ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$  के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा.सं. डब्ल्यू. एम.-21(196)/2002]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 19th October, 2004

**S.O. 2884.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "ISHITA" series of high accuracy (Accuracy class-II) and with brand name "ISHITA" (herein referred to as the said model), manufactured by M/s. Ishita Balance Corporation, 488, Garacha Road, Kolkata-700 019 and which is assigned the approval mark IND/09/2004/203;

The said model (see the Figure given below) is an electromagnetic type load sensor based non-automatic weighing instrument (Table top type) with a maximum capacity of 300g and minimum capacity of 200mg. The verification scale interval 'e' is 10 mg. It has a tare device with a 100 per cent subtractive retained tare effect. The Liquid Crystal display indicates the weighing result. The instrument operates on 230Volts and 50-Hertz alternate current power supply.



In addition to sealing stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instrument of similar make, and performance of same series with maximum capacity upto 50kg and with number of verification scale interval (n) in the range of 100 to 5000 for 'e' value of 1 mg to 50 mg and with number of verification scale interval (n) in the range of 5000 to 50,000 for 'e' value of 100mg or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.


[F. No. WM-21(196)/2002]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 21 अक्टूबर, 2004

का० आ० 2885.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स एशिएटिक मशीनरी कोर्पोरेशन प्रा. लि. 10/1, कैलाश चन्द्र लेन, हावड़ा-711104, पश्चिमी बंगाल द्वारा विनिर्मित साधारण यथार्थता (यथार्थता वर्ग-III) वाले "ए एम" शृंखला के अंकक सूचन सहित अस्वचालित (प्लेटफार्म मशीन स्टील यार्ड प्रकार का) तोलन उपकरण के मॉडल का, जिसके ब्राण्ड का नाम "एशिया" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/49 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।



उक्त मॉडल एक यांत्रिक स्टील यार्ड प्रकार का लीवर आधारित अस्वचालित (प्लेटफार्म मशीन स्टील यार्ड प्रकार का) तोलन उपकरण है। इसकी अधिकतम क्षमता 500 कि.ग्रा. और न्यूनतम क्षमता 2 कि. ग्रा. है। सत्यापन मापमान अन्तराल (ई) का मान 100 ग्रा. है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सील की जाएगी।

और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उप-धारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 5 ग्रा. या उससे अधिक के "ई" मान के लिए 100 से 10,000 तक की रेंज में सत्यापन मापमान (एन) अंतराल सहित 50 कि.ग्रा. से ऊपर और 1000 तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$  के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।


[फा. सं. डब्ल्यू. एम.-21(250)/2003]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 21st October, 2004

**S.O. 2885.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic (Platform machine-steelyard type) weighing instrument with analogue indication of "AM" series of medium accuracy (Accuracy class-III) and with brand name "ASIA" (hereinafter referred to as the said model) manufactured by M/s. Asiatic Machinery Corporation Private Limited, 10/1, Kailash Chandra Lane, Howrah-711104, West Bengal and which is assigned the approval mark IND/09/2004/49;



The said model is a mechanical steelyard type lever based non-automatic weighing instrument (Platform machine-steelyard type) with a maximum capacity of 500kg and minimum capacity of 2kg. The verification scale interval (e) is 100g.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 50kg and up to 1000kg with verification scale interval (n) in the range of 100 to 10000 for 'e' value of 5g or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.


[F. No. WM-21(250)/2003]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 21 अक्टूबर, 2004

का० आ० 2886.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स एशिएटिक मशीनरी कोर्पोरेशन प्रा. लि., 10/1, कैलाश चन्द्र लेन, हावड़ा-711104, पश्चिमी बंगाल द्वारा विनिर्मित साधारण यथार्थता (यथार्थता वर्ग-III) वाले "ए एम" श्रृंखला के तुलारूप सूचन सहित अस्वचालित (वे ब्रिज स्टील यार्ड प्रकार का) तोलन उपकरण के मॉडल का, जिसके ब्राण्ड का नाम "एशिया" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/50 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।



उक्त मॉडल एक यांत्रिक स्टील यार्ड प्रकार का लीवर आधारित अस्वचालित (वे ब्रिज स्टील यार्ड प्रकार का) तोलन उपकरण है। इसकी अधिकतम क्षमता 30,000 कि.ग्रा. और न्यूनतम क्षमता 100 कि. ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 5 कि. ग्रा. है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सील की जाएगी।

और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उप-धारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 5 कि.ग्रा. या उससे अधिक के "ई" मान के लिए 100 से 10,000 तक की रेंज में सत्यापन मापमान (एन) अंतराल सहित 5 टन से ऊपर और 100 टन तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$  के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।


[फा. सं. डब्ल्यू. एम.-21(250)/2003]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 21st October, 2004

**S.O. 2886.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic Weighbridge-steelyard type) weighing instrument with analogue indication of "AM" series of medium accuracy (Accuracy class-III) and with brand name "ASIA" (hereinafter referred to as the said model) manufactured by M/s. Asiatic Machinery Corporation Private Limited, 10/1, Kailash Chandra Lane, Howrah-711104, West Bengal and which is assigned the approval mark IND/09/2004/50;



The said model is a mechanical steelyard type liver based non-automatic weighing instrument (Weighbridge-steelyard type) with a maximum capacity of 30000 kg and minimum capacity of 100 kg. The verification scale interval (e) is 5 kg.

In addition to sealing the stamping plate, sealing shall also done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the power conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 5 tonne and up to 100 tonne with verification scale interval (n) in the range of 100 to 10000 for 'e' value of 5 kg or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.


[F. No. WM-21(250)/2003]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 1 नवम्बर, 2004

का० आ० 2887.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स मनी मैक्स प्रोसेस कंट्रोल सिस्टम, सी-143, एम आई डी सी, वालजु, औरंगाबाद, महाराष्ट्र द्वारा विनिर्मित मध्यम यथार्थता (यथार्थता वर्ग-III) वाले "एम एच पी" शृंखला के अंकक सूचन सहित अस्वचालित तोलन उपकरण (इलेक्ट्रॉनिक होपर वेईंग स्केल प्रकार) के मॉडल का, जिसके ब्रांड का नाम "मनीमैक्स" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/258 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।



उक्त मॉडल एक विकृति गेज प्रकार का लोड सेल आधारित अस्वचालित तोलन उपकरण (इलेक्ट्रॉनिक होपर वेईंग स्केल प्रकार) है। इसकी अधिकतम क्षमता 20 कि.ग्रा. और न्यूनतम क्षमता 200 ग्रा. है। स्थापन मापमान अंतराल (ई) 10 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है। स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द भी किया जाएगा।

और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उप-धारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से, जिससे उक्त अनुमोदित मॉडल विनिर्मित किया गया है, विनिर्मित उसी शृंखला के वैसे ही रेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 100 मि.ग्रा. से 2 ग्रा. तक "ई" मान के लिए 100 से 10,000 तक की रेंज में स्थापन मापमान अंतराल (एन) और 5 ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 10,000 तक की रेंज में स्थापन मापमान (एन) अंतराल सहित 50 कि.ग्रा. तक की अधिकतम क्षमता वाले  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$  के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[का.सं. डब्ल्यू. एम.-21(66)/2002]

पी. ए. कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान



New Delhi, the 1st November, 2004

**S.O. 2887.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the model of non-automatic (Electronic Hopper Weighing Scale) weighing instrument with digital indication of "MHP" series of medium accuracy (Accuracy class-III) and with brand name "MONEYMAX" (herein referred to as the said model) manufactured by M/s. Money Max Process Control Systems, C-143, MIDC, Walju, Aurangabad, Maharashtra and which is assigned the approval mark IND/09/2004/258:



The said model is a strain gauge type load cell based non-automatic weighing instrument (Electronic Hopper Weighing Scale) with a maximum capacity of 20 kg and minimum capacity of 200g. The verification scale interval (e) is 10g. It has a tare device with 100 per cent subtractive retained tare effect. the light emitting diode (LED) display indicates the weighing result. The instrument operates on 230V, 50Hz alternate current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine to fraudulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity up to 50 kg with verification scale interval (n) in the range of 100 to 10000 for 'e' value of 100 mg to 2g or with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5g or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.


[F. No. WM-21(66)/2002]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 1 नवम्बर, 2004

का० आ० 2888.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे फिजीकालीश टेक्नीक बूंडेसस्टाल्ट, ब्रॉचवे एंड बर्लिन, जर्मनी (पीटीबी) द्वारा जारी अनुमोदन प्रमाण पत्र के साथ प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (3) के तौसरे परन्तु और उपधारा (7) और उपधारा (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स बिजरेबा गम्भ एंड कं. बिहेल्म-राउटस्टर-722336 बालिंगेन जर्मनी द्वारा विनिर्मित और मैसर्स वे ब्रिज इंडिया प्राइवेट लि., 30 वेगा, हीरानन्दानी एस्टेट, थाने (पश्चिम) 400607 महाराष्ट्र द्वारा भारत में बिक्री किया गया "ई पी डब्ल्यू" शृंखला के स्वचालित कैच तोलन उपकरण के मॉडल का, जिसके ब्रांड का नाम "बिजरेबा" है जिसे अनुमोदन चिह्न आई एन डी/09/2004/182 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।



उक्त मॉडल स्वचालित कैच अंकक सूचन सहित तोलन उपकरण है। इसकी अधिकतम क्षमता 15 कि.ग्रा. और न्यूनतम क्षमता 100 ग्रा. हैं। सत्यापन मापमान अन्तराल (ई) मान 5 ग्रा. है। इसकी यथार्थता वर्ग ओ आई एम एल आर 51-1 विनिर्देशन के अनुसार वाई(ए) है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

और केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उप-धारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल का विनिर्माण किया गया है, से विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 5 ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 10,000 तक की रेंज में सत्यापन मापमान (एन) अंतराल सहित 100 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$  के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।


[फा.सं. डब्ल्यू. एम.-21(314)/2003]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 1st November, 2004

**S.O. 2888.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, alone with the model approval certificate issued by the Physikalisch Technische Bundesanstalt, Braunschweig and Berlin, Germany (PTB) is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by the third proviso to Sub-section (3) and Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby approves, issues and publishes the certificate of approval of the model of Automatic Catch weighing instrument of series EP-W with brand name Bizerba, manufactured by M/s. Bizerba Gmbh & Co., Wilhelm-Kraut-Str, 722336-Balingen, Germany marketed in India by M/s. Weigh-Biz India Private Ltd., 30, Vega Hiranandani Estate, Thane (West)-400607, Maharashtra and which is assigned the approval mark IND/09/2004/182;



The said model is an automatic catch weighing instrument with digital indication (LCD type): Its maximum capacity is 15 kg and minimum 100g with verification scale interval of 5g. Its accuracy class is Y (a) as per OIML R51-1 specification. It operates on 230 Volts, 50 Hertz alternate current power supply.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity up to 100 kg with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5g or more and with 'c' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , where k is a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F. No. WM-21(314)/2003]


P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 1 नवम्बर, 2004

का० आ० 2889.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः, अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और उपधारा (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, सुशील इंजीनियरिंग वर्क्स, दिल्ली रोड, गुडगांव-122001 हरियाणा द्वारा विनिर्मित काउंटर मशीन के मॉडल का जिसके ब्रांड का, नाम "एस ई डब्ल्यू" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/111 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।

उक्त माडल (नीचे दी गई आकृति देखें) एक काउंटर मशीन है। इसकी अधिकतम क्षमता 5 कि.ग्रा. है।



और केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल का विनिर्माण किया गया है, से विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के काउंटर मशीन भी होंगे जो 500 ग्रा. से 50 कि.ग्रा. तक की रेंज की अधिकतम क्षमता वाले हैं।

[फा.सं. डब्ल्यू. एम.-21(142)/2003]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 1st November, 2004

**S.O. 2889.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby publishes the certificate of approval of the model of counter machine with brand name "SEW" (herein referred to as the said model), manufactured by M/s. Sewan Engineering Works, Delhi Road, Gurgaon-122001, Haryana and which is assigned the approval mark IND/0. 111.

The said model (see the figure given below) is a counter machine with maximum capacity of 5kg.



Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with capacity ranging from 500 g. to 50 kg. manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F. No. WM-21(142)/2003]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 1 नवम्बर, 2004

का. आ. 2890.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और उपधारा (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, मैसर्स स्टार पैक इण्डिया, 35, सिडको इंडस्ट्रियल एस्टेट, थिरुमुडीवक्कम, चेन्नई-600044 द्वारा विनिर्मित स्वचालित भरण मशीन यथार्थता (यथार्थता वर्ग ओगर फिलर) वाले "ओरियन ए एफ" श्रृंखला के मॉडल का जिसके ब्रांड का नाम "स्टार पैक" है (जिसे इसमें इसके पश्चात् उक्त माडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/119 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।

उक्त माडल एक स्वचालित भरण मशीन (ओगर फिलर) है। इसकी अधिकतम क्षमता 1000 ग्रा. है। इसकी अधिकतम भरण दर 50 थैली प्रति मिनट है। मशीन को दंत पाउडर, टेलकम पाउडर, चाय, काफी पाउडर, गेहूं, पीसे हुए मसाले इत्यादि जैसे मुक्त बहाव वाले उत्पादों को भरने के लिए डिजाइन किया गया है। उपकरण 230 वोल्ट और 50 हर्टज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन खोले जाने को रोकने के लिए भी सील की जाएगी।



और केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उप-धारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल का विनिर्माण किया गया है, से विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 2 ग्रा. से 1000 ग्रा. तक की रेंज में क्षमता वाले हैं।

[फा.सं. डब्ल्यू. एम.-21(80)/2003]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 1st November, 2004

**S.O. 2890.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the self indicating, Automatic filling machine (Auger Filler) of "ORION-AF" series with brand name "STARPACK" (herein referred to as the said Model), manufactured by M/s. Star Pack India Limited, 35, SIDCO Industrial Estate, Thirumudivakkam, Chennai-600044, Tamil Nadu and which is assigned the approval mark IND/09/2004/119;

The said model is an automatic filling machine (Auger Filler) and its maximum capacity is 1000g. It is used for filling the free flowing products like toothpowder, talcum powder, tea, coffee, powder, wheat flour, ground spices, chemicals, etc. It fills 50 packets per minutes. The instrument operates on 230V, 50Hz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.



Further, in exercise of the power conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity range of 2g to 1000 g manufactured by the same manufacturer in accordance with the same principle, design, accuracy and with the same materials with which, the approved model has been manufactured.

[F. No. WM-21(80)/2003]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 1 नवम्बर, 2004

का. आ. 2891.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स स्टार पैक इण्डिया, 35, सिडको इंडस्ट्रियल एस्टेट, धिरमुडीवक्कम, चेन्नई-600044 द्वारा विनिर्मित स्वचालित भरण मशीन (कप फिल्टर) वाले "ओरियन ए सी एफ" शृंखला के मॉडल का, जिसके ब्राण्ड का नाम "स्टार पैक" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/121 समनुदेशित किया गया है, अनुमोदन प्रमाण-पत्र जारी और प्रकाशित करती है।

उक्त मॉडल एक स्वचालित भरण (कप फिल्टर) मशीन है। इसकी अधिकतम क्षमता 700 ग्रा. है। इसकी अधिकतम भरण दर 50 बैली प्रति मिनट है। मशीन को दंत पाउडर, टेलकम पाउडर, चाय, काफी पाउडर, चीनी, चावल, नमक, कणी, डिटर्जेंट, बीज, कृषि उत्पादन इत्यादि जैसे मुक्त बहाव वाले उत्पादों को भरने के लिए डिजाइन किया गया है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन खोले जाने को रोकने के लिए भी सील की जाएगी।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाण-पत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल का विनिर्माण किया गया है, से विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 2 ग्रा. से 1000 ग्रा. तक की रेंज में अधिकतम क्षमता वाले हैं।

[फा. सं. डब्ल्यू. एम.-21(80)/2003]

२. कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान



New Delhi, the 1st November, 2004

**S.O. 2891.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of self indicating, Automatic filling machine (Cup Filler) of "ORION ACF" series with brand name "STARPACK" (herein referred to as the said model), manufactured by M/s. Star Pack India Limited, 35, SIDCO Industrial Estate, Thirumudivakkam, Chennai-600044, Tamil Nadu and which is assigned the approval mark IND/09/2004/121;

The said Model is an automatic filling machine (Cup Filler) and its maximum capacity is 700 g. It is used for filling the free flowing products like toothpowder, talcum powder, tea, coffee powder, sugar, rice, salt, granules, detergents, seeds, agricultural products etc. It fills 50 packets per minute. The instrument operates on 230 V, 50 Hz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.



Further, in exercise of the power conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with capacity in the range of 2 g to 1000 g manufactured by the same manufacturer in accordance with the same principle, design, accuracy and with the same materials with which, the approved model has been manufactured.

[F. No. WM-21(80)/2003]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 1 नवम्बर, 2004

का० आ० 2892.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः, अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, मैसर्स स्टार पैक इण्डिया, 35 सिडको इंडस्ट्रियल एस्टेट, थिरुमुडीवक्कम, चेन्नई-600044 द्वारा विनिर्मित स्वचालित भरण मशीन (वे फिलर) वाले "ओरियन डब्ल्यू एफ" श्रृंखला के मॉडल का, जिसके ब्राण्ड का नाम "स्टार पैक" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/122 समनुदेशित किया गया है, अनुमोदन प्रमाण-पत्र जारी और प्रकाशित करती है।

उक्त मॉडल एक स्वचालित भरण (वे फिलर) मशीन है। इसकी अधिकतम क्षमता 2000 ग्रा. है। इसकी अधिकतम भरण दर 30 थैली प्रति मिनट है। मशीन को बिस्कुट, दालें, चिप्स, अनाज, चीनी, चावल, नमक, कणी, बीज, मिठाई उत्पादन इत्यादि जैसे मुक्त बहाव वाले उत्पादों को भरने के लिए डिजाइन किया गया है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन खोले जाने को रोकने के लिए भी सील की जाएगी।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उप-धारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाण-पत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है, से विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 2 ग्रा. से 5000 ग्रा. तक की रेंज में क्षमता वाले हैं।

[फा. सं. डब्ल्यू. एम.-21(80)/2003]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान


New Delhi, the 1st November, 2004

**S.O. 2892.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of self-indicating, Automatic filling machine (Weigh filler) of "ORION WF" series with brand name "STARPACK" (herein referred to as the said model) manufactured by M/s. Star Pack India Limited, 35, SIDCO Industrial Estate, Thirumudivakkam, Chennai-600044, Tamil Nadu and which is assigned the approval mark IND/09/2004/122;

The said Model is an automatic filling machine (Weigh filler) and its maximum capacity is 2000g. It is used for filling the free flowing products like biscuits, pulses, chips, grains, sugar, rice, salt, granules, rice, seeds, confectionery etc. It fills 30 packets per minute. The instrument operates on 230V, 50Hz alternative current power supply. Its display is light emitting diode type.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.



Further, in exercise of the power conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with capacity in the range of 2g to 5000g manufactured by the same manufacturer in accordance with the same principle, design, accuracy and with the same materials with which, the said approved model have been manufactured.

[F. No. WM-21(80)/2003]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 1 नवम्बर, 2004

का. आ. 2893.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स स्टार पैक इण्डिया, 35 सिडको इंडस्ट्रियल एस्टेट, थिरुमुडीवक्कम, चेन्नई-600044 द्वारा विनिर्मित स्वचालित भरण मशीन (पिस्टन फिलर) वाले "ओरियन पी एफ" श्रृंखला के मॉडल का, जिसके ब्राण्ड का नाम "स्टार पैक" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/120 समनुदेशित किया गया है, अनुमोदन प्रमाण-पत्र जारी और प्रकाशित करती है।

उक्त मॉडल एक स्वचालित भरण (वे फिलर) मशीन है। इसकी अधिकतम क्षमता 1500 ग्रा. है। इसकी अधिकतम भरण दर 30 थैली प्रति मिनट है। मशीन को तेल, ग्रीस, जेम, पेस्ट, दही, घी, वनस्पति, पामोलीन तेल, पेंट, डिस्टेंपर उत्पादन इत्यादि जैसे विपक्षीय द्रव्य पदार्थ भरने के लिए डिजाइन किया गया है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन खोले जाने को रोकने के लिए भी सील की जाएगी।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उप-धारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाण-पत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल का विनिर्माण किया गया है, से विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 2 ग्रा. से 1000 ग्रा. तक की रेंज में क्षमता वाले हैं।

[फा. सं. डब्ल्यू. एम.-21(80)/2003]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 1st November, 2004

**S.O. 2893.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of self indicating, Automatic filling machine (Piston Filler) of "ORION PF" series with brand name "STARPACK" (herein referred to as the said Model) manufactured by M/s. Star Pack India Limited, 35, SIDCO Industrial Estate, Thirumudivakkam, Chennai-600044, Tamil Nadu and which is assigned the approval mark IND/09/2004/120;

The said Model is an automatic filling machine (Piston Filler) and its maximum capacity is 1500g. It is used for filling the all viscous liquids like oil, grease, jelly, jam, paste, curds, ghee, vanaspathi, palmolein oil, paints, distemper etc. It fills 30 packets per minute. The instrument operates on 230V, 50Hz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.



Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with capacity in the range of 2g to 1000g manufactured by the same manufacturer in accordance with the same principle, design, accuracy and with the same materials with which, the approved model has been manufactured.


[F. No. WM-21(80)/2003]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 1 नवम्बर, 2004

का. आ. 2894.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स रमन सर्जिकल कम्पनी, बी-68, जी टी करनाल रोड, इंडस्ट्रियल एरिया, दिल्ली-110033 द्वारा विनिर्मित साधारण यथार्थता (यथार्थता वर्ग-III) वाले "क्राउन" शृंखला के अंकक सूचन सहित, अस्वचालित तोलन उपकरण (व्यक्ति तोलन मशीन प्रकार) के माडल का, जिसके ब्राण्ड का नाम "क्राउन" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/173 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।



उक्त मॉडल यांत्रिक स्प्रिंग आधारित यथार्थता वर्ग (यथार्थता वर्ग साधारण-III) तुल्य रूप अंकक सूचन सहित अस्वचालित (व्यक्ति तोलन मशीन प्रकार का) तोलन उपकरण है। इसकी अधिकतम क्षमता 150 कि. ग्रा. और न्यूनतम क्षमता 5 कि. ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 500 ग्रा. है।

स्ट्रॉमिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द किया जाएगा।

और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाण-पत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 100 ग्रा. या उससे अधिक के "ई" मान के लिए 100 से 1000 तक की रेंज में सत्यापन मापमान (एन) अंतराल सहित 100 कि.ग्रा. से 150 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$ , के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा.सं. डब्ल्यू एम-21(177)/2003]

पी. ए. कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 1st November, 2004

**S.O. 2894.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the models described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of model of, non-automatic weighing instrument (Person weighing machine) with analogue indication (hereinafter referred to as the said model) belonging to ordinary accuracy class (Accuracy class-III) and "CROWN" series with brand name "CROWN", manufactured by M/s. Raman Surgical Company, B-68, G.T. Karnal Road, Industrial Area, Delhi-110033 and which is assigned the approval mark IND/09/2004/173;

The said model is a mechanical spring based non-automatic weighing instrument (Person weighing machine) with analogue indication of maximum capacity 150 kg, minimum capacity 5 kg and belonging to ordinary accuracy class (accuracy class-III). The value of verification scale interval 'e' is 500g.



In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the powers conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity in the range of 100 kg to 150 kg and with number of verification scale interval (n) in the range of 100 to 1000 for 'e' value of 100g or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F. No. WM-21(177)/2003]


P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 1 नवम्बर, 2004

का० आ० 2895.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स प्रभात इण्डिया, जे-4, पनकी इंडस्ट्रीयल एरिया, पनकी साइट सं. 3, कानपुर, उत्तर प्रदेश द्वारा विनिर्मित उच्च यथार्थता (यथार्थता वर्ग-II) वाले "ई टी टी" श्रृंखला के अंकक सूचन सहित, अस्वचालित तोलन उपकरण (टेबल टाप प्रकार का) के मॉडल का, जिसके ब्राण्ड का नाम "प्रभात इण्डिया" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/149 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।

उक्त मॉडल एक विकृत गेज प्रकार का लोड सेल आधारित अस्वचालित (टेबल टाप प्रकार का) तोलन उपकरण है। इसकी अधिकतम क्षमता 30 कि. ग्रा. और न्यूनतम क्षमता 100 ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 2 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत-प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।



स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द किया जाएगा।

और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 1 मि. ग्रा. से 50 मि. ग्रा. तक "ई" मान के लिए 100 से 50,000 तक की रेंज में सत्यापन माप मान अंतराल (एन) के लिए और 100 मि. ग्रा. या उससे अधिक के "ई" मान के लिए 5000 से 50,000 तक की रेंज में सत्यापन मापमान (एन) अंतराल सहित 50 कि. ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$ , के हैं जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा. सं. डब्ल्यू एम-21(12)/2004]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान




New Delhi, the 1st November, 2004

**S.O. 2895.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic weighing instrument (Table top type) with digital indication of "ETT" series of high accuracy (accuracy class-II) and with brand name "PRABHAT INDIA" (hereinafter referred to as the said model) manufactured by M/s. Prabhat India, J-4, Panki Industrial Area, Panki Site No. 3, Kanpur, Uttar Pradesh and which is assigned the approval mark IND/09/2004/149;

The said Model is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 30 kg and minimum capacity of 100g. The verification scale interval (e) is 2g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instrument operates on 230V, 50Hz alternative current power supply.



In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the power conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity up to 50kg with verification scale interval (n) in the range of 100 to 50,000 for 'e' value of 1 mg to 50mg and with verification scale interval (n) in the range of 5000 to 50,000 for 'e' value of 100mg or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , where k is a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F. No. WM-21(12)/2004]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 1 नवम्बर, 2004

का० आ० 2896.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स प्रभात इण्डिया, जे-4, पनकी इण्डस्ट्रीयल एरिया, पनकी साइट सं. 3, कानपुर, उत्तर प्रदेश द्वारा विनिर्मित मध्यम यथार्थता (यथार्थता वर्ग-III) वाले "ई पी एस" श्रृंखला के अंकक सूचन सहित, अस्वचालित तोलन उपकरण (प्लेटफार्म प्रकार का) के मॉडल का, जिसके ब्राण्ड का नाम "प्रभात इण्डिया" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/150 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।

उक्त मॉडल एक विकृत गेज प्रकार का लोड सेल आधारित अस्वचालित तोलन उपकरण (प्लेटफार्म प्रकार का) है। इसकी अधिकतम क्षमता 1200 कि. ग्रा. और न्यूनतम क्षमता 4 कि. ग्रा. है। सत्यापन मापमान अन्तराल (ई) का मान 200 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत-प्रतिशत व्यकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।



स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द भी किया जाएगा।

और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 5 ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 10,000 तक की रेंज में सत्यापन मापमान (एन) अंतराल सहित 50 कि. ग्रा. से अधिक और 5000 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$ , के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा.सं. डब्ल्यू एम-21(12)/2004]


पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 1st November, 2004

**S.O. 2896.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of non-automatic weighing instrument (Platform Type) with digital indication of "EPS" series of medium accuracy (accuracy class-III) and with brand name "PRABHAT INDIA" (hereinafter referred to as the said model) manufactured by M/s. Prabhat India, J-4, Panki Industrial Area, Panki Site No. 3, Kanpur, Uttar Pradesh and which is assigned the approval mark IND/09/2004/150;

The said Model is a strain gauge type load cell based non-automatic weighing instrument (Platform type) with a maximum capacity of 1200 kg and minimum capacity of 4kg. The verification scale interval (e) is 200g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instrument operates on 230V, 50Hz alternative current power supply.



In addition to sealing the stamping plate, sealing is also done to prevent the opening of the machine for fraudulent practices.

Further, in exercise of the power conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 50kg and upto 5000 kg with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5g or more and with 'c' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , where k is a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F. No. WM-21(12)/2004]

P. A. KRISHNAMOORTHY, Director of Legal Metrology


नई दिल्ली, 4 नवम्बर, 2004

का० आ० 2897.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स एटलस वेइंग इक्विपमेंट्स, 735, डा. मुखर्जी नगर, बतरा सिनेमा के पास, दिल्ली-110009 द्वारा विनिर्मित उच्च यथार्थता (यथार्थता वर्ग-II) वाले "टी टी-2" शृंखला के स्वतः सूचक अस्वचालित, अंकक सूचन सहित तोलन उपकरण (टेबल टाप प्रकार का) के मॉडल का, जिसके ब्राण्ड का नाम "टोयो" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/181 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) एक विकृत गेज प्रकार का लोड सेल आधारित अस्वचालित (टेबल टाप प्रकार का) तोलन उपकरण है। इसकी अधिकतम क्षमता 6 कि. ग्रा. और न्यूनतम क्षमता 25 ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 0.5 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शतप्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द किया जाएगा।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 1 मि. ग्रा. से 50 मि. ग्रा. तक के "ई" मान के लिए 100 से 5,000 तक की रेंज में सत्यापन मापमान अंतराल (एन) के लिए और 100 मि. ग्रा. या उससे अधिक के "ई" मान के लिए 5,000 से 50,000 तक की रेंज में सत्यापन मापमान (एन) अंतराल सहित 50 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^*$ ,  $2 \times 10^*$  या  $5 \times 10^*$ , के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा.सं. डब्ल्यू. एम.-21(88)/2002]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान


New Delhi, the 4th November, 2004

**S.O. 2897.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of the model of self-indicating, approval of non-automatic (Table top type) weighing instrument with digital indication of "TT2" series of high accuracy (accuracy class-II) and with brand name "TOYO" (hereinafter referred to as the said model) manufactured by M/s. Atlas Weighing Equipments, 735, Dr. Mukherjee Nagar, Opp. Batra Cinema, Delhi-110099 and which is assigned the approval mark IND/09/2004/181;

The said Model (see the figure given below) is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 6 kg. and minimum capacity of 25g. The verification scale interval (e) is 0.5g. It has a tare device with a 100 per cent subtractive retained tare effect. The Light Emitting Diode display indicates the weighing result. The instrument operates on 230 Volts and 50Hertz alternative current power supply.

In addition to sealing the stamping plat, sealing shall also be done to prevent the opening of the machine for fraudulent practices.



Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instrument of similar make and performance of same series with maximum capacity up to 50kg. and with number of verification scale interval (n) in the range of 100 to 5,000 for 'e' value of 1mg to 50mg. and with number of verification scale interval (n) in the range of 5,000 to 50,000 for 'e' value of 100mg. or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being the positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F. No. WM-21(88)/2002]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 4 नवम्बर, 2004

का० आ० 2898.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स डोडिया वेइंग टेक्नोलॉजी, जी आई डी सी प्लाट सं. 54, हिम्मत नगर, साबरकण्ठा-जिला-383001 गुजरात द्वारा विनिर्मित उच्च यथार्थता (यथार्थता वर्ग-II) वाले श्रृंखला के अंकक सूचन सहित स्वतः सूचक, अस्थचालित तोलन उपकरण (टेबल टाप प्रकार) के मॉडल का, जिसके ब्राण्ड का नाम "ऐरो" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2003/311 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) एक विकृति गेज प्रकार का लोड सेल आधारित अस्थचालित (टेबल टाप प्रकार का) तोलन उपकरण है। इसकी अधिकतम क्षमता 11 कि. ग्रा. और न्यूनतम क्षमता 50 ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 1 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्द किया जाएगा।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी श्रृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 1 मि. ग्रा. से 50 मि. ग्रा. तक "ई" मान के लिए 100 से 50,000 तक की रेंज में सत्यापन मापमान अंतराल (एन) और 100 मि. ग्रा. या उससे अधिक के "ई" मान के लिए 5,000 से 50,000 तक की रेंज सत्यापन मानमान (एन) अंतराल सहित 50 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$  के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा. सं. डब्ल्यू एम-21(78)/2001]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 4th November, 2004

S.O. 2898.—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the self-indicating, non-automatic (Table top type) weighing instrument with digital indication of "ATB" series of high accuracy (accuracy class-IP) and with brand name "ARROW" (hereinafter referred to as the said model) manufactured by M/s. Dodia Weighing Technology, GIDC Plot No. 54, Himmatnagar, Sabarkantha—Distt. 383001, Gujarat and which is assigned the approval mark IND/09/2003/311;

The said Model (see the figure given below) is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 11 kg. and minimum capacity of 50g. The verification scale interval (e) is 1g. It has a tare device with a 100 per cent subtractive retained tare effect. The Light Emitting Diode (LED) display indicates the weighing result. The instruments operates on 230V, 50Hz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.



Further, in exercise of the power conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make accuracy and performance of same series with maximum capacity up to 50kg. with verification scale interval (n) in the range of 100 to 50,000 for 'e' value of 1mg to 50 mg. and with verification scale interval (n) in the range of 5,000 to 50,000 for 'e' value of 100 mg. or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F. No. WM-21(78)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology


नई दिल्ली, 4 नवम्बर, 2004

का० आ० 2899.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मापक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः, अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स डोंडिया वेइंग टेक्नोलॉजी, जीआईडीसी प्लॉट सं. 54 हिम्मत नगर, साबरकण्ठा-जिला-383001 गुजरात द्वारा विनिर्मित मध्यम यथार्थता (यथार्थता वर्ग-III) वाले शृंखला के अंकक सूचन सहित स्वतः सूचक, अस्वचालित तोलन उपकरण (टेबल टाप प्रकार) के मॉडल का, जिसके ब्राण्ड का नाम "एरो" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/312 समनुदेशित किया गया है, अनुमोदन प्रमाणपत्र जारी और प्रकाशित करती है।

उक्त मॉडल (नीचे दी गई आकृति देखें) एक विकृत गेज प्रकार का लोड सेल आधारित अस्वचालित (टेबल टाप प्रकार का) तोलन उपकरण है। इसकी अधिकतम क्षमता 30 कि. ग्रा. और न्यूनतम क्षमता 100 ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 5 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत-प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्पन्नक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्वाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए भी सीलबन्ध किया जाएगा।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उपधारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 100 मि. ग्रा. से 2 ग्रा. तक "ई" मान के लिए 100 से 10,000 तक की रेंज में सत्यापन मापमान अंतराल (एन) और 5 ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 10,000 तक की रेंज में सत्यापन मापमान अंतराल सहित 50 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^0$ ,  $2 \times 10^0$  या  $5 \times 10^0$  के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा.सं. डब्ल्यू. एम.-21(78)/2001]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान




New Delhi, the 4th November, 2004

S.O. 2899.—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the self indicating, non-automatic (Table top type) weighing instrument with digital indication of "ATC" series of medium accuracy (accuracy class-III) and with brand name "ARROW" (hereinafter referred to as the said model), manufactured by M/s. Dodia Weighing Technology, GIDC Plot No. 54, Himmatnagar, Sabarkantha—Distt. 383001, Gujarat and which is assigned the approval mark IND/09/2003/312;

The said Model (See the figure given below) is a strain gauge type load cell based non-automatic weighing instrument (Table top type) with a maximum capacity of 30 kg and minimum capacity of 100g. The verification scale interval (e) is 5g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instrument operates on 230V, 50Hz alternative current power supply.

In addition to sealing the stamping plat, sealing shall also be done to prevent the opening of the machine for fraudulent practices.



Further, in exercise of the powers conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity up to 50kg with verification scale interval (n) in the range of 100 to 10,000 for 'e' value of 100mg to 2g and with verification scale interval (n) in the range of 500 to 10,000 for 'e' value of 5g or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero, manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F. No. WM-21(78)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 4 नवम्बर, 2004

का० आ० 2900.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, मैसर्स डोडिया वेईंग टेक्नोलोजी, जी आई डी सी प्लाट सं. 54, हिम्मत नगर, साबरकण्ठ, जिला-383001 गुजरात द्वारा विनिर्मित उच्च यथार्थता (यथार्थता वर्ग-II) वाले शृंखला के अंकक सूचन सहित स्वतःसूचक, अस्वचालित तोलन उपकरण (प्लेटफार्म प्रकार) के मॉडल का, जिसके ब्रांड का नाम "ऐरो" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/313 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।

उक्त मॉडल नीचे (दी गई आकृति देखें) एक विकृति गेज प्रकार का लोड सेल आधारित अस्वचालित (प्लेटफार्म प्रकार का) तोलन उपकरण है। इसकी अधिकतम क्षमता 60 कि.ग्रा. और न्यूनतम क्षमता 250 ग्रा. है। सत्यापन मापमान अन्तराल (ई) का मान 5 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत प्रतिशत व्यकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए सीलबन्द भी किया जाएगा।



और, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उप-धारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 5 ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 10,000 तक के रेंज में सत्यापन मापमान अंतराल सहित 50 कि.ग्रा. से अधिक और 150 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^5$ ,  $2 \times 10^5$  या  $5 \times 10^5$ , के हैं, जो धनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा. सं. डब्ल्यू. एम.-21(78)/2001]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 4th November, 2004

S.O. 2900.—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the self indicating, non-automatic (Platform type) weighing instrument with digital indication of "APB" series of high accuracy (accuracy class-II) and with brand name "ARROW" (hereinafter referred to as the said Model), manufactured by M/s Dodia Weighing Technology, G.I.D. CM, Plot No. 54, Himmatnagar, Sabarkantha, Dist. 383001, Gujarat and which is assigned the approval mark IND/09/2003/313;

The said Model (See the figure given below) is a strain gauge type load cell based non-automatic weighing instrument (Platform type) with a maximum capacity of 60 kg and minimum capacity of 250g. The verification scale interval (e) is 5g. It has a tare device with a 100 per cent subtractive retained tare effect. The Light Emitting Diode (LED) display indicates the weighing result. The instrument operates on 230V, 50Hz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Figure



Further, in exercise of the power conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 50kg. and up to 150kg. with verification scale interval (n) in the range of 5000 to 50000 for 'e' value of 100mg or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which the said approved model has been manufactured.

[F. No. WM-21(78)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 4 नवम्बर, 2004

का० आ० 2901.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स डोडिया वेइंग टेक्नोलोजी, जी आई डी सी प्लॉट सं. 54 हिम्मत नगर, साबरकण्ठा-जिला-383001 गुजरात द्वारा विनिर्मित मध्यम यथार्थता (यथार्थता वर्ग-III) वाले शृंखला के अंकक सूचन सहित स्वतःसूचक, अस्वचालित तोलन उपकरण (प्लेटफॉर्म प्रकार) के मॉडल का, जिसके ब्रांड का नाम "ऐरो" है (जिसे इसमें इसके पश्चात् उक्त मॉडल कहा गया है) और जिसे अनुमोदन विनियम आई एन डी/09/2004/314 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।

उक्त मॉडल (दी गई आकृति देखें) एक विकृति गेज प्रकार का लोड सेल आधारित अस्वचालित (प्लेटफॉर्म प्रकार का) तोलन उपकरण है। इसकी अधिकतम क्षमता 50 कि.ग्रा. और न्यूनतम क्षमता 200 ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 10 ग्रा. है। इसमें एक आघेयतुलन युक्ति है जिसका शत प्रतिशत व्यवकलनात्मक धारित आघेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए सीलबन्द भी किया जाएगा।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उप-धारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 5 ग्रा. या उससे अधिक के "ई" मान के लिए 500 से 10,000 तक के रेंज में सत्यापन मापमान अंतराल सहित 50 कि.ग्रा. से अधिक और 150 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और "ई" मान  $1 \times 10^6$ ,  $2 \times 10^6$  या  $5 \times 10^6$  के हैं, जो घनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[फा.सं. डब्ल्यू. एम.-21(78)/2001]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान

New Delhi, the 4th November, 2004


**S.O. 2901.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the self indicating, non-automatic (Platform type) weighing instrument with digital indication of “APC” series of medium accuracy (accuracy class-III) and with brand name “ARROW” (hereinafter referred to as the said Model), manufactured by M/s Dodia Weighing Technology, G.I.D.C. Plot No. 54, Himmatnagar, Sabarkantha-Distt. 383001, Gujarat and which is assigned the approval mark IND/09/2003/314;

The said Model (See the figure given below) is a strain gauge type load cell based non-automatic weighing instrument (Platform type) with a maximum capacity of 60 kg and minimum capacity of 200g. The verification scale interval (e) is 10g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instruments operates on 230V, 50Hz alternative current power supply.

In addition to sealing the stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.

Figure



Further, in exercise of the power conferred by sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, accuracy and performance of same series with maximum capacity above 50kg and up to 150kg with verification scale interval (n) in the range of 500 to 10,000 for ‘e’ value of 5g or more and with ‘e’ value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being a positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved Model has been manufactured.

[F. No. WM-21(78)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

नई दिल्ली, 4 नवम्बर, 2004

का० आ० 2902.—केन्द्रीय सरकार का, विहित प्राधिकारी द्वारा उसे प्रस्तुत रिपोर्ट पर विचार करने के पश्चात् यह समाधान हो गया है कि उक्त रिपोर्ट में वर्णित मॉडल (नीचे दी गई आकृति देखें) बाट और माप मानक अधिनियम, 1976 (1976 का 60) तथा बाट और माप मानक (मॉडलों का अनुमोदन) नियम, 1987 के उपबंधों के अनुरूप है और इस बात की संभावना है कि लगातार प्रयोग की अवधि में भी उक्त मॉडल यथार्थता बनाए रखेगा और विभिन्न परिस्थितियों में उपयुक्त सेवा प्रदान करता रहेगा;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 36 की उपधारा (7) और (8) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स देवी श्री मुद्रन (प्रा.) लि., 900 एम आई ई, बहादुरगढ़, हरियाणा द्वारा विनिर्मित उच्च यथार्थता (यथार्थता वर्ग-II) वाले “डी पी” शृंखला के अंकक सूचन सहित, अस्वचालित तोलन उपकरण (प्लेटफार्म प्रकार) के मॉडल का, जिसके ब्रांड का नाम “डालफिन” है (जिसे इसमें उक्त मॉडल कहा गया है) और जिसे अनुमोदन चिह्न आई एन डी/09/2004/180 समनुदेशित किया गया है, अनुमोदन प्रमाण पत्र जारी और प्रकाशित करती है।

उक्त मॉडल एक विकृति गेज प्रकार का लोड सेल आधारित अस्वचालित (प्लेटफार्म प्रकार का) तोलन उपकरण है। इसकी अधिकतम क्षमता 1000 कि.ग्रा. और न्यूनतम क्षमता 5 कि. ग्रा. है। सत्यापन मापमान अंतराल (ई) का मान 100 ग्रा. है। इसमें एक आधेयतुलन युक्ति है जिसका शत प्रतिशत व्यवकलनात्मक धारित आधेयतुलन प्रभाव है। प्रकाश उत्सर्जक डायोड (एल ई डी) प्रदर्श तोलन परिणाम उपदर्शित करता है। उपकरण 230 वोल्ट और 50 हर्ट्ज प्रत्यावर्ती धारा विद्युत प्रदाय पर कार्य करता है।

स्टाम्पिंग प्लेट को मुद्रांकित करने के अतिरिक्त कपटपूर्ण व्यवहारों के लिए मशीन को खोलने से रोकने के लिए सीलबन्द भी किया जाएगा।



और, केन्द्रीय सरकार उक्त अधिनियम की धारा 36 की उप-धारा (12) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह घोषणा करती है कि उक्त मॉडल के अनुमोदन के इस प्रमाणपत्र के अंतर्गत उसी विनिर्माता द्वारा उसी सिद्धान्त, डिजाइन के अनुसार और उसी सामग्री से जिससे अनुमोदित मॉडल विनिर्मित किया गया है विनिर्मित उसी शृंखला के वैसे ही मेक, यथार्थता और कार्यपालन के तोलन उपकरण भी होंगे जो 100 मि. ग्रा. या उससे अधिक के “ई” मान के लिए 5,000 से 100,000 तक के रेंज में सत्यापन मापमान अंतराल सहित 50 कि.ग्रा. से ऊपर और 5000 कि.ग्रा. तक की अधिकतम क्षमता वाले हैं और “ई” मान  $1 \times 10^3$ ,  $2 \times 10^3$  या  $5 \times 10^3$ , के हैं, जो घनात्मक या ऋणात्मक पूर्णांक या शून्य के समतुल्य हैं।

[ फा.सं. डब्ल्यू. एम.-21(222)/2001 ]

पी० ए० कृष्णामूर्ति, निदेशक, विधिक माप विज्ञान


New Delhi, the 4th November, 2004

**S.O. 2902.**—Whereas the Central Government, after considering the report submitted to it by the prescribed authority, is satisfied that the Model described in the said report (see the figure given below), is in conformity with the provisions of the Standards of Weights and Measures Act, 1976 (60 of 1976) and the Standards of Weights and Measures (Approval of Models) Rules, 1987 and the said Model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by Sub-sections (7) and (8) of Section 36 of the said Act, the Central Government hereby issues and publishes the certificate of approval of the Model of non-automatic weighing instrument (Platform type) with digital indication of "DP" series of high accuracy (accuracy class-II) and with brand name "DOLPHIN" (herein referred to as the said Model), manufactured by M/s. Devi Shree Mudran (P) Ltd., 900, MIE, Bahadurgarh (Haryana), and which is assigned the approval mark IND/09/2004/180;

The said Model (See the figure given below) is a strain gauge type load cell based non-automatic weighing instrument (Platform type) with a maximum capacity of 1000 kg. and minimum capacity of 5Kg. The verification scale interval (e) is 100g. It has a tare device with a 100 per cent subtractive retained tare effect. The light emitting diode (LED) display indicates the weighing result. The instruments operates on 230V, 50Hz alternate current power supply.

In addition to sealing stamping plate, sealing shall also be done to prevent the opening of the machine for fraudulent practices.



Further, in exercise of the power conferred by Sub-section (12) of Section 36 of the said Act, the Central Government hereby declares that this certificate of approval of the said Model shall also cover the weighing instruments of similar make, and performance of same series with maximum capacity above 50kg. and up to 5000 kg. and with number of verification scale interval (n) in the range of 5000 to 100,000 for 'e' value of 100 mg. or more and with 'e' value of  $1 \times 10^k$ ,  $2 \times 10^k$  or  $5 \times 10^k$ , k being the positive or negative whole number or equal to zero manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved Model has been manufactured.

[F. No. WM-21(222)/2001]

P. A. KRISHNAMOORTHY, Director of Legal Metrology

## भारतीय मानक ब्यूरो

नई दिल्ली, 25 अक्टूबर, 2004

का० आ० 2903.— भारतीय मानक ब्यूरो नियम 1987 के नियम 7 के उपनियम (1) के खंड (ख) के अनुसरण में भारतीय मानक ब्यूरो एतद्वारा अधिसूचित करता है कि नीचे अनुसूची में दिये गये मानक (को) में संशोधन किया गया/किये गये हैं :

## अनुसूची

क्रम सं.	संशोधित भारतीय मानक की संख्या और वर्ष	संशोधन की संख्या और तिथि	संशोधन लागू होने की तिथि
(1)	(2)	(3)	(4)
1.	आईएस 546 : 1975	संशोधन सं. 6 मई 2004	31-05-2004
2.	आईएस 1450 : 1991	संशोधन सं. 1 फरवरी 2004	29-02-2004
3.	आईएस 1723 : 1973	संशोधन सं. 1 मार्च 2004	31-03-2004
4.	आईएस 1743 : 1973	संशोधन सं. 3 मार्च 2004	31-03-2004
5.	आईएस 1767 : 1980	संशोधन सं. 2 जुलाई 2004	31-07-2004
6.	आईएस 1804 : 2004	संशोधन सं. 1 जून 2004	01-09-2004
7.	आईएस 1981 : 1978	संशोधन सं. 2 मार्च 2004	31-03-2004
8.	आईएस 2196 : 1985	संशोधन सं. 1 मई 2004	31-05-2004
9.	आईएस 2475 : 1979	संशोधन सं. 2 मार्च 2004	31-03-2004
10.	आईएस 2476 : 1963	संशोधन सं. 1 मार्च 2004	31-03-2004
11.	आईएस 2536 : 1995	संशोधन सं. 1 मार्च 2004	31-03-2004
12.	आईएस 2537 : 1995	संशोधन सं. 1 मार्च 2004	31-03-2004
13.	आईएस 2622 : 1986	संशोधन सं. 2 फरवरी 2004	29-02-2004
14.	आईएस 2701 : 1986	संशोधन सं. 2 फरवरी 2004	29-02-2004
15.	आईएस 2875 : 1993	संशोधन सं. 1 जुलाई 2004	31-07-2004
16.	आईएस 3008 : 2002	संशोधन सं. 1 फरवरी 2004	08-09-2004
17.	आईएस 3025 (भाग 26) : 1986	संशोधन सं. 1 फरवरी 2004	29-02-2004
18.	आईएस 3025 (भाग 39) : 1991	संशोधन सं. 1 फरवरी 2004	29-02-2004
19.	आईएस 3025 (भाग 40) : 1991	संशोधन सं. 1 फरवरी 2004	29-02-2004
20.	आईएस 3025 (भाग 42) : 1992	संशोधन सं. 1 मई 2004	31-05-2004
21.	आईएस 3044 : 1973	संशोधन सं. 2 मार्च 2004	31-03-2004
22.	आईएस 3061 : 1979	संशोधन सं. 1 मार्च 2004	31-03-2004
23.	आईएस 3790 : 1991	संशोधन सं. 1 जुलाई 2004	31-07-2004
24.	आईएस 3846 : 1984	संशोधन सं. 2 मई 2004	31-05-2004
25.	आईएस 3986 : 1988	संशोधन सं. 2 जुलाई 2004	31-07-2004



26.	आईएस 4674 : 1975	संशोधन सं. 1 मार्च 2004	31-03-2004
27.	आईएस 4809 : 1968	संशोधन सं. 2 मई 2004	31-05-2004
28.	आईएस 4875 : 1975	संशोधन सं. 3 फरवरी 2004	29-02-2004
29.	आईएस 4950 : 1968	संशोधन सं. 2 मार्च 2004	31-03-2004
30.	आईएस 4951 : 1975	संशोधन सं. 1 मार्च 2004	31-03-2004
31.	आईएस 5182 (भाग 6) : 1975	संशोधन सं. 1 फरवरी 2004	29-02-2004
32.	आईएस 5430 : 1981	संशोधन सं. 2 मार्च 2004	04-08-2004
33.	आईएस 6108 : 1971	संशोधन सं. 2 मई 2004	31-05-2004
34.	आईएस 7159 : 1984	संशोधन सं. 2 जुलाई 2004	31-07-2004
35.	आईएस 7836 : 1975	संशोधन सं. 2 फरवरी 2004	29-02-2004
36.	आईएस 11367 : 1985	संशोधन सं. 1 मई 2004	31-05-2004
37.	आईएस 11375 : 1985	संशोधन सं. 1 जुलाई 2004	31-07-2004
38.	आईएस 11376 : 1985	संशोधन सं. 1 जुलाई 2004	31-07-2004
39.	आईएस 11486 : 1985	संशोधन सं. 2 जुलाई 2004	31-07-2004
40.	आईएस 11488 : 1995	संशोधन सं. 1 जुलाई 2004	31-07-2004
41.	आईएस 11746 : 1986	संशोधन सं. 1 मार्च 2004	31-03-2004
42.	आईएस 11747 : 1986	संशोधन सं. 1 मार्च 2004	31-03-2004
43.	आईएस 11748 : 1986	संशोधन सं. 1 मार्च 2004	31-03-2004
44.	आईएस 11771 : 1986	संशोधन सं. 1 मार्च 2004	31-03-2004
45.	आईएस 12493 : 1988	संशोधन सं. 1 जुलाई 2004	31-07-2004
46.	आईएस 12541 : 1988	संशोधन सं. 1 मार्च 2004	31-03-2004
47.	आईएस 12542 : 1988	संशोधन सं. 1 मार्च 2004	31-03-2004
48.	आईएस 12561 : 1988	संशोधन सं. 1 मार्च 2004	31-03-2004
49.	आईएस 3165 : 1991	संशोधन सं. 1 मार्च 2004	31-03-2004
50.	आईएस 13400 : 1992	संशोधन सं. 1 मार्च 2004	31-03-2004
51.	आईएस 13626 : 1993	संशोधन सं. 1 जनवरी 2004	31-01-2004

इन संशोधनों की प्रतियाँ भारतीय मानक ब्यूरो, मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली-110002, क्षेत्रीय कार्यालयों नई दिल्ली, कोलकाता, चन्डीगढ़, चेन्नई, मुम्बई तथा शाखा कार्यालयों अहमदाबाद, बंगलौर, भोपाल, भुवनेश्वर, कोयम्बतूर, गुवाहाटी, हैदराबाद, जयपुर, कानपुर, पटना, पूणे तथा तिरुवनन्तापुरम में बिक्री हेतु उपलब्ध हैं।

[ सं. सीएमडी-IV/13 : 5 ]

बलवंत राय, उप महानिदेशक (मुहर)

**BUREAU OF INDIAN STANDARDS**

New Delhi, the 25th October, 2004.

**S.O. 2903.**—In pursuance of clause (b) of sub-rule (1) of Rules (1) of Rules 7 of the Bureau of Indian Standards Rules, 1987, the Bureau of Indian Standards hereby notifies that amendments of the Indian Standards, particulars of which are given in the Schedule hereto annexed have been issued :

**SCHEDULE**

Sl. No. and year of the No. Indian Standards	No. and year of the Amendments	Date from which the Amendment shall have effect
(1)	(2)	(3)
(1)	(2)	(4)
1. IS 546 : 1975	Amendment No. 6 May 2004	31-05-2004
2. IS 1450 : 1991	Amendment No. 1 February 2004	29-02-2004
3. IS 1723 : 1973	Amendment No. 1 March 2004	31-03-2004
4. IS 1743 : 1973	Amendment No. 3 March 2004	31-03-2004
5. IS 1767 : 1980	Amendment No. 2 July 2004	31-07-2004
6. IS 1804 : 2004	Amendment No. 1 June 2004	01-09-2004
7. IS 1981 : 1978	Amendment No. 2 March 2004	31-03-2004
8. IS 2196 : 1985	Amendment No. 1 May 2004	31-05-2004
9. IS 2475 : 1979	Amendment No. 2 March 2004	31-03-2004
10. IS 2476 : 1963	Amendment No. 1 March 2004	31-03-2004
11. IS 2536 : 1995	Amendment No. 1 March 2004	31-03-2004
12. IS 2537 : 1995	Amendment No. 1 March 2004	31-03-2004
13. IS 2622 : 1986	Amendment No. 2 February 2004	29-02-2004
14. IS 2701 : 1986	Amendment No. 2 February 2004	29-02-2004
15. IS 2875 : 1993	Amendment No. 1 July 2004	31-07-2004
16. IS 3008 : 2002	Amendment No. 1 February 2004	08-09-2004
17. IS 3025 (Part 26) : 1986	Amendment No. 1 February 2004	29-02-2004
18. IS 3025 (Part 39) : 1991	Amendment No. 1 February 2004	29-02-2004
19. IS 3025 (Part 40) : 1991	Amendment No. 1 February 2004	29-02-2004
20. IS 3025 (Part 42) : 1992	Amendment No. 1 May 2004	31-05-2004
21. IS 3044 : 1973	Amendment No. 2 March 2004	31-03-2004
22. IS 3061 : 1979	Amendment No. 1 March 2004	31-03-2004
23. IS 3790 : 1991	Amendment No. 1 July 2004	31-07-2004
24. IS 3846 : 1984	Amendment No. 2 May 2004	31-05-2004
25. IS 3986 : 1988	Amendment No. 2 July 2004	31-07-2004
26. IS 4674 : 1975	Amendment No. 1 March 2004	31-03-2004
27. IS 4809 : 1968	Amendment No. 2 May 2004	31-05-2004
28. IS 4875 : 1975	Amendment No. 3 February 2004	29-02-2004
29. IS 4950 : 1968	Amendment No. 2 March 2004	31-03-2004
30. IS 4951 : 1975	Amendment No. 1 March 2004	31-03-2004
31. IS 5182 (Part 6) : 1975	Amendment No. 1 February 2004	29-02-2004
32. IS 5430 : 1981	Amendment No. 2 March 2004	04-08-2004
33. IS 6108 : 1971	Amendment No. 2 May 2004	31-05-2004
34. IS 7159 : 1984	Amendment No. 2 July 2004	31-07-2004
35. IS 7836 : 1975	Amendment No. 2 February 2004	29-02-2004
36. IS 11367 : 1985	Amendment No. 1 May 2004	31-05-2004
37. IS 11375 : 1985	Amendment No. 1 July 2004	31-07-2004
38. IS 11376 : 1985	Amendment No. 1 July 2004	31-07-2004

(1)	(2)	(3)	(4)
39.	IS 11486 : 1985	Amendment No. 2 July 2004	31-07-2004
40.	IS 11488 : 1995	Amendment No. 1 July 2004	31-07-2004
41.	IS 11746 : 1986	Amendment No. 1 March 2004	31-03-2004
42.	IS 11747 : 1986	Amendment No. 1 March 2004	31-03-2004
43.	IS 11748 : 1986	Amendment No. 1 March 2004	31-03-2004
44.	IS 11771 : 1986	Amendment No. 1 March 2004	31-03-2004
45.	IS 12493 : 1988	Amendment No. 1 July 2004	31-07-2004
46.	IS 12541 : 1988	Amendment No. 1 March 2004	31-03-2004
47.	IS 12542 : 1988	Amendment No. 1 March 2004	31-03-2004
48.	IS 12561 : 1988	Amendment No. 1 March 2004	31-03-2004
49.	IS 13165 : 1991	Amendment No. 1 March 2004	31-03-2004
50.	IS 13400 : 1992	Amendment No. 1 March 2004	31-03-2004
51.	IS 13626 : 1993	Amendment No. 1 January 2004	31-01-2004

Copy of these amendments are available for sale with the Bureau of Indian Standards, Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi-110002 and Regional Office : New Delhi, Kolkata, Chandigarh, Chennai, Mumbai and also Branch Offices : Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Coimbatore, Hyderabad, Jaipur, Kanpur, Nagpur, Patna, Pune, Thiruvananthapuram.

[No. CMD-IV/13 : 5]

BALWANT RAI, Dy. Director General (Marks)

नई दिल्ली, 28 अक्टूबर, 2004

का० आ० 2904.—भारतीय मानक ब्यूरो नियम 1987 के नियम 7 के उपनियम (1) के खंड (ख) के अनुसरण में भारतीय मानक ब्यूरो एतद्वारा अधिसूचित करता है कि नीचे अनुसूची में दिये गये मानक(कों) में संशोधन किया गया/किये गये हैं :

## अनुसूची

क्रम सं.	संशोधित भारतीय मानक की संख्या और वर्ष	संशोधन की संख्या और तिथि	संशोधन लागू होने की तिथि
(1)	(2)	(3)	(4)
1	4984 : 1995	4, सितम्बर 2004	4, अक्टूबर 2004

इन संशोधनों की प्रतियाँ भारतीय मानक ब्यूरो, मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली-110002, क्षेत्रीय कार्यालयों नई दिल्ली, कोलकाता, चंडीगढ़, चेन्नई, मुम्बई तथा शाखा कार्यालयों अहमदाबाद, बंगलौर, भोपाल, भुवनेश्वर, कोयम्बतूर, गुवाहाटी, हैदराबाद, जयपुर, कानपुर, पटना, पूणे तथा तिरुवनन्तापुरम में बिक्री हेतु उपलब्ध हैं।

[सं० सी ई डी/गजट]

एस. दास गुप्ता, वैज्ञानिक 'एफ' उप महानिदेशक (तकनीकी-I)

New Delhi, the 28th October, 2004

**S.O. 2904.**—In pursuance of clause (b) of Sub-rule (1) of Rules (1) of Rule 7 of the Bureau of Indian Standards Rules, 1987, the Bureau of Indian Standards hereby notifies that amendments to the Indian Standards, particulars of which are given in the Schedule hereto annexed have been issued :

#### SCHEDULE

Sl. No.	No. and year of the Indian Standards	No. and year of the Amendment	Date from which the Amendment shall have effect
(1)	(2)	(3)	(4)
1.	4984 : 1995	4 September, 2004	4 October, 2004

Copy of this, Standard is available for sale with the Bureau of Indian Standards, Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi-110002 and Regional Offices : New Delhi, Kolkata, Chandigarh, Chennai, Mumbai and also Branch Offices : Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Coimbatore, Guwahati, Hyderabad, Jaipur, Kanpur, Nagpur, Patna, Pune, Thiruvananthapuram.

[No. CED/Gazette]

S. DAS GUPTA, Scientist 'F' Dy. Director General (Tech.-I)

नई दिल्ली, 28 अक्टूबर, 2004

**का. आ. 2905.**—भारतीय मानक ब्यूरो नियम, 1987 के नियम 7 के उपनियम (1) के खंड (ख) के अनुसरण में भारतीय मानक ब्यूरो एतद्वारा अधिसूचित करता है कि जिन भारतीय मानकों के विवरण नीचे अनुसूची में दिये गये हैं वे स्थापित हो गये हैं :—

#### अनुसूची

क्रम सं.	स्थापित भारतीय मानक(कों) की संख्या वर्ष और शीर्षक	नये भारतीय मानक द्वारा अतिक्रमित भारतीय मानक अथवा मानकों, यदि कोई हो, की संख्या और वर्ष	स्थापित तिथि
(1)	(2)	(3)	(4)
1.	आई एस 15452 : 2004—पराश्रव्य डी. जी. एस. प्रणाली के प्रयोग द्वारा दोषाकार के निर्धारण हेतु अनुशंसित रीति	—	सितम्बर 2004

इस भारतीय मानक की प्रतियाँ भारतीय मानक ब्यूरो, मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली-110002, क्षेत्रीय कार्यालयों : नई दिल्ली, कोलकाता, चण्डीगढ़, चेन्नई, मुम्बई तथा शाखा कार्यालयों : अहमदाबाद, बंगलौर, भोपाल, भुवनेश्वर, कोयम्बतूर, गुवाहाटी, हैदराबाद, जयपुर, कानपुर, नागपुर, पटना, पूणे तथा तिरुवनन्तापुरम में बिक्री हेतु उपलब्ध हैं।

[सं. एम.टी.डी. 21/टी.-65]

एस. दास गुप्ता, वैज्ञानिक 'एफ' उप महानिदेशक (तकनीकी-1)

New Delhi, the 28th October, 2004

**S.O. 2905.**—In pursuance of clause (b) of Sub-rule (1) of Rules (1) of Rule 7 of the Bureau of Indian Standards Rules, 1987, the Bureau of Indian Standards hereby notifies that the Indian Standards, particulars of which are given in the Schedule hereto annexed have been established on the date indicated against each :

**SCHEDULE**

Sl. No.	No. and year of the Indian Standards Established	No. and year of Indian Standards, if any Superseded by the New Indian Standard	Date of Established
(1)	(2)	(3)	(4)
1.	IS 15452 : 2004 Recommended Practice for Flaw Sizing by Ultrasonic DGS Method		September 2004

Copy of this Standard is available for sale with the Bureau of Indian Standards, Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi-110002 and Regional Offices : New Delhi, Kolkata, Chandigarh, Chennai, Mumbai and also Branch Offices : Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Coimbatore, Guwahati, Hyderabad, Jaipur, Kanpur, Nagpur, Patna, Pune, Thiruvananthapuram.

[No. MTD 21/T-65]

S. DAS GUPTA, Scientist 'F' Dy. Director General (Tech.-I)

नई दिल्ली, 28 अक्टूबर, 2004

**क्र. आ. 2906.**—भारतीय मानक ब्यूरो नियम, 1987 के नियम 7 के उपनियम (1) के खंड (ख) के अनुसरण में भारतीय मानक ब्यूरो एतद्वारा अधिसूचित करता है कि जिन भारतीय मानकों के विवरण नीचे अनुसूची में दिये गये हैं वे स्थापित हो गये हैं :—

**अनुसूची**

क्रम सं.	स्थापित भारतीय मानक(कों) की संख्या वर्ष और शीर्षक	नये भारतीय मानक द्वारा अतिक्रमित भारतीय मानक अथवा मानकों, यदि कोई हो, की संख्या और वर्ष	स्थापित तिथि
(1)	(2)	(3)	(4)
1.	5852 : 2004 जूतों के लिए संरक्षी इस्पात पंजा टोपी	—	15-11-2004

इस भारतीय मानक की प्रतियाँ भारतीय मानक ब्यूरो, मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली-110002, क्षेत्रीय कार्यालयों : नई दिल्ली, कोलकाता, चण्डीगढ़, चेन्नई, मुम्बई तथा शाखा कार्यालयों : अहमदाबाद, बंगलौर, भोपाल, भुवनेश्वर, कोयंबटूर, गुवाहाटी, हैदराबाद, जयपुर, कानपुर, नागपुर, पटना, पूणे तथा तिरुवनन्तापुरम में बिक्री हेतु उपलब्ध हैं।

[सं. सीएचडी 19/टी-5852]

एस. दास गुप्ता, वैज्ञानिक 'एफ' उप महानिदेशक (तकनीकी-I)

New Delhi, the 28th October, 2004

**S.O. 2906.**—In pursuance of clause (b) of Sub-rule (1) of Rules (1) of Rule 7 of the Bureau of Indian Standards Rules, 1987, the Bureau of Indian Standards hereby notifies that the Indian Standards, particulars of which are given in the Schedule hereto annexed have been established on the date indicated against each :

**SCHEDULE**

Sl. No.	No. and year of the Indian Standards Established	No. and year of Indian Standards, if any, Superseded by the New Indian Standard	Date of Established
(1)	(2)	(3)	(4)
1.	5852 : 2004 Protective Steel Toe Caps for Footwear	—	15 November, 2004

Copy of this Standard is available for sale with the Bureau of Indian Standards, Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi-110002 and Regional Offices : New Delhi, Kolkata, Chandigarh, Chennai, Mumbai and also Branch Offices : Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Coimbatore, Guwahati, Hyderabad, Jaipur, Kanpur, Nagpur, Patna, Pune, Thiruvananthapuram.

[No. CHD 19/T-5852]

S. DAS GUPTA, Scientist 'F' Dy. Director General (Tech.-I)

## कोयला और खान मंत्रालय

(कोयला विभाग)

नई दिल्ली, 25 अक्टूबर, 2004.

का० आ० 2907.—केन्द्रीय सरकार ने कोयला धारक क्षेत्र (अर्जन और विकास) अधिनियम, 1957 (1957 का 20) (जिसे इसमें इसके पश्चात् उक्त अधिनियम कहा गया है) की धारा 7 की उप-धारा (i) के अधीन जारी भारत सरकार के कार्यालय में कोयला और खान मंत्रालय (कोयला विभाग) की अधिसूचना संख्या का.आ. 61, तारीख 29 दिसम्बर, 2003 जो भारत के राजपत्र, भाग II, खंड 3, उप-खंड (ii) तारीख 10 जनवरी, 2004 में प्रकाशित की गई थी, द्वारा उस अधिसूचना से संलग्न अनुसूची में यथा वर्णित परिक्षेत्र की भूमि में जिसका माप 29.75 हेक्टर (लगभग) या 73.51 एकड़ (लगभग) है, खनिजों के खनन, खदान, बोर करने, उनकी खुदाई और तलाश करने, उन्हें प्राप्त करने, उन पर कार्य करने और उन्हें ले जाने के अधिकारों का अर्जन करने के अपने आशय की सूचना दी थी;

और सक्षम प्राधिकारी ने उक्त अधिनियम की धारा 8 के अनुसरण में केन्द्रीय सरकार को अपनी रिपोर्ट दे दी है;

और केन्द्रीय सरकार का, पूर्वोक्त रिपोर्ट पर विचार करने के पश्चात् और महाराष्ट्र सरकार से परामर्श करने के पश्चात् यह समाधान हो गया है कि इससे संलग्न अनुसूची में वर्णित 29.75 हेक्टर (लगभग) या 73.51 एकड़ (लगभग) माप वाली भूमि में खनिजों के खनन, खदान, बोर करने, उनकी खुदाई और तलाश करने, उन्हें प्राप्त करने, उन पर कार्य करने और उन्हें ले जाने के अधिकार अर्जित किए जाने चाहिए;

अतः अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 9 की उप-धारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, यह घोषणा करती है कि इससे संलग्न अनुसूची में वर्णित 29.75 हेक्टर (लगभग) या 73.51 एकड़ (लगभग) माप वाली भूमि में खनिजों के खनन, खदान, बोर करने, उनकी खुदाई और तलाश करने, उन्हें प्राप्त करने, उन पर कार्य करने और उन्हें ले जाने के अधिकार अर्जित किए जाते हैं;

2. इस अधिसूचना के अंतर्गत आने वाले क्षेत्र के रेखांक सं. सी.-1 (ई)/III/जेजेएमआर/715-0304 तारीख 18 मार्च, 2004 का निरीक्षण कलेक्टर, चन्द्रपुर (महाराष्ट्र) के कार्यालय में या कोयला नियंत्रक, 1, काउंसिल हाउस स्ट्रीट, कोलकाता (पिन-700 001) के कार्यालय में या वेस्टर्न कोलफील्ड्स लिमिटेड (राजस्व विभाग), कोल इस्टेट, सिविल लाईन्स, नागपुर-440001 (महाराष्ट्र) के कार्यालय में किया जा सकता है।

## अनुसूची

नागलोन आनत विस्तार खंड

माजरी क्षेत्र

जिला चंद्रपुर (महाराष्ट्र)

(रेखांक सं. सी.-1 (ई)/III/जेजेएमआर/715-0304 तारीख 18 मार्च, 2004)

## खनन अधिकार :

क्रम सं०	ग्राम का नाम	पटवारी सर्किल संख्या	तहसील	जिला	क्षेत्र हेक्टर में	टिप्पणी
1	पटाला	3	भद्रावती	चंद्रपुर	29.75	भाग

कुल क्षेत्र=29.75 हेक्टर (लगभग) या 73.51 एकड़ (लगभग)

## ग्राम पटाला में अर्जित किए गए प्लॉट संख्यांक:

133, 134, 135, 136 137/1- 137/2- 137/3 भाग, 138 भाग, 183/1क- 183/1ख- 183/2 भाग, 184 भाग, 185, 186/1- 186/2, 187/1-187/2, 188/1- 188/2, 189/1- 189/2- 189/3, 190/1- 190/2- 190/3 भाग, 191, 192 भाग, 193/1- 193/2 भाग, नाला भाग।

## सीमा वर्णन:

क-ख : रेखा 'क' बिन्दु से आरम्भ होती है और ग्राम पटाला से होती हुई नाला पार करती हुई, फिर प्लॉट संख्यांक 193/1- 193/2, 192, 190/1- 190/2- 190/3, 183/1क- 183/1ख- 183/2, 184, 183/1क- 183/1ख- 183/2, 184, 137/1- 137/2- 137/3, 138 में से होकर जाती है और बिन्दु 'ख' पर मिलती है।

ख-ग : रेखा ग्राम पटाला से होकर, प्लॉट संख्यांक 138, 137/1- 137/2- 137/3, 136, 135, 134, 133 की बाहरी सीमा के साथ जाती है और बिन्दु 'ग' पर मिलती है।

ग-घ : रेखा ग्राम पटाला और मानगांव की सम्मिलित ग्राम सीमा के साथ-साथ जाती है और बिन्दु 'घ' पर मिलती है।

घ-क : रेखा ग्राम पटाला और नागलोन की सम्मिलित ग्राम सीमा के साथ-साथ जाती है और आरंभिक बिन्दु 'क' पर मिलती है।

[सं. 43015/7/2002-पी.आर.आई.डब्ल्यू.]

गागी मुखर्जी, निदेशक

**MINISTRY OF COAL AND MINES****(Department of Coal)**

New Delhi, the 25th October, 2004

**S.O. 2907.**—Whereas by the notification of the Government of India in the Ministry of Coal and Mines (Department of Coal) number S. O. 61 dated the 29th December, 2003 issued under Sub-section (I) of Section 7 of the Coal Bearing Areas (Acquisition and Development) Act, 1957 (20 of 1957) (hereinafter referred to as the said Act) and published in Part-II, Section-3, Sub-section (ii) of the Gazette of India, dated the 10th January, 2004, the Central Government gave notice of its intention to acquire the rights to mine, quarry bore, dig and search for win work and carry away minerals in the lands measuring 29.75 hectares (approximately), or 73.51 acres (approximately) in the locality as described in the Schedule appended to that notification;

And whereas the competent authority, in pursuance of Section 8 of the said Act, has made his report to the Central Government;

And whereas the Central Government, after considering the report aforesaid and after consulting the Government of Maharashtra, is satisfied that the rights to mine, quarry, bore, dig and search for win work and carry away minerals in the lands measuring 29.75 hectares (approximately) or 73.51 acres (approximately) described in Schedule appended hereto, should be acquired;

Now, therefore, in exercise of the powers conferred by Sub-section (1) of Section 9 of the said Act, the Central Government hereby declares that the rights to mine, quarry, bore, dig and search for win work and carry away minerals in the lands measuring 29.75 hectares (approximately) or 73.51 acres (approximately) described in Schedule appended hereto, are hereby acquired;

2. The plan bearing number C-1(E) III/JJMR/715-0304, dated the 18th March, 2004 of the area covered by this notification may be inspected in the Office of the Collector, Chandrapur (Maharashtra) or in the Office of the Coal Controller, 1, Council House Street, Kolkata (Pin 700001) or in the Office of the Western Coalfields Limited (Revenue Department), Coal Estate, Civil Lines, Nagpur-440001 (Maharashtra).

**SCHEDULE****Naglon Incline Extension Block****Majri Area****District-Chandrapur (Maharashtra)**

(Plan No. C-1(E) III/JJMR/715-0304 dated the 18th March, 2004)

**Mining Rights :**

Serial Number	Name of Village	Patwari Circle Number	Tehsil	District	Area in hectares	Remarks
1	Patala	3	Bhadravati	Chandrapur	29.75	Part

Total area 29.75 hectares (approximately) or 73.51 acres (approximately)

**Plot numbers acquired in village Patala :**

133, 134, 135, 136, 137/1-137/2-137/3 part, 138 part, 183/1A-183/IB-183/2 part, 184 part, 185, 186/1 - 186/2, 187/1 - 187/2, 188/1 - 188/2, 189/1 - 189/2 - 189/3, 190/1-190/2-190/3 part, 191-192 part 193/1-193/2 part, Nallah part,

**Boundary Description :—**

- A—B Line starts from point 'A' and passes through village Patala crosses nallah; then passes in plot numbers 193/1 193/2, 192, 190/1-190/2-190/3, 183/1A - 183/IB-183/2, 184, 183/1A - 183/IB - 183/2, 184, 137/1 - 137/2 - 137/3, 138 and meets at point 'B'.
- B—C Line passes through village Patala along the outer boundary of plot numbers 138, 137/1 - 137/2 - 137/3, 136, 135, 134, 133 and meets at point 'C'.
- C—D Line passes along the common village boundary of villages Patala and Mangaon and meets at point 'D'.
- D—A Line passes along the common village boundary of villages Patala and Naglon and meets at starting point 'A'.

[F. No. 43015/7/2002-PRIW]

GARGI MUKHERJEE, Director

नई दिल्ली, 29 अक्टूबर, 2004

का० आ० 2908.—केन्द्रीय सरकार को यह प्रतीत होता है कि इससे उपाबद्ध अनुसूची में उल्लिखित भूमि में कोयला अधिप्राप्त किए जाने की संभावना है।

अतः अब, केन्द्रीय सरकार कोयला धारक क्षेत्र (अर्जन और विकास) अधिनियम, 1957 (1957 का 20) (जिसे इसमें इसके पश्चात् उक्त अधिनियम कहा गया है) की धारा 4 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, उस क्षेत्र में कोयले का पूर्वोक्त करने के अपने आशय की सूचना देती है।

इस अधिसूचना के अंतर्गत आने वाले क्षेत्र का रेखांक सं. डी जी/08582, तारीख 7 जनवरी, 2004 का निरीक्षण मुख्य महाप्रबंधक (गवेषणा प्रभाग), सेंट्रल माइन प्लानिंग एण्ड डिजाइन इंस्टीट्यूट, गोन्दवाना प्लेस, कांके रोड, रांची या कोयला नियंत्रक, 1, काउंसिल हाउस स्ट्रीट, कोलकाता कार्यालय में या जिला कलेक्टर, जिला-अंगुल, उड़ीसा के कार्यालय में किया जा सकता है।

इस अधिसूचना के अंतर्गत आने वाली भूमि में, हितबद्ध सभी व्यक्ति, उक्त अधिनियम की धारा 13 की उपधारा (7) में निर्दिष्ट सभी नक्शों, चार्टों और अन्य दस्तावेजों को इस अधिसूचना के राजपत्र में प्रकाशन की तारीख से नब्बे दिन के भीतर मुख्य महाप्रबंधक (गवेषणा प्रभाग), सेंट्रल माइन प्लानिंग एण्ड डिजाइन इंस्टीट्यूट, गोन्दवाना प्लेस, कांके रोड, रांची को भेजेंगे।

## अनुसूची

उत्कल-ई ब्लॉक, तालचर कोयला क्षेत्र

जिला-अंगुल, उड़ीसा

क्र. सं.	ग्राम	थाना	थाना नं०	तहसील	अनु-मण्डल	जिला	क्षेत्रफल (एकड़ लगभग)	क्षेत्रफल (हेक्टर लगभग)	टिप्पणियां
1.	कोसला	छेंदीपाडा	119	छेंदीपाडा	अंगुल	अंगुल	69	28	भाग
2.	गोपीनाथपुर जंगल	छेंदीपाडा	122	छेंदीपाडा	अंगुल	अंगुल	198	80	भाग
3.	नन्दीछोर	छेंदीपाडा	125	छेंदीपाडा	अंगुल	अंगुल	823	333	भाग
4.	कुण्डाझार जंगल	छेंदीपाडा	126	छेंदीपाडा	अंगुल	अंगुल	297	120	भाग
कुल							1387 (लगभग)	561 (लगभग)	

## सीमा विवरण :

- क-ख रेखा कोसला ग्राम में सिंगड़ाझोर के दक्षिणी किनारे के "क" बिन्दु से प्रारंभ होती है तथा सिंगड़ाझोर के दक्षिणी किनारे के साथ-साथ जाती है और कोसला झील के दक्षिणी-पूर्वी भाग में बिन्दु "ख" पर मिलती है।
- ख-ग रेखा कोसला ग्राम के दक्षिणी-पूर्वी भाग और नन्दीछोर ग्राम से होकर गुजरती है तथा कुण्डाझार जंगल में बिन्दु "ग" पर मिलती है।
- ग-घ रेखा कुण्डाझार जंगल से होकर जाती है और कुण्डाझार जंगल के पश्चिमी भाग में बिन्दु "घ" पर मिलती है।
- घ-क रेखा कुण्डाझार जंगल, नन्दीछोर ग्राम, गोपीनाथपुर जंगल से होकर गुजरती है और कोसला ग्राम में सिंगड़ाझोर के दक्षिणी किनारे पर बिन्दु "क" पर मिलती है।

[फा. सं. 43015/12/2004-पीआरआई डब्ल्यू]

बी० के० पण्डा, निदेशक

New Delhi, the 29th October, 2004

S.O. 2908.—Whereas it appears to the Central Government that Coal is likely to be obtained from the lands mentioned in the Schedule hereto annexed.

Now, therefore, in exercise of the powers conferred by sub-section (1) of Section 4 of the Coal Bearing Areas (Acquisitions and Development) Act, 1957 (20 of 1957), the Central Government hereby given notice of its intention to prospect for coal therein.

The Plan No. DG/08582 dated 7th January, 2004, of the area covered by this notification can be inspected at the Office of Chief General Manager (Exploration Division), Central Mine Planning and Design Institute, Gondwana Place, Kanke Road, Ranchi or at the Office of the Coal Controller, I, Council House Street, Calcutta or at the office of the District Collector, Dist. Angul, Orissa.

All persons interested in the land covered by this notification shall deliver all maps, charts and other documents referred in sub-section (7) of Section 13 of the said Act to the Chief General Manager (Exploration Division), Central Mine Planning & Design Institute, Gondwana Place, Kanke Road, Ranchi within ninety days from the date of publication of this notification.



**SCHEDULE**  
**Utkal-E Block, Talcher Coalfield**  
**District—Angul, Orissa**

Sl. No.	Village	Thana	P.S. No.	Tahsil	Sub-Divn.	District	Area (acres) (approximately)	Area (hectares) (approximately)	Remarks
1.	Kosala	Chhendipada	119	Chhendipada	Angul	Angul	69	28	Part
2.	Gopinathpur Jungle	Chhendipada	122	Chhendipada	Angul	Angul	198	80	Part
3.	Nandichhor	Chhendipada	125	Chhendipada	Angul	Angul	823	333	Part
4.	Kundajhar Jungle	Chhendipada	126	Chhendipada	Angul	Angul	297	120	Part
Total							1387 (approximately)	561 (approximately)	

**Boundary Description**

- A—B The line starts at point 'A' on the southern bank of Singda Jhore in village Kosala and passes along the southern bank of Singda Jhore and meets point 'B' at South-eastern part of village Kosala.
- B—C The line passes through South-eastern part of village Kosala, village Nandichhore and meets point 'C' at Kundajhar Jungle.
- C—D The line passes through Kundajhar jungle and meets point 'D' at the western part of Kundajhar Jungle.
- D—A The line passes through North-western part of Kundajhar Jungle, village Nandichhor, Gopinathpur Jungle and meets point 'A' on the southern bank of Singda Jhore in village Kosala.

[F. No. 43015/12/2004-PRIW]

B. K. PANDA, Director

**शुद्धि-पत्र**

नई दिल्ली, 29 अक्टूबर, 2004

का० आ० 2909.—भारत के राजपत्र, तारीख 7 अगस्त, 2004 के भाग-II, खंड-3, उपखंड (ii) में, पृष्ठ क्रमांक 4732 से 4734 पर प्रकाशित, भारत सरकार, कोयला मंत्रालय की अधिसूचना का. आ. 1921 तारीख 27 जुलाई, 2004 में—

पृष्ठ क्रमांक 4732—ग्राम कन्दोहा (भाग) में अर्जित किए गये प्लॉट संख्यांक में,

134 (भाग), 135, के स्थान पर "134 (भाग), 135 (भाग)", पढ़ें।

पृष्ठ क्रमांक 4733—3 ग्राम कन्दोहा (भाग) में अर्जित किए गये प्लॉट संख्यांक में,

पंक्ति 1 में, "125 से 150, 152 (भाग) 133," के स्थान पर "125 से 130, 132 (भाग), 133 पढ़ें।

पृष्ठ क्रमांक 4734, सीमा वर्णन, रेखा ग-घ में,

पंक्ति 2 में, "156 के मध्य से, प्लॉट संख्या 148, 147, 143, 133 की दक्षिणी दिशा" के स्थान पर "156 के मध्य से, प्लॉट संख्या 147, 148 की पूर्वी दिशा, प्लॉट संख्या 148, 147, 143, 133 की दक्षिणी दिशा" पढ़ें।

[फा. सं. 43015/8/2001-पीआरआई डब्ल्यू]

बी. के. पण्डा, निदेशक

**CORRIGENDUM**

New Delhi, the 29th October, 2004

S.O. 2909.—In the notification of the Government of India in the Ministry of Coal S. O. number 1921 dated the 27th July, 2004, published at pages 4734 to 4736 in the Gazette of India, Part-II, Section 3, Sub-section (ii), dated the 7th August, 2004.

at page 4735

For "1. Plot numbers to be acquired in village Khairha (Part)" read  
"1. Plot numbers acquired in village Khairha (Part)".

at page 4736

For "2. Plot numbers to be acquired in village Khannath (Part)" read  
"2. Plot numbers acquired in village Khannath (Part)".  
For "3. Plot numbers to be acquired in village Kandoha (Part)" read  
"3. Plot numbers acquired in village Kandoha (Part)".

[F. No. 43015/8/2001-PRIW]

B. K. PANDA, Director

## पेट्रोलियम और प्राकृतिक गैस मंत्रालय

नई दिल्ली, 26 अक्टूबर, 2004

का. आ. 2910.—[केन्द्रीय सरकार, -को लोक हित में यह आवश्यक प्रतीत होता है की उड़ीसा राज्य में पारादीप से पश्चिम बंगाल राज्य में हल्दिया तक कच्चे तेल के परिवहन के लिये इंडियन ऑयल कॉर्पोरेशन लिमिटेड द्वारा एक पाइपलाइन बिछाई जानी चाहिए.

और केन्द्रीय सरकार को उक्त पाइपलाइन बिछाने के प्रयोजन के लिए यह आवश्यक प्रतीत होता है की ऐसी भूमि जिसके भीतर पाइपलाइन बिछाई जाने का प्रस्ताव है और जो इस अधिसूचना से उपाबद्ध अनुसूची में वर्णित है, में उपयोग के अधिकार का अर्जन किया जाए.

अतः अब, केन्द्रीय सरकार, पेट्रोलियम और खनिज पाइपलाइन (भूमि में उपयोग के अधिकार का अर्जन) अधिनियम, 1962 (1962 का 50) की धारा 3 की उप-धारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, उसमें उपयोग के अधिकार का अर्जन करने के अपने आशय की घोषणा करती है.

कोई व्यक्ति, जो उक्त अनुसूची में वर्णित भूमि में हितबद्ध है, उस तारीख से जिसको उक्त अधिनियम की धारा 3 की उपधारा (1) के अधीन राजपत्र में यथा प्रकाशित इस अधिसूचना की प्रतियाँ साधारण जनता को उपलब्ध करा दी जाती है, इक्कीस दिन के भीतर भूमि के अन्दर पाइपलाइन बिछाने के संबंध में श्री अशोक कुमार दास, सक्षम प्राधिकारी पारादीप-हल्दिया पाइपलाइन परियोजना इंडियन ऑयल कॉर्पोरेशन लिमिटेड, इंडियन ऑयल कॉर्पोरेशन लिमिटेड मार्केटिंग डिविजन हाउसिंग कम्प्लेक्स, मेघदम्बारा, डाकघर - कुरुदा, बालासोर - 756056, (उड़िसा) को लिखित रूप में आक्षेप भेज सकेगा ।

## अनुसूची

जिला : केन्द्रपाड़ा

राज्य : उड़िसा

तहसील का नाम	गाँव का नाम	खसरा संख्या	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
पट्टामुण्डई	संसारफल	1862	0	02	99

[फा. सं. आर-25011/12/2004-ओ.आर.-I]

रेणुका कुमार, अपर सचिव

Ministry of Petroleum and Natural Gas

New Delhi, the 26th October, 2004

S. O. 2910.—Whereas, it appears to the Central Government that it is necessary in the public interest that for the transportation of petroleum (crude) from Paradip in the State of Orissa to Haldia in the State of West Bengal, a pipeline should be laid by Indian Oil Corporation Limited;

And whereas it appears to the Central Government that for the purpose of laying such pipeline, it is necessary to acquire the Right of User in the land described in the Schedule annexed to this notification;

Now therefore, in exercise of the powers conferred by sub-section (1) of section 3 of the Petroleum and Minerals Pipelines (Acquisition of Right of User in Land) Act- 1962 (50 of 1962), the Central Government hereby declares its intention to acquire the right of user therein;

Any person interested in the land described in the said Schedule may, within twenty one days from the date on which the copies of this notification, as published in the Gazette of India, are made available to the general public, object in writing to the acquisition of the right of user therein or laying of the pipeline under the land to Shri. Ashok Kumar Dash, Competent Authority, Indian Oil Corporation Limited, Paradip - Haldia Pipeline Project, Indian Oil Corporation Limited, Marketing Housing Complex, Meghadambaru, Post office- Kuruda, Balasore (Orissa).

### Schedule

District : Kendrapara

State : Orissa

Name of Tehsil	Name of Village	Khasra No.	Area		
			Hectare	Are	Sq. mtr.
1	2	3	4	5	6
Pattamundai	Sansarpahal	1862	0	02	99

[No. R-25011/12/2004-O.R.-I]  
RENUKA KUMAR, Under Secy.

नई दिल्ली, 2 नवम्बर, 2004

का. आ. 2911.—केन्द्रीय सरकार को लोकहित में यह आवश्यक प्रतीत होता है कि मुन्द्रा (गुजरात) से दिल्ली तक पेट्रोलियम उत्पादों के परिवहन के लिए हिन्दुस्तान पेट्रोलियम कॉर्पोरेशन लिमिटेड द्वारा एक पाइपलाइन बिछाई जानी चाहिए;

और केन्द्रीय सरकार को ऐसी पाइपलाइन बिछाने के प्रयोजन के लिए यह आवश्यक प्रतीत होता है कि ऐसी भूमि में, जो इससे उपाय अनुसूची में वर्णित है, जिसमें उक्त पाइपलाइन बिछाए जाने का प्रस्ताव है, उपयोग के अधिकार का अर्जन किया जाए;

अतः अब, केन्द्रीय सरकार, पेट्रोलियम और खनिज पाइपलाइन (भूमि में उपयोग के अधिकार का अर्जन) अधिनियम, 1962 (1962 का 50) की धारा 3 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, उस भूमि में उपयोग के अधिकार का अर्जन करने के अपने आशय की घोषणा करती है;

कोई व्यक्ति, जो उक्त अनुसूची में वर्णित भूमि में हितबद्ध है, उस तारीख से जिसको इस अधिसूचना से युक्त भारत के राजपत्र की प्रतियाँ साधारण जनता को उपलब्ध करा दी जाती हैं, इक्कीस दिन के भीतर भूमि के नीचे पाइपलाइन बिछाए जाने के लिए उसमें उपयोग के अधिकार के अर्जन के सम्बन्ध में श्री शिवदत्त गौड़, सक्षम प्राधिकारी, मुन्द्रा-दिल्ली पेट्रोलियम उत्पाद पाइपलाइन विस्तार परियोजना, हिन्दुस्तान पेट्रोलियम कॉर्पोरेशन लिमिटेड, 16, कृष्णा विहार, नारायण निवास के पास, गोपलपुरा बाईपास रोड़, जयपुर पिन - 302018 (राजस्थान) को लिखित रूप में आक्षेप भेज सकेगा।

## अनुसूची

तहसील : मारवाड़ जंक्शन		जिला : पाली	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
1)	कोलपुरा	293	0	62	62
		297	0	24	45
		285	0	02	32
		284(स.रास्ता)	0	00	20
		283	0	17	32
		281	0	51	46
		278	0	00	20
		277/1	0	01	67
		277	0	11	30
		275मिन	0	27	50
		443	0	02	78
		445/1	0	25	91
		445मिन	0	24	43
2)	थनला	446	0	06	00
		492(स.रास्ता)	0	01	86
		589	0	58	66
		592/1	0	00	20
		592मिन			
		594	0	15	45
		588	0	22	19
		581	0	20	81
		580	0	17	58
		607	0	02	16
		579/2339	0	44	08
		579	0	18	47
		576/2337	0	15	29
		577	0	00	20
		576	0	59	20
		76/1 (पी.डब्ल्यू.डी.सड़क)	0	04	80
		623(पी.डब्ल्यू.डी.सड़क)	0	02	91
		760	0	39	22
		759	0	17	07
		777	0	29	55
		751	0	15	46

तहसील : मारवाड़ जंक्शन		जिला : पाली	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
2.)	धनला	757	0	02	41
	(जारी)	752	0	05	98
		753	0	13	70
		756	0	01	34
		743	0	09	89
		744	0	26	67
		746	0	09	32
		825(स.नदी)	0	41	71
		826	0	04	09
		828	0	22	20
		830	0	36	40
		836	0	08	49
		833	0	29	81
		853मिन(स.रास्ता)	0	01	68
		859	0	19	38
		862	0	18	48
		864	0	33	72
		867	0	24	00
		869	0	22	25
3)	ईसाली	608	0	29	15
		609	0	11	03
		632(स.रास्ता)	0	01	95
		657	0	17	84
		656	0	01	43
		655	0	15	14
		654	0	24	40
		660	0	25	58
		667	0	16	67
		668	0	18	59
		670(स.रास्ता)	0	01	66
		671	0	27	70
		672	0	00	20
		674	0	18	63
		675	0	09	41
		695(स.रास्ता)	0	01	41
		699	0	00	70
		698	0	33	80

तहसील : मारवाड़ जंक्शन		जिला : पाली	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
1	2	3	हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
3.)	ईसाली	696	0	10	13
	(जारी)	700	0	05	18
		734(स.रास्ता)	0	01	54
		756/1	0	26	76
		760	0	41	73
		794	0	23	37
		795	0	00	43
		796	0	02	63
		832	0	08	36
		791(स.बाली)	0	00	20
		831	0	10	72
		830	0	09	08
		829/1	0	15	77
		829मिन	0	10	82
		838/2	0	07	77
		838/1	0	00	76
		838/3	0	02	02
		839	0	39	70
		549(स.रास्ता)	0	02	24
		517	0	32	10
		518	0	33	18
		520	0	04	61
		519	0	00	50
		521	0	00	20
		507	0	14	48
		492	0	04	35
		493	0	47	44
		472	0	40	91
		474	0	16	87
		471(स.चारागाह)	0	16	72
4.)	गुडा मोखमसिंह	509	0	00	98
		508	0	51	54
		490	0	00	72
		457(पी.डब्ल्यू.डी.सड़क)	0	07	60
		437(स.चारागाह)	0	25	03
5.)	गुडा केसरसिंह	470(स.चारागाह)	0	14	06

तहसील : मारवाड़ जंक्शन		जिला : पाली	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
1	2	3	हेक्टेयर	एयर	वर्ग मीटर
5.)	गुडा केसरसिंह	469(स.नदी)	0	05	14
	(जारी)	468(स.चारागाह)	0	39	77
		462	0	29	57
		461	0	19	52
		426(स.रास्ता)	0	04	64
		384	0	12	91
		391(स.नाला)	0	10	21
		409	0	06	13
		410	0	28	77
		424(स.चारागाह)	0	11	16
		423	0	34	17
		573(स.रास्ता)	0	01	96
		553	0	09	07
		552	0	36	88
		554	0	17	87
		546	0	18	16
		544	0	03	47
		956(स.नदी)	0	27	78
		959	0	38	38
		944	0	24	45
		943(स.रास्ता)	0	04	29
		941	0	13	55
		940(स.चारागाह)	0	04	50
		603(स.नदी)	0	21	62
		858/1	0	15	42
		859/1	0	12	17
		859/2	0	21	91
		864/4	0	00	20
		865(स.रास्ता)	0	04	97
		870	0	04	58
		869	0	23	90
		868	0	00	20
		866मिन	0	41	85
		866मिन01	0	03	02
		811	0	00	20
		805	0	30	66

तहसील : मारवाड़ जिला		जिला : पाली	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
1	2	3	हेक्टेयर	एयर	वर्ग मीटर
4	5	6			
5.)	गुडा केसरसिंह (जारी)	806	0	00	20
		804	0	16	33
6.)	गुडा रामसिंह	309(स.रास्ता)	0	04	45
		296	0	46	49
		295	0	03	33
		253	0	50	91
		252	0	12	49
		254	0	27	28
		246	0	21	10
		241	0	24	73
		191(स.रास्ता)	0	03	37
		99	0	24	86
		100	0	02	77
		87	0	44	25
		83	0	00	20
		84	0	13	66
		86	0	03	24
		85	0	08	84
		77	0	42	07
7.)	रडावास	287(गा.पं.चारागाह)	0	04	70
		288(गा.पं.चारागाह)	0	15	66
		290(स.नाला)	0	10	93
		291	0	04	53
		292	0	17	13
		293	0	02	73
		286(स.नाला)	0	39	01
		285(गा.पं.चारागाह)	0	12	49
		373(स.रास्ता)	0	01	69
		374(गा.पं.चारागाह)	0	21	85
		375	0	26	17
		377	0	00	68
		383	1	01	08
		391	0	35	45
		446	0	11	28
		443	0	24	69
		449(स.रास्ता)	0	03	63



तहसील : मारवाड़ जंक्शन			जिला : पाली		राज्य : राजस्थान	
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल			
			हेक्टेयर	एकर	वर्ग मीटर	
1	2	3	4	5	6	
7)	खावास	438	0	00	30	
	(जारी)	452	0	20	20	
		486(स.रास्ता)	0	01	40	
		138	0	19	01	
		137	0	20	28	
		136	0	01	21	
		135	0	12	10	
		119(स.रास्ता)	0	00	86	
		78	0	19	73	
		77	0	25	64	
		76	0	27	26	
		75	0	09	82	
		74(स.नदी)	0	33	77	
8)	गादाना	436(स.नदी)	0	12	85	
		435	0	04	54	
		429	0	34	57	
		430	0	05	33	
		431	0	05	19	
		432	0	26	02	
		379	0	01	86	
9)	राणावास	730	0	50	37	
		725	0	06	69	
		724	0	18	41	
		723	0	07	46	
		705	0	00	30	
		708	0	53	88	
		699(स.रास्ता)	0	01	81	
		677	0	11	18	
		678	0	14	54	
		679	0	20	64	
		666	0	20	08	
		665	0	18	56	
		452(स.रास्ता)	0	00	65	
		462	0	51	77	
		460	0	05	71	
		459(स.रास्ता)	0	03	65	

तहसील : मारवाड़ जंक्शन		जिला : पाली		राज्य : राजस्थान	
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
9)	राणावास	475	0	12	56
	(जारी)	476	0	17	93
		423	0	05	69
		422	0	86	53
		421	0	20	64
		420	0	41	90
		494(स.चारागाह)	0	02	41
		308(रिल्वे विभाग)	0	02	72
		155(स.चारागाह)	0	08	32
		154	0	10	83
		151	0	00	76
		146	0	00	46
		156(स.यस्ता)	0	07	32
		157	0	28	44
		159	0	09	96
		158	0	23	72
		160	0	01	64
		161	0	15	60
		162	0	44	19
		168	0	18	10
		124(स.नाला)	0	08	63
		307(स.नाला)	0	08	70
		305	0	05	97
		306	0	14	24
		341	0	34	09
		544/341	0	08	01
		340	0	06	42
		360	0	24	02
		361	0	00	78
		365	0	28	45
		364	0	09	22
		366	0	00	20
		378	0	05	25
		379	0	07	52
		380	0	06	81
		381	0	10	29

10) बडी

तहसील : मारवाड़ जक्शन		जिला : पाली	राज्य : राजस्थान		
क्र.सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
10)	बडी	382	0	20	37
	(जारी)	383	0	16	17
		375	0	00	36
		409(स.यस्ता)	0	02	24
		470	0	19	86
		411	0	54	64
		412	0	00	50
		413	0	53	94
		424	0	24	69
		426	0	24	88
		217(स.यस्ता)	0	02	46
		200	0	22	02
		201	0	00	20
		198	0	08	89
		199	0	00	20
		182	0	02	74
		183	0	12	01
		181	0	18	44
		180	0	18	76
		175(स.यस्ता)	0	02	80
		165	0	34	94
		166	0	02	10
		539/165	0	06	27
11)	निम्बलीमाण्डा	227	0	14	07
		229	0	22	01
		258	0	00	20
		257	0	22	08
		251(स.यस्ता)	0	06	67
		230	0	05	51
		243	0	09	78
		241	0	21	89
		246	0	34	84
		247	0	00	20
		249	0	01	34
		291	0	46	23

तहसील : मारवाड़ जंक्शन		जिला : पाली	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
1	2	3	हेक्टेयर	एयर	वर्ग मीटर
4	5	6			
11)	निम्बलीमाण्डा (जारी)	298	0	00	23
		297	0	23	08
		294	0	48	75
		295	0	00	98
		302	0	03	22
		306(स.नदी)	0	14	15
		326	0	22	48
		325	0	02	27
		327	0	12	24
		324	0	24	42
		328(स.रास्ता)	0	02	59
		345(ग्र.पं.चारागाह)	0	62	83
		599	0	10	01
		594	0	42	12
		593(स.रास्ता)	0	07	75
		558(स.रास्ता)	0	00	20
		449	0	15	01
		448	0	41	03
		454	0	05	31
		453	0	00	20
		447	0	07	08
		446	0	35	51
		461	0	01	66
		467	0	39	53
		464	0	08	03
		465	0	15	92
		466	0	04	55
		514	0	11	42
		475	0	01	42
		486	0	06	33
		489	0	00	54
		488	0	04	85
		487	0	09	95
		485	0	00	20
		495	0	07	44

तहसील : मारवाड़ जंक्शन		जिला : पाली	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
11)	निम्बलीमाण्डा	496	0	08	46
	(जारी)	497	0	00	41
		499	0	11	07
		500	0	12	15
		502	0	02	17
		501	0	00	20
		441 (स.रास्ता)	0	04	65
		406	0	43	80
		407	0	00	20
		405	0	41	92
		397	0	10	63
		399	0	06	22
		398	0	08	52
		400	0	19	28
12)	माण्डा	1505	0	34	17
		1506	0	01	97
		1507	0	25	38
		1493 (पी.डब्ल्यू.डी.सड़क)	0	05	33
		1480	0	06	94
		1481	0	43	71
		1468	0	19	38
		1464	0	00	20
		1467	0	44	42
		1453	0	14	02
		1452	0	28	14
		1448	0	01	35
		1446	0	32	27
		1445	0	14	98
		1435	0	52	72
		1434	0	32	43
		1433	0	02	45
		1429	0	16	53
13)	शेखावास	307	0	01	85
		305	0	13	48
		304	0	00	20
		308	0	03	56

तहसील : मारवाड़ जक्शन		जिला : पाली	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
1	2	3	हेक्टेयर	एयर	वर्ग मीटर
13)	शंखावास		4	5	6
	(जोरी)	296	0	63	83
		296मिन	0	01	83
		295	0	00	20
		293	0	00	34
		293मिन	0	11	21
		332	0	00	78
		333	0	08	54
		337	0	12	49
		336	0	07	80
		339	0	03	78
		358(स.रास्ता)	0	02	69
		377	0	00	20
		376	0	10	90
		375	0	01	72
		380	0	20	08
		381	0	33	07
		383	0	29	88
		432(स.रास्ता)	0	04	95
		440	0	33	00
		443(स.रास्ता)			
		443/1			
		443/2			
		443/3			
		443/4			
		443/5	0	02	50
		443/6			
		443/7			
		443/8			
		443/9			
		439	0	29	67
		444			
		444/1			
		444/2			
		444/3	0	36	44
		444/4			
		444/5			
		444/6			

तहसील : मारवाड़ जक्शन		जिला : पाली	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
13)	शेखावास	450/2	0	05	78
	(जारी)	450/1	0	17	51
		450/4	0	00	39
		451(स.रास्ता)	0	01	88
		454	0	41	18
		453	0	12	65
		458/3	0	21	05
		459/1	0	00	20
		459/2	0	14	45
		459/3	0	08	65
		459/4	0	01	34
		459/5	0	13	85
14)	कन्दलिया	698मिन00 } 698मिन	0	48	50
		697	0	15	85
		639(स.रास्ता)	0	02	57
		537	0	04	28
		538	0	22	32
		550	0	22	12
		556	0	35	19
		554	0	00	96
		555	0	02	79
		577	0	13	90
		576	0	32	66
		579(स.रास्ता)	0	01	36
		597	0	34	67
		598	0	00	20
		596	0	27	66
		615	0	40	92
		618	0	02	68
		628	0	27	63
		629	0	37	38
		630	0	13	52
		504(स.रास्ता)	0	02	05
		503	0	00	20
		502	0	16	71

तहसील : मारवाड़ जयशान		जिला : पाली	राज्य : राजस्थान		
सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
1	2	3	हेक्टेयर	एयर	वर्ग मीटर
4	5	6			
14)	कन्टालिया	372मिन00(स.नदी)	0	58	07
	(जारी)	86	0	54	06
		87	0	00	81
		84(स.रास्ता)	0	03	24
		63	0	08	32
		65	0	02	71
		64	0	17	74
		69	0	22	68
		70	0	17	51
		109(स.रास्ता)	0	03	33
		109/1	0	00	20
		170	0	22	55
		176	0	01	19
		175(स.रास्ता)	0	21	98
		198	0	16	97
		203	0	28	93
		204	0	09	75
		205	0	18	98
		210	0	14	14
		214	0	09	20
		216	0	17	80
		217	0	05	35
		218(स.नाला)	0	03	40
		240	0	05	75
		243	0	16	82
		241	0	44	18
		239	0	01	56
		245(स.रास्ता)	0	04	29
		262	0	08	07
		263(स.नाला)	0	08	34
		280/1	0	12	68
		280	0	14	14
		291	0	33	06
		304	0	31	63
		308	0	29	09
		305	0	09	20
		303	0		



तहसील : मारवाड़ जंक्शन		जिला : पाली	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
14)	कन्दालिया	302	0	08	58
	(जारी)	301मिन00	0	41	64
		301मिन/02			
		301मिन/03			

[फ. सं. आर-31015/47/2004-ओ.आर-II]

हरीश कुमार, अवर सचिव

New Delhi, the 2nd November, 2004

S. O. 2911.—Whereas it appears to the Central Government that it is necessary in the public interest that for the transportation of petroleum products from Mundra (Gujarat) to Delhi, a pipeline should be laid by Hindustan Petroleum Corporation Limited;

And whereas it appears to the Central Government that for the purpose of laying such pipeline, it is necessary to acquire the right of user in land under which the said pipeline is proposed to be laid and which is described in the Schedule annexed hereto;

Now, therefore, in exercise of powers conferred by sub-section (1) of section 3 of the Petroleum and Minerals Pipelines (Acquisition of Right of User in Land) Act, 1962 (50 of 1962), the Central Government hereby declares its intention to acquire the right of user therein;

Any person, interested in the land described in the said Schedule may, within twenty one days from the date on which copies of the Gazette of India containing this notification are made available to the public, object in writing to the acquisition of the right of user therein for laying of the pipeline under the land to Shri Shivdutt Gaur, Competent Authority, Mundra-Delhi Petroleum Product Pipeline, Hindustan Petroleum Corporation Limited, 16 Krishana Vihar, Near Narayan Niwas, Gopalpura Bye-pass Road, Jaipur Pin - 302018 (Rajasthan).

**SCHEDULE**

Tehsil : MARWAR JUNCTION		District : PALI	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
1)	KOLPURA	293	0	62	62
		297	0	24	45
		285	0	02	32
		284(G/L Cart Track)	0	00	20
		283	0	17	32
		281	0	51	46
		278	0	00	20
		277/1	0	01	67
		277	0	11	30
		275Min	0	27	50
		443	0	02	78
		445/1	0	25	91
		445Min	0	24	43
2)	DHANLA	446	0	06	00
		492(G/L Cart Track)	0	01	86
		589	0	58	66
		592/1	0	00	20
		592Min			
		594	0	15	45
		588	0	22	19
		581	0	20	81
		580	0	17	58
		607	0	02	16
		579/2339	0	44	08
		579	0	18	47
		576/2337	0	15	29
		577	0	00	20
		576	0	59	20
		576/1(P.W.D. Road)	0	04	80
		623(P.W.D. Road)	0	02	91
		760	0	39	22
		759	0	17	07
		777	0	29	55
		751	0	15	46

Tehsil : MARWAR JUNCTION		District : PALI	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
2)	DHANLA	757	0	02	41
	(Contd.)	752	0	05	98
		753	0	13	70
		756	0	01	34
		743	0	09	89
		744	0	26	67
		746	0	09	32
		825(G/L River)	0	41	71
		826	0	04	09
		828	0	22	20
		830	0	36	40
		836	0	08	49
		833	0	29	81
		853Min(G/L Cart Track)	0	01	68
		859	0	19	38
		862	0	18	48
		864	0	33	72
		867	0	24	00
		869	0	22	25
3)	ISALI	608	0	29	15
		609	0	11	03
		632(G/L Cart Track)	0	01	95
		657	0	17	84
		656	0	01	43
		655	0	15	14
		654	0	24	40
		660	0	25	58
		667	0	16	67
		668	0	18	59
		670(G/L Cart Track)	0	01	66
		671	0	27	70
		672	0	00	20
		674	0	18	63
		675	0	09	41
		695(G/L Cart Track)	0	01	41
		699	0	00	70
		698	0	33	80

Tehsil : MARWAR JUNCTION		District : PALI	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
3)	ISALI	696	0	10	13
	(Contd.)	700	0	05	18
		734(G/L Cart Track)	0	01	54
		756/1	0	26	76
		760	0	41	73
		794	0	23	37
		795	0	00	43
		796	0	02	63
		832	0	08	36
		791(G/L Nala)	0	00	20
		831	0	10	72
		830	0	09	08
		829/1	0	15	77
		829Min	0	10	82
		838/2	0	07	77
		838/1	0	00	76
		838/3	0	02	02
		839	0	39	70
		549(G/L Cart Track)	0	02	24
		517	0	32	10
		518	0	33	18
		520	0	04	61
		519	0	00	50
		521	0	00	20
		507	0	14	48
		492	0	04	35
		493	0	47	44
		472	0	40	91
		474	0	16	87
		471(G/L Pasture)	0	16	72
4)	GUDA MOKHAMSINGH	509	0	00	98
		508	0	51	54
		490	0	00	72
		457(P.W.D.Road)	0	07	60
		437(G/L Pasture)	0	25	03
5)	GUDA KESHARSINGH	470(G/L Pasture)	0	14	06

Tehsil : MARWAR JUNCTION		District : PALI	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
5)	GUDA KESHARSINGH	469(G/L River)	0	05	14
		468(G/L Pasture)	0	39	77
	(contd.)	462	0	29	57
		461	0	19	52
		426(G/L Cart Track)	0	04	64
		384	0	12	91
		391(G/L Nala)	0	10	21
		409	0	06	13
		410	0	28	77
		424(G/L Pasture)	0	11	16
		423	0	34	17
		573(G/L Cart Track)	0	01	96
		553	0	09	07
		552	0	16	88
		554	0	17	87
		546	0	18	16
		544	0	03	47
		956(G/L River)	0	27	78
		959	0	38	38
		944	0	24	45
		943(G/L Cart Track)	0	04	29
		941	0	13	55
		940(G/L Pasture)	0	04	50
		603(G/L River)	0	21	62
		858/1	0	15	42
		859/1	0	12	17
		859/2	0	21	91
		864/4	0	00	20
		865(G/L Cart Track)	0	04	97
		870	0	04	58
		869	0	23	90
		868	0	00	20
		866Min	0	41	85
		866Min01	0	03	02
		811	0	00	20
		805	0	30	66

Tehsil : MARWAR JUNCTION		District : PALI	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
5.)	GUDA KESHARSINGH	806	0	00	20
	(contd.)	804	0	16	33
6.)	GUDA RAMSINGH	309(G/L Cart Track)	0	04	45
		296	0	46	49
		295	0	03	33
		253	0	50	91
		252	0	12	49
		254	0	27	28
		246	0	21	10
		241	0	24	73
		191(G/L Cart Track)	0	03	37
		99	0	24	86
		100	0	02	77
		87	0	44	25
		83	0	00	20
		84	0	13	66
		86	0	03	24
		85	0	08	84
		77	0	42	07
7.)	RADAWAS	287(G/P Pasture)	0	04	70
		288(G/P Pasture)	0	15	66
		290(G/L Nala)	0	10	93
		291	0	04	53
		292	0	17	13
		293	0	02	73
		286(G/L Nala)	0	39	01
		285(G/P Pasture)	0	12	49
		373(G/L Cart Track)	0	01	69
		374(G/P Pasture)	0	21	85
		375	0	26	17
		377	0	00	68
		383	1	01	08
		391	0	38	45
		446	0	11	28
		443	0	24	69
		449(G/L Cart Track)	0	03	63

Tehsil : MARWAR JUNCTION		District : PALI	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
7)	RADAWAS (contd.)	438	0	00	30
		452	0	20	20
		486(G/L Cart Track)	0	01	40
		138	0	19	01
		137	0	20	28
		136	0	01	21
		135	0	12	10
		119(G/L Cart Track)	0	00	86
		78	0	19	73
		77	0	25	64
		76	0	27	26
		75	0	09	82
		74(G/L River)	0	33	77
		436(G/L River)	0	12	85
8)	GADANA	435	0	04	54
		429	0	34	57
		430	0	05	33
		431	0	05	19
		432	0	26	02
		379	0	01	86
		730	0	50	37
		725	0	06	69
		724	0	18	41
		723	0	07	46
9)	RANAWAS	705	0	00	30
		708	0	53	88
		699(G/L Cart Track)	0	01	81
		677	0	11	18
		678	0	14	54
		679	0	20	64
		666	0	20	08
		665	0	18	56
		452(G/L Cart Track)	0	00	65
		462	0	51	77
		460	0	05	71
		459(G/L Cart Track)	0	03	65

Tehsil : MARWAR JUNCTION		District : PALI	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
9)	RANAWAS	475	0	12	56
	(Contd.)	476	0	17	93
		423	0	05	69
		422	0	86	53
		421	0	20	64
		420	0	41	90
		494(G/L Pasture)	0	02	41
		308(Railway Deptt.)	0	02	72
		155(G/L Pasture)	0	08	32
		154	0	10	83
		151	0	00	76
		146	0	00	46
		156(G/L Cart Track)	0	07	32
		157	0	28	44
		159	0	09	96
		158	0	23	72
		160	0	01	64
		161	0	15	60
		162	0	44	19
		168	0	18	10
		124(G/L Nala)	0	08	63
10)	BADI	307(G/L Nala)	0	08	70
		305	0	05	97
		306	0	14	24
		341	0	34	09
		544/341	0	08	01
		340	0	06	42
		360	0	24	02
		361	0	00	78
		365	0	28	45
		364	0	09	22
		366	0	00	20
		378	0	05	25
		379	0	07	52
		380	0	06	81
		381	0	10	29



Tehsil : MARWAR JUNCTION		District : PALI	State : RAJASTHAN				
Sr. No	Name of the Village	Khasara No.	Area				
			Hectare	Are	Sq.mtr.		
1	2	3	4	5	6		
10)	BADI  (Contd.)	382	0	20	37		
		383	0	16	17		
		375	0	00	36		
		409(G/L Cart Track)	0	02	24		
		470	0	19	86		
		411	0	54	64		
		412	0	00	50		
		413	0	53	94		
		424	0	24	69		
		426	0	24	88		
		217(G/L Cart Track)	0	02	46		
		200	0	22	02		
		201	0	00	20		
		198	0	08	89		
		199	0	00	20		
		182	0	02	74		
		183	0	12	01		
		181	0	18	44		
		180	0	18	76		
		175(G/L Cart Track)	0	02	80		
		165	0	34	94		
		166	0	02	10		
		539/165	0	06	27		
		11)	NIMBLIMANDA	227	0	14	07
				229	0	22	01
				258	0	00	20
				257	0	22	08
251(G/L Cart Track)	0			06	67		
230	0			05	51		
243	0			09	78		
241	0			21	89		
246	0			34	84		
247	0			00	20		
249	0	01	34				
291	0	46	23				

Tehsil : MARWAR JUNCTION		District : PALI	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
11)	NIMBLIMANDA	298	0	00	23
	(contd.)	297	0	23	08
		294	0	48	75
		295	0	00	98
		302	0	03	22
		306(G/L River)	0	14	15
		326	0	22	48
		325	0	02	27
		327	0	12	24
		324	0	24	42
		328(G/L Cart Track)	0	02	59
		345(G/P Pasture)	0	62	83
		599	0	10	01
		594	0	42	12
		593(G/L Cart Track)	0	07	75
		558(G/L Cart Track)	0	00	20
		449	0	15	01
		448	0	41	03
		454	0	05	31
		453	0	00	20
		447	0	07	08
		446	0	35	51
		461	0	01	66
		467	0	39	53
		464	0	08	03
		465	0	15	92
		466	0	04	55
		514	0	11	42
		475	0	01	42
		486	0	06	33
		489	0	00	54
		488	0	04	85
		487	0	09	95
		485	0	00	20
		495	0	07	44

Tehsil : MARWAR JUNCTION		District : PALI	State : RAJASTHAN				
Sr. No	Name of the Village	Khasara No.	Area				
			Hectare	Are	Sq.mtr.		
1	2	3	4	5	6		
11)	NIMBLIMANDA (Contd.)	496	0	08	46		
		497	0	00	41		
		499	0	11	07		
		500	0	12	15		
		502	0	02	17		
		501	0	00	20		
		441(G/L Cart Track)	0	04	65		
		406	0	43	80		
		407	0	00	20		
		405	0	41	92		
		397	0	10	63		
		399	0	06	22		
		398	0	08	52		
		400	0	19	28		
		1505	0	34	17		
		1506	0	04	97		
		1507	0	25	38		
		1493(P.W.D. ROAD)	0	05	58		
		1480	0	06	94		
12)	MANDA	1481	0	43	71		
		1468	0	19	38		
		1464	0	00	20		
		1467	0	44	42		
		1453	0	14	02		
		1452	0	28	14		
		1448	0	01	35		
		1446	0	32	27		
		1445	0	14	98		
		1435	0	52	72		
		1434	0	32	43		
		1433	0	02	45		
		1429	0	16	53		
		307	0	01	85		
		305	0	13	48		
		304	0	00	20		
		308	0	03	56		
		13)	SHEKHAWAS				

Tehsil : MARWAR JUNCTION		District : PALI	State : RAJASTHAN			
Sr. No	Name of the Village	Khasara No.	Area			
			Hectare	Are	Sq.mtr.	
1	2	3	4	5	6	
13)	SHEKHAWAS (Contd.)	296	0	63	83	
		296Min	0	01	83	
		295	0	00	20	
		293	0	00	34	
		293Min	0	11	21	
		332	0	00	78	
		333	0	08	54	
		337	0	12	49	
		336	0	07	80	
		339	0	03	78	
		358(G/L Cart Track)	0	02	69	
		377	0	00	20	
		376	0	10	90	
		375	0	01	72	
		380	0	20	08	
		381	0	33	07	
		383	0	29	88	
		432(G/L Cart Track)	0	04	95	
		440	0	33	00	
		443(G/L Cart Track)	}	0	02	50
		443/1				
		443/2				
		443/3				
		443/4				
		443/5				
		443/6				
		443/7				
443/8						
443/9						
439	0	29	67			
444	}	0	36	44		
444/1						
444/2						
444/3						
444/4						
444/5						
444/6						

Tehsil : MARWAR JUNCTION District : PALI State : RAJASTHAN					
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
13)	<b>SHEKHAWAS</b> (Contd.)	450/2	0	05	78
		450/1	0	17	51
		450/4	0	00	39
		451(G/L Cart Track)	0	01	88
		454	0	41	18
		453	0	12	65
		458/3	0	21	05
		459/1	0	00	20
		459/2	0	14	45
		459/3	0	08	65
		459/4	0	01	34
		459/5	0	13	85
14)	<b>KANTALIYA</b>	698Min00 } 698Min }	0	48	50
		697	0	15	85
		639(G/L Cart Track)	0	02	57
		537	0	04	28
		538	0	22	32
		550	0	22	12
		556	0	35	19
		554	0	00	96
		555	0	02	79
		577	0	13	90
		576	0	32	66
		579(G/L Cart Track)	0	01	36
		597	0	34	67
		598	0	00	20
		596	0	27	66
		615	0	40	92
		618	0	02	68
		628	0	27	63
		629	0	37	38
		630	0	13	52
		504(G/L Cart Track)	0	02	05
		503	0	00	20
		502	0	16	71

Tehsil : MARWAR JUNCTION		District : PALI	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
14)	KANTALIYA (Contd.)	372Min00(G/L River)	0	58	07
		86	0	54	06
		87	0	00	81
		84(G/L Cart Track)	0	03	24
		63	0	08	32
		65	0	02	71
		64	0	17	74
		69	0	22	68
		70	0	17	51
		109Min(G/L Cart Track)	0	03	33
		109/1			
		170	0	00	20
		176	0	22	55
		175(G/L Cart Track)	0	01	19
		198	0	21	98
		203	0	16	97
		204	0	28	93
		205	0	09	75
		210	0	18	98
		214	0	14	14
		216	0	09	20
		217	0	17	80
		218(G/L Nala)	0	05	35
		240	0	03	40
		243	0	05	75
		241	0	16	82
		239	0	44	18
		245(G/L Cart Track)	0	01	56
		262	0	04	29
		263(G/L Nala)	0	08	07
		280/1	0	08	34
		280	0	12	68
		291	0	18	14
		304	0	33	06
		308	0	31	63
		305	0	29	09
		303	0	09	20

Tehsil : MARWAR JUNCTION		District : PALI	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
14.)	KANTALIYA (Contd.)	302	0	08	58
		301Min00	0	41	64
		301Min/02			
		301Min/03			

[No. R-31015/47/2004-O.R.-II]  
HARISH KUMAR, Under Secy.

नई दिल्ली, 3 नवम्बर, 2004

का. आ. 2912.— केन्द्रीय सरकार ने पेट्रोलियम और खनिज पाइपलाइन (भूमि में उपयोग के अधिकार का अर्जन) अधिनियम, 1962 (1962 का 50) (जिसे इसमें इसके पश्चात उक्त अधिनियम कहा गया है) की धारा 3 की उपधारा (1) के अधीन जारी और भारत के राजपत्र में प्रकाशित भारत सरकार के पेट्रोलियम और प्राकृतिक गैस मंत्रालय की अधिसूचना संख्या का० आ० 1348 तारीख 8 जून, 2004 द्वारा उड़ीसा राज्य में पारादीप से पश्चिमी बंगाल राज्य में हल्दिया तक इंडियन ऑयल कॉर्पोरेशन लिमिटेड द्वारा कच्चे तेल के परिवहन के लिए पाइपलाइन बिछाने के प्रयोजन हेतु उस अधिसूचना से संलग्न अनुसूची में विनिर्दिष्ट भूमि में उपयोग के अधिकार के अर्जन के अपने आशय की घोषणा की थी।

और उक्त राजपत्र अधिसूचना की प्रतियाँ जनता को तारीख 12 जुलाई, 2004 को उपलब्ध करा दी गई थी।

और उक्त अधिनियम की धारा 6 की उपधारा (1) के अनुसरण में सक्षम प्राधिकारी ने केन्द्रीय सरकार को अपनी रिपोर्ट दे दी है।

और, केन्द्रीय सरकार का उक्त रिपोर्ट पर विचार करने के पश्चात यह समाधान हो गया है कि इस अधिसूचना से संलग्न अनुसूची में विनिर्दिष्ट भूमि में उपयोग के अधिकार का अर्जन किया जाना है।

अतः, अब, केन्द्रीय सरकार, उक्त अधिनियम की धारा 6 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, घोषणा करती है कि इस अधिसूचना की अनुसूची में विनिर्दिष्ट भूमि में उपयोग का अधिकार पाइपलाइनें बिछाए जाने हेतु अर्जित किया जाता है।

और केन्द्रीय सरकार, उक्त अधिनियम की धारा 6 की उपधारा (4) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह निर्देश देती है कि उक्त भूमि में उपयोग का अधिकार इस घोषणा के प्रकाशन की तारीख से केन्द्रीय सरकार में निहित होने की बजाय सभी विल्लंगमों से मुक्त होकर इंडियन ऑयल कॉर्पोरेशन लिमिटेड में निहित होगा।

## अनुसूची

पुलिस थाना : महीशादल

जिला : पूर्व मिदनापुर

राज्य : पश्चिमी बंगाल

गाँव का नाम	अधिकारिता सूचि संख्या	प्लॉट संख्या	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
(1)	(2)	(3)	(4)	(5)	(6)
केशवपुर जलपाइ	133	721	00	03	95
		722	00	03	26
		723	00	02	60
		796	00	02	23
		801	00	09	95
		802	00	06	48
कांचनपुर जालपाइ	132	670	00	06	18
		671	00	04	78
		673	00	02	45
		676	00	00	43

पुलिस थाना : सुताहाटा

बार बासुदेबपुर	62	2064	00	04	42
		2065	00	06	14
		2070	00	00	40
		2071	00	01	95
		2345	00	01	40
कुनारपुर	58	240	00	05	76
		242	00	09	51
		243	00	01	39
		251	00	03	36
		252	00	02	9
		253	00	03	60
		256	00	01	35
		258	00	07	14
		259	00	00	38
		282	00	01	20
		287	00	00	20
		288	00	00	77
		289	00	01	72
		290	00	00	20
		291	00	03	13
		293	00	00	50
		295	00	02	40
		296	00	04	73
आनन्दपुर	52	1	00	00	87
		3	00	01	09
		15	00	15	29
		17	00	03	91
		62	00	01	74
		67	00	00	20
		68	00	01	70
		69	00	08	33



(1)	(2)	(3)	(4)	(5)	(6)
	467	00	01	86	
	555	00	01	02	
	625	00	03	95	
	627	00	03	09	
	633	00	00	20	
	663	00	00	98	
	668	00	03	72	
	669	00	00	84	
	671	00	01	63	
	672	00	07	31	
	674	00	02	72	
	1173	00	05	20	

[फा. सं. आर-25011/13/2004-ओ.आर-1]

रेणुका कुमार, अपर सचिव

New Delhi, the 3rd November, 2004

S. O. 2912.—Whereas by the notification of the Government of India in the Ministry of Petroleum and Natural Gas number S.O. 1348 dated the 8<sup>th</sup> June, 2004, issued under sub-section (1) of section 3 of the Petroleum and Minerals Pipelines (Acquisition of Right of User in Land) Act, 1962 (50 of 1962), (hereinafter referred to as the said Act), the Central Government declared its intention to acquire the right of user in the land specified in the Schedule appended to that notification for the purpose of laying pipeline for the transportation of crude oil from Paradip in the State of Orissa to Haldia in the State of West Bengal by Indian Oil Corporation Limited ;

And whereas, the copies of the said notification were made available to the public on 12<sup>th</sup> July, 2004 ;

And whereas, the Competent Authority in pursuance of sub-section (1) of section 6 of the said Act, has submitted his report to the Central Government ;

And whereas, the Central Government, after considering the said report, is satisfied that the right of user in the land specified in the Schedule appended to this notification should be acquired ;

Now, therefore, in exercise of the powers conferred by sub-section (1) of section 6 of the said Act, the Central Government hereby declares that the right of user in the land specified in the Schedule appended to this notification is hereby acquired for laying the pipeline ;

And further, in exercise of the powers conferred by the sub-section (4) of section 6 of the said Act, the Central Government hereby directs that the right of user in the said land shall instead of vesting in the Central Government, vest from the date of publication of this declaration, in Indian Oil Corporation Limited free from all encumbrances.

## Schedule

Police Station : Mahisadal		District : Purba Midnapur		State : West-Bengal	
Name of Village	Jurisdiction List No.	Plot. No.	Area		
			Hectare	Are	Square Metre
( 1 )	( 2 )	( 3 )	( 4 )	( 5 )	( 6 )
Keshabpur Jalpai	133	721	00	03	95
		722	00	03	26
		723	00	02	60
		796	00	02	23
		801	00	09	95
		802	00	06	48
Kanchanpur jalpai	132	670	00	06	18
		671	00	04	78
		673	00	02	45
		676	00	00	43
Police Station : Sutahata					
Barbasubevpur	62	2064	00	04	42
		2065	00	06	14
		2070	00	00	40
		2071	00	01	95
		2345	00	01	40
Kunarpur	58	240	00	05	76
		242	00	09	51
		243	00	01	39
		251	00	03	36
		252	00	02	9
		253	00	03	60
		256	00	01	35
		258	00	07	14
		259	00	00	38
		282	00	01	20
		287	00	00	20
		288	00	00	77
		289	00	01	72
		290	00	00	20
		291	00	03	13
		293	00	00	50
		295	00	02	40
		296	00	04	73
Anandpur	52	1	00	00	87
		3	00	01	09
		15	00	15	29
		17	00	03	91
		62	00	01	74
		67	00	00	20
		68	00	01	70
		69	00	08	33

(1)	(2)	(3)	(4)	(5)	(6)
	467	00	01	86	
	555	00	01	02	
	625	00	03	95	
	627	00	03	09	
	633	00	00	20	
	663	00	00	98	
	668	00	03	72	
	669	00	00	84	
	671	00	01	63	
	672	00	07	31	
	674	00	02	72	
	1173	00	05	20	

[No. R-25011/13/2004-O.R.-I]  
RENUKA KUMAR, Under Secy.

नई दिल्ली, 3 नवम्बर, 2004

का. आ. 2913.— केन्द्रीय सरकार को लोकहित में यह आवश्यक प्रतीत होता है कि मुन्द्रा (गुजरात) से दिल्ली तक पेट्रोलियम उत्पादों के परिवहन के लिए हिन्दुस्तान पेट्रोलियम कॉरपोरेशन लिमिटेड द्वारा एक पाइपलाइन बिछाई जानी चाहिए;

और केन्द्रीय सरकार को ऐसी पाइपलाइन बिछाने के प्रयोजन के लिए यह आवश्यक प्रतीत होता है कि उस भूमि में, जो इससे उपाबद्ध अनुसूची में वर्णित है, जिसमें उक्त पाइपलाइन बिछाए जाने का प्रस्ताव है, उपयोग के अधिकार का अर्जन किया जाए;

अतः अब, केन्द्रीय सरकार, पेट्रोलियम और खनिज पाइपलाइन (भूमि में उपयोग के अधिकार का अर्जन) अधिनियम, 1962 (1962 का 50) की धारा 3 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, उस भूमि में उपयोग के अधिकार का अर्जन करने के अपने आशय की घोषणा करती है;

कोई व्यक्ति, जो उक्त अनुसूची में वर्णित भूमि में हितबद्ध है, उस तारीख से जिसको इस अधिसूचना से युक्त भारत के राजपत्र की प्रतियाँ साधारण जनता को उपलब्ध करा दी जाती हैं, इक्कीस दिन के भीतर भूमि के नीचे पाइपलाइन बिछाए जाने के लिए उसमें उपयोग के अधिकार का अर्जन करने के सम्बन्ध में श्री आर. वी. सरवैया, सक्षम प्राधिकारी, हिन्दुस्तान पेट्रोलियम कॉरपोरेशन लिमिटेड, जिमखाना बिल्डिंग, आदिपुर रोड, अन्वार, कच्छ - 370110 (गुजरात) को लिखित रूप में आक्षेप भेज सकेगा ।

## अनुसूची

तालूका : कांकरेज		जिला : बनासकांठ		राज्य : गुजरात		
गाँव का नाम	खसरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	
1. मांडला	140	P1	0	29	93	
	139	P4&P5	0	11	58	
	139	P3	0	21	38	
	रास्ता खसरा संख्या 139/P3 और 123/P3 के बीच में		0	02	85	
	123	P3	0	09	25	
	125	-	0	29	58	
	127	P1	0	23	52	
	128	P4	0	24	05	
	129	-	0	10	33	
	रास्ता खसरा संख्या 129 और 19/1 के बीच में		-	01	78	
	19	1	0	22	21	
	18	P1	0	02	58	
	19	2P1	0	01	56	
	नर्मदा नहर 19/2/P2 में		-	14	25	
	रास्ता खसरा संख्या 19/2/P2 और 30/P2 के बीच में		-	05	70	
	नर्मदा नहर 30/P2 में		-	00	90	
	30	P1	0	00	96	
	नर्मदा नहर 29/P3 में		-	00	20	
	29	1P2	0	13	54	
	29	2	0	15	95	
	28	-	0	43	69	
	22	P1	0	01	96	
	23	-	0	32	24	
	14	P1	0	33	67	
	रास्ता खसरा संख्या 14/P1 में		0	01	42	
	590	-	0	12	12	
	591	P2	0	25	89	
	593	P2	0	01	76	
	593	P1	0	10	53	
	593	P3	0	06	24	
	594	P1&P2	0	29	72	

तालूका : कांकरेज		जिला : बनासकांठा		राज्य : गुजरात		
गाँव का नाम	खसरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	
मांडला	582	P2	1	2	55	
(जारी .....)	581	P2	0	29	40	
	580	P3	0	18	99	
	580	P1	0	16	75	
	579	P1	0	34	56	
2. जोटाडा	66	-	0	41	34	
रास्ता खसरा संख्या 66 और 68 के बीच में			0	01	06	
	68	-	0	40	21	
	84	P1	0	40	57	
सडक खसरा संख्या 84/P1 और 72 के बीच में			0	00	71	
	72	-	0	10	87	
	73	-	0	11	86	
3. जाखेल	188	P1	0		47	
	188	P9	0	18	53	
	188	P5	0	00	20	
4. नेकारिया	62	P1	0	31	35	
	64	1P2	0	20	31	
	65	1	0	00	12	
	79	-	0	52	58	
	78	P1	0	01	98	
	80	-	0	34	20	
	81	P2	0	24	20	
	82	P3	0	08	19	
	82	P2	0	11	93	
	98	-	0	28	51	
रास्ता खसरा संख्या 98 और 101 के बीच में			0	01	40	
	101	-	0	08	55	
	102	AP1	0	16	03	
	102	AP2	0	07	84	
	102	AP3	0	07	84	
	104	-	0	26	73	
	117	P1	0	63	50	

तालूका : कांकरेज		जिला : बनासकांठा		राज्य : गुजरात		
गाँव का नाम	खसरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	

4. नेकारिया (जारी .....)	सड़क खसरा संख्या 117/P1 और 131 के बीच में				
			0	01	42
	131	-	0	24	23
	130	-	0	06	60
	132	-	0	21	20
	133	-	0	09	80
	134	-	0	08	55
	135	P2	0	09	44
	135	P1	0	03	52
	135	P3	0	05	88
	136	2	0	12	98
	136	1	0	08	50
	रास्ता खसरा संख्या 136/1 और 161 के बीच में				
			0	01	42
	161	-	0	27	44
	160	P2	0	09	89
	रास्ता खसरा संख्या 160/P2 और 159 के बीच में				
			0	04	63
	159	-	0	30	11
	158	-	0	08	55
5. रणकपुर	251	-	0	34	92
	253	1P1	0	17	64
	नहर 253/1/P2 में				
		-	0	16	03
	नहर 255/P2 में				
		-	0	16	38
	255	P1	0	31	57
	246	1P1	0	23	52
	246	1P2	0	15	14
	रास्ता खसरा संख्या 246/1/P2 और 266 के बीच में				
			0	05	48
	266	-	0	00	60
	156	-	0	15	03
	299	-	0	06	84
	300	-	0	18	53
	308	-	0	16	81
	303	P1	0	00	47

तालूका : कांकरेज		जिला : बनासकांठ		राज्य : गुजरात		
गाँव का नाम	खसरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	
5. रणकपुर (जारी .....)	304	-	0	11	66	
	307	-	0	34	21	
	306	1	0	11	25	
	315	-	0	08	19	
	रास्ता खसरा संख्या 315 में		0	02	85	
	34	-	0	17	46	
	33	P1	0	18	53	
	32	2	0	23	29	
	32	1	0	04	50	
	28	1	0	20	31	
	27	P1	0	11	84	
	रास्ता खसरा संख्या 27/P1 और 66/1 के बीच में		-	0	01	78
	66	1	0	17	00	
	65	-	0	09	77	
	64	-	0	10	80	
68	P2	0	23	51		
68	P1	0	18	88		
74	-	0	16	60		
रास्ता खसरा संख्या 74 और 73/1 के बीच में		-	0	01	40	
73	1	0	35	64		
71	1P1	0	06	05		
सड़क 71/1/P2 में		-	0	05	88	
92	P1	0	32	40		
93	3	0	22	30		
113	P2	0	29	93		
116	-	0	09	44		
117	-	0	08	55		
रास्ता खसरा संख्या 117 और 54 के बीच में		-	0	00	89	
54	-	0	31	18		
55	-	0	00	42		
59	-	0	17	28		

तालूका : कांकरेज		जिला : बनासकांठ		राज्य : गुजरात		
गाँव का नाम	असरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	
6. सदुजीवास (जारी .....)	63	P2	0	11	40	
	63	P1	0	08	91	
	62	-	0	08	58	
	64	1	0	00	30	
	65	-	0	10	33	
	66	2	0	13	18	
	71	1	0	03	76	
	67	-	0	16	03	
	69	P2	0	16	39	
7. थरा	सडक सदुजीवास ग्राम सीमा और असरा संख्या 165 के बीच में		0	01	78	
	165	-	0	32	07	
	164	3	0	08	19	
	163	-	0	18	88	
	161	3	0	20	49	
	सडक 41/2/P2 में		-	0	01	78
	41	2P1	0	13	18	
	43	1	0	25	63	
	44	-	0	14	96	
	46	P1	0	09	26	
	47	-	0	18	50	
	46	P2	0	07	63	
	48	1	0	02	35	
	50	2P2	0	08	19	
	50	2P1	0	08	37	
	62	P1	0	13	89	
	61	-	0	16	03	
	60	-	0	25	66	
	59	-	0	12	11	
	58	2	0	09	97	
	58	3	0	08	55	
8. ताना	72	1	0	09	25	
	72	2	0	11	40	
	16	-	0	09	23	
	सडक 16 में		-	0	07	52
	रास्ता ताना जामपुर ग्राम सीमा और असरा संख्या 223/1 के बीच में		0	01	56	



तालूका : कांकरेज		जिला : बनासकांठ		राज्य : गुजरात		
गाँव का नाम	खसरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	
8. ताना (जारी .....)	223	1	0	14	25	
	228	P1	0	19	35	
	230	1	0	02	35	
	227	-	0	20	15	
	231	2	0	12	83	
	231	1	0	16	75	
	217	1	0	12	58	
	217	2	0	14	24	
	214	-	0	14	07	
	211	-	0	35	31	
	212	1	0	01	56	
	200	-	0	77	76	
	100	AP1	0	09	97	
	100	-	0	23	52	
	102	P2	0	18	71	
9. नाना जामपुर	102	P1	0	25	48	
	101	1	0	5	33	
	113	-	0	37	77	
	117	-	0	34	92	
	118	P1	0	17	11	
	118	P2	0	08	19	
	रास्ता खसरा संख्या 118/P2 और 146/P4 के बीच में		0	01	42	
	146	P4	0	01	76	
	146	P3	0	26	01	
	140	-	0	27	08	
	139	1P2	0	16	75	
	132	-	0	14	96	
	131	-	0	18	53	
	रास्ता ताना ग्राम सीमा और खसरा संख्या 131 के बीच में		0	01	60	
	10. आंबलुन	बनास नदी ताना ग्राम सीमा और खसरा संख्या 195/P2 के बीच में		-	99	79
195		P2	1	53	76	
187		-	0	24	94	
189		-	0	17	37	
188		-	0	05	40	

तालूका : कांकरेज		जिला : बनासकांठ		राज्य : गुजरात		
गाँव का नाम	खसरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	
10. आंबलुन (जारी .....)	178	P2	0	09	36	
	178	P1	0	10	44	
	नाला खसरा संख्या 178/P1 और 167 के बीच में		0	08	01	
	167		0	13	59	
	168		0	28	08	
	170		0	14	94	
	141	1	0	12	60	
	141	2P1	0	13	32	
	140	-	0	24	59	
	रास्ता खसरा संख्या 140 और 120/3 के बीच में		0	03	22	
11. थली(गंगापुर)	120	3	0	01	41	
	121	-	0	10	69	
	123	P1	0	20	67	
	123	P2	0	05	01	
	122	-	0	05	01	
	7	P1	0	18	17	
	7	P3	0	13	86	
	6	-	0	29	75	
	8	1	0	16	50	
	8	2	0	00	20	
	14	P1	0	16	75	
	2	-	0	00	50	
	13	-	0	16	50	
	1	P1	2	20	22	
	57	-	0	23	52	
	82	-	0	24	22	
	81	-	0	09	84	
12. आंगनवाडा	83	-	0	12	65	
	80	1	0	12	40	
	80	2	0	07	12	
	रास्ता खसरा संख्या 80/2 और 85 के बीच में		0	03	50	
	85	-	0	17	72	
	86	1	0	14	25	
	86	2	0	01	72	

तालूका : कांकरेज		जिला : बनासकांठा		राज्य : गुजरात		
गाँव का नाम	खसरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	
12. आगनवाडा (जारी .....)	106	1	0	00	30	
	106	2	0	14	31	
	105	-	0	10	40	
	110	-	0	17	28	
	111	-	0	06	59	
	114	-	0	33	32	
	125	2	0	05	95	
	124	-	0	03	18	
	116	-	0	08	20	
	123	2	0	10	33	
	123	1	0	00	30	
	121	1	0	05	68	
	121	2	0	07	28	
	122	-	0	21	65	
	120	P1	0	08	83	
	120	P2	0	16	21	
	सड़क खसरा संख्या 120/P2 और 141/1/P1 के बीच में			0	02	13
	141	1P1	0	07	12	
	141	1P2	0	07	30	
	141	2	0	15	00	
	145	-	0	06	52	
	146	-	0	20	92	
	165	-	0	17	18	
	181	2	0	21	74	
	182	-	0	11	58	
184	-	0	21	74		
209	-	0	29	91		
210	P2	0	07	12		
208	-	0	24	41		
207	1	0	11	44		
207	2P1	0	22	63		
208	-	0	12	83		
सड़क खसरा संख्या 206 और 238/P1 के बीच में			0	04	50	
238	P1	0	09	54		
रास्ता सापरा ग्राम सीमा और खसरा संख्या 171 के बीच में			0	09	40	

13. दुदासण	
------------	--

13. दुदासण

तालूका : कांकरेज		जिला : बनासकांठा		राज्य : गुजरात		
गाँव का नाम	खसरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	
13. दुदासण (जारी .....)	171	-	0	14	96	
	170	1	0	07	84	
	170	2	0	07	30	
	170	3P1	0	09	05	
	168	P1	0	13	36	
	153	-	0	23	54	
	152	P2	0	12	29	
	151	-	0	12	47	
	150	2	0	10	69	
	149	-	0	07	84	
	146	-	0	17	10	
	145	-	0	08	26	
	140	2	0	07	91	
	141	1P1	0	14	23	
	121	-	0	19	60	
	रास्ता खसरा संख्या 121 और 116/2 के बीच में			0	00	50
	116	2	0	10	58	
	116	1P2	0	12	47	
	60	P2	0	16	37	
	सड़क खसरा संख्या 60/P2 में			0	00	55
	60	P1	0	15	68	
	59	P1	0	01	88	
	24	-	0	14	96	
	नहर खसरा संख्या 24 में			0	00	80
	58	1P1	0	05	70	
58	2P1	0	07	66		
57	-	0	13	54		
46	-	0	14	43		
47	-	0	15	96		
39	-	0	09	62		
38	-	0	09	97		
37	1	0	17	03		
36	-	0	03	38		
रास्ता खसरा संख्या 36 और 279 के बीच में			0	03	38	
279	-	0	04	81		

तालूका : कांकरेज		जिला : बनासकांठ		राज्य : गुजरात		
गाँव का नाम	खसरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	
13. दुदासण (जारी .....)	278	-	0	01	06	
	281	P3	0	13	89	
	281	P2	0	12	71	
	281	P4	0	00	47	
	302	P1	0	21	38	
	302	P2	0	19	24	
	303	1	0	12	11	
	304	P1	0	09	26	
	305	P2	0	17	10	
14. लक्ष्मीपुरा	97	2	0	03	86	
	97	1	0	00	20	
	123	P3	0	1	10	
	98	1	0	09	97	
	98	2	0	08	91	
	99	-	0	02	32	
	100	1	0	01	37	
	102	-	0	31	36	
	115	-	0	12	48	
	146	1	0	10	87	
	145	-	0	01	43	
	210	P1	0	19	06	
	206	-	0	24	65	
	209	P2	0	15	68	
	209	P1	0	19	95	
	207	-	0	33	50	
15. कम्बोइ	103	-	0	17	10	
	116	-	0	12	11	
	नहर खसरा संख्या 116 में	-	0	01	42	
	नहर खसरा संख्या 147/P2 में	-	0	00	20	
	147	P1	0	14	61	
	रास्ता लक्ष्मीपुरा ग्राम के खसरा संख्या					
	145 और खसरा संख्या 219/P1	-	0	01	42	
	के बीच में					
	219	P1	0	11	40	
	219	P2	0	11	00	
	219	P3	0	12	83	
	217	-	0	08	73	
	220	1	0	18	71	

तालूका : कांकरेज		जिला : बनासकांठ		राज्य : गुजरात		
गाँव का नाम	खसरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	
15. कम्बोई	216	-	0	11	76	
(जारी .....)	सड़क खसरा संख्या 208/P1 में	-	0	02	06	
	नहर खसरा संख्या 208/P1 में		0	00	70	
	208	P1	0	53	91	
	208	P2	0	22	45	
	834	-	0	18	89	
	820	P1	0	12	47	
	833	-	0	17	46	
	836	-	0	18	17	
	835	P1	0	19	35	
	835	P2	0	00	25	
	848	-	0	00	20	
	837	P2	0	13	20	
	837	P1	0	15	68	
	846	-	0	08	73	
	845	P1	0	13	18	
	839	1	0	18	06	
	839	2	0	00	25	
	842	-	0	09	50	
	843	3	0	04	75	
	रास्ता खसरा संख्या 843/3 और 913 के बीच में		0	03	56	
	913	-	0	21	38	
	1643	3	0	17	82	
	1646	-	0	13	36	
	1647	-	0	14	61	
	1648	-	0	12	11	
	1651	-	0	01	68	
	1650	P1	0	18	27	
	1650	P2	0	12	83	
	1676	-	0	11	04	
	1675	P2	0	14	96	
	1675	P1	0	17	46	
	1674	2	0	07	30	
	1674	1	0	08	89	
	1673	-	0	00	32	
	1693	1	0	13	54	

तालूका : कांकरेज		जिला : बनासकांठा		राज्य : गुजरात		
गाँव का नाम	खसरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	
15. कम्बोई (जारी .....)	1693	2	0	12	83	
	1695	P2	0	11	30	
	1695	P1	0	17	95	
	1696	-	0	07	84	
	1700	-	0	05	70	
	1690	-	0	15	32	
	1691	-	0	25	66	
	1749	1P2	0	14	85	
	रास्ता खसरा संख्या 1749/1/P2 और 1667/P2 के बीच में		-	0	07	28
	1667	P2	0	22	81	
16. रानेर	1766	P1	0	31	36	
	1762	P1	0	04	60	
	1764	-	0	06	41	
	1763	-	0	14	25	
	1452	-	0	14	46	
	1411	-	0	10	75	
	1412	-	0	09	67	
	1408	2	0	04	27	
	1407	1	0	06	34	
	1407	2	0	06	00	
	1413	-	0	04	63	
	1406	-	0	09	19	
	1405	2	0	00	94	
	1405	1	0	13	00	
	1404	-	0	01	37	
	1397	-	0	26	01	
	1385	-	0	03	30	
	रास्ता खसरा संख्या 1385 और 1398 के बीच में		-	0	03	76
	1398	-	0	11	26	
	रास्ता खसरा संख्या 1398 और 1349/P3 के बीच में		-	0	03	75
	1349	P3	0	18	53	
	1345	P1	0	15	68	
	नहर खसरा संख्या 1346/P2 में		-	0	08	64
	1346	P1	0	18	54	

तालूका : कांकरज		जिला : बनासकांठा		राज्य : गुजरात		
गाँव का नाम	खसरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	
16. रानेर	1312	P1	0	13	54	
(जारी .....)	1311	-	0	20	31	
	1302	-	0	04	26	
	1300	1	0	04	29	
	1301	-	0	13	55	
रास्ता खसरा संख्या 1301 और 1181 के बीच में		-	0	03	76	
	1181	-	0	13	54	
	1182	P1	0	17	53	
	1155	P1	0	15	00	
	1154	P1	0	15	68	
नहर खसरा संख्या 1154/P2 में		-	0	03	56	
	1153	-	0	06	77	
	1150	-	0	17	70	
	1149	-	0	04	30	
	1135	-	0	19	95	
	1134	-	0	14	25	
	1121	-	0	22	09	
	1122	-	0	09	26	
	1109	-	0	09	13	
	1119	-	0	01	64	
	1110	-	0	12	23	
	1108	P1	0	00	30	
	1111	-	0	17	10	
	1112	-	0	07	12	
	1079	-	0	15	68	
	1080	-	0	09	67	
	1078	-	0	00	30	
	1075	-	0	15	67	
	1076	P1	0	09	27	
	1053	P1	0	20	67	
सड़क खसरा संख्या 1053/P1 और 750/P1 के बीच में		-	0	02	16	
	750	P1	0	09	26	
	749	P1	0	19	95	
	748	-	0	22	09	
	747	P1	0	16	39	



तालूका : कांकरेज		जिला : बनासकांठा		राज्य : गुजरात		
गाँव का नाम	खसरा सं.	उप-खण्ड सं.	क्षेत्रफल			
			हेक्टेयर	एयर	वर्ग मीटर	
16. रानेर	746	-	0	09	98	
(जारी.....)	745	-	0	11	40	
	744	-	0	15	96	
	743	-	0	11	40	
	742	-	0	00	30	
रास्ता खसरा संख्या 742 और 712 के बीच में			0	05	65	
	712	-	0	04	27	
	713	-	0	11	40	
	718	P2	0	28	50	
रास्ता खसरा संख्या 718/P2 और 719 के बीच में			0	00	30	
	719	-	0	37	78	
	721	-	0	17	81	
	612	-	0	07	11	
	722	-	0	25	66	
	724	-	0	37	05	
	725	-	0	14	63	

[ फ. सं. आर-31015/38/2004-ओ.आर-II ]

हरीश कुमार, अवर सचिव

New Delhi, the 3rd November, 2004

S. O. 2913.—Whereas it appears to the Central Government that it is necessary in the public interest that for the transportation of petroleum products from Mundra (Gujarat) to Delhi, a pipeline should be laid by Hindustan Petroleum Corporation Limited;

And whereas it appears to the Central Government that for the purpose of laying such pipeline, it is necessary to acquire the right of user in land under which the said pipeline is proposed to be laid and which is described in the Schedule annexed hereto;

Now, therefore, in exercise of powers conferred by sub-section (1) of section 3 of the Petroleum and Minerals Pipelines (Acquisition of Right of User in Land) Act, 1962 (50 of 1962), the Central Government hereby declares its intention to acquire the right of user therein;

Any person, interested in the land described in the said Schedule may, within twenty one days from the date on which copies of the Gazette of India containing this notification are made available to the public, object in writing to the acquisition of the right of user therein for laying of the pipeline under the land to Shri R.V. Sarvaiya, Competent Authority, Mundra-Delhi Petroleum Product Pipeline, Hindustan Petroleum Corporation Limited, Gymkhana Building, Adipur Road, Anjar, Kutch Pin 370110 (Gujarat).

## SCHEDULE

Taluk : KANKREJ		District : BANASKANTHA		State : GUJARAT		
Name of Village	Survey no.	Sub-Division No.	Area			
			Hectare	Are	Square Metre	
1. MANDLA	140	P1	0	29	93	
	139	P4&P5	0	11	58	
	139	P3	0	21	38	
	Cart track in between Survey Number.139/P3 & 123/P3		0	02	85	
	123	P3	0	09	25	
	125	-	0	29	58	
	127	P1	0	23	52	
	128	P4	0	24	05	
	129	-	0	10	33	
	Cart track In between Survey Number.129 & 19/1		0	01	78	
	19	1	0	22	21	
	18	P1	0	02	58	
	19	2P1	0	01	56	
	Narmada Canal.19/2/P2		0	14	25	
	Cart track In between Survey Number. 19/2/P2&30/P2		0	05	70	
	Narmada Canal.30/P2		0	00	90	
	30	P1	0	00	96	
	Narmada Canal.29/P3		0	00	20	
	29	1P2	0	13	54	
	29	2	0	15	95	
	28	-	0	43	69	
	22	P1	0	01	96	
	23	-	0	32	24	
	14	P1	0	33	67	
	Cart track In Survey Number. 14/P1		0	01	42	
	590	-	0	12	12	
	591	P2	0	25	89	
	593	P2	0	01	76	
	593	P1	0	10	53	
	593	P3	0	06	24	
	594	P1&P2	0	29	72	

Taluk : KANKREJ		District : BANASKANTHA		State : GUJARAT		
Name of Village	Survey no.	Sub-Division No.	Area			
			Hectare	Are	Square Metre	
1. MANDLA ( Contd...)	582	P2	1	28	55	
	581	P2	0	29	40	
	580	P3	0	18	99	
	580	P1	0	16	75	
	579	P1	0	34	56	
2. JOTADA	66	-	0	41	34	
	Cart track In between Survey Number.66 & 68		0	01	06	
	68	-	0	40	21	
	84	P1	0	40	57	
	Asphalted Road In between Survey Number 84/P1 & 72		0	00	71	
	72	-	0	10	87	
	73	-	0	31	86	
	188	P1	0	61	47	
	188	P9	0	18	53	
	188	P5	0	00	20	
3. JAKHEL	62	P1	0	31	35	
	64	1P2	0	20	31	
	65	1	0	00	12	
	79	-	0	52	68	
	78	P1	0	01	98	
	80	-	0	34	20	
	81	P2	0	24	20	
	82	P3	0	08	19	
	82	P2	0	11	93	
	98	-	0	28	51	
	Cart track in between Survey Number.98 & 101		0	01	40	
	101	-	0	08	55	
	102	AP1	0	16	03	
	102	AP2	0	07	84	
	102	AP3	0	07	84	
	104	-	0	26	73	
	117	P1	0	63	50	
4. NEKRIYA						

Taluk : KANKREJ		District : BANASKANTHA		State : GUJARAT		
Name of Village	Survey no.	Sub-Division No.	Area			
			Hectare	Are	Square Metre	
4. NEKRIYA ( Contd....)	Asphalted Road In between Survey Number.117/P1 & 131		0	01	42	
	131	-	0	24	23	
	130	-	0	06	60	
	132	-	0	21	20	
	133	-	0	09	80	
	134	-	0	08	55	
	135	P2	0	09	44	
	135	P1	0	03	52	
	135	P3	0	05	88	
	136	2	0	12	98	
	136	1	0	08	50	
	Cart track In between Surtvey Number.136/1 & 161		0	01	42	
	161	-	0	27	44	
	160	P2	0	09	89	
	Cart track In between Survey Number.160/P2 & 159		0	04	62	
	159	-	0	30	11	
	158	-	0	08	55	
	251	-	0	34	92	
	253	1P1	0	17	64	
	5. RANAKPUR	Canal In survey no.253/1/P2		0	16	03
Canal In survey no.255/P2			0	16	38	
255		P1	0	31	57	
246		1P1	0	23	52	
246		1P2	0	15	14	
Cart track In between Survey Number.246/1/P2 & 266			0	05	48	
266		-	0	00	60	
156		-	0	15	03	
299		-	0	06	84	
300		-	0	18	53	
308		-	0	16	81	
303		P1	0	00	47	





11-खण्ड 3(ii)]

District : BANASKANTHA			State : GUJARAT		
Taluk : KANKREJ		Sub-Division No.	Area		
Name of Village	Survey no.		Hectare	Are	Square Metre
8. TANA ( Contd...)	223	1	0	14	25
	228	P1	0	19	35
	230	1	0	02	35
	227	-	0	20	15
	231	2	0	12	83
	231	1	0	16	75
	217	1	0	12	58
	217	2	0	14	24
	214	-	0	14	07
	211	-	0	35	31
	212	1	0	01	56
	200	-	0	77	76
	100	AP1	0	09	97
	100	-	0	23	52
	102	P2	0	18	71
	102	P1	0	25	48
	101	1	0	5	33
	9. NANA JAMPUR	113	-	0	37
117		-	0	34	92
118		P1	0	17	11
118		P2	0	08	19
Cart track In between Survey Number.118/P2, 146/P4		-	0	01	42
146		P4	0	01	76
146		P3	0	26	01
140		-	0	27	08
139		1P2	0	16	75
132		-	0	14	96
131		-	0	18	53
Cart track In between Survey Number.131 Village boundary of Tana		-	0	01	60
Banas River In between Village boundry of Tana & Survey Number 195/P2		-	-	99	79
195		P2	1	53	76
187		-	0	24	94
189		-	0	17	37
188		-	0	05	40
10. AMBLUN					

Taluk : KANKREJ		District : BANASKANTHA		State : GUJARAT		
Name of Village	Survey no.	Sub-Division No.	Area			
			Hectare	Are	Square Metre	
10. AMBLUN ( Contd...)	178	P2	0	09	36	
	178	P1	0	10	44	
	Nala In between Survey Number.178/P1 & 167		0	08	01	
	167		0	13	59	
	168		0	28	08	
	170		0	14	94	
	141	1	0	12	60	
	141	2P1	0	13	32	
	140	-	0	24	59	
	Cart track In between Survey Number.140 & 120/3		0	03	22	
	120	3	0	01	41	
	121	-	0	10	69	
	123	P1	0	20	67	
	123	P2	0	05	01	
	122	-	0	05	01	
	7	P1	0	18	17	
	7	P3	0	13	86	
	6	-	0	29	75	
	8	1	0	16	50	
8	2	0	00	20		
14	P1	0	16	75		
2	-	0	00	50		
13	-	0	16	50		
1	P1	2	20	22		
12. ANGANWADA	57	-	0	23	52	
	82	-	0	24	22	
	81	-	0	09	84	
	83	-	0	12	65	
	80	1	0	12	40	
	80	2	0	07	12	
	Cart track In between Survey Number 80/2 & 85		0	03	50	
	85	-	0	17	72	
	86	1	0	14	25	
	86	2	0	01	72	



Taluk : KANKREJ		District : BANASKANTHA		State : GUJARAT		
Name of Village	Survey no.	Sub-Division No.	Area			
			Hectare	Are	Square Metre	
12. ANGANWADA ( Contd...)	106	1	0	00	30	
	106	2	0	14	31	
	105	-	0	10	40	
	110	-	0	17	28	
	111	-	0	06	59	
	114	-	0	33	32	
	125	2	0	05	95	
	124	-	0	03	18	
	116	-	0	08	20	
	123	2	0	10	33	
	123	1	0	00	30	
	121	1	0	05	68	
	121	2	0	07	28	
	122	-	0	21	65	
	120	P1	0	08	83	
	120	P2	0	16	21	
	Asphalted Road In between Survey Number 120/P2 & 141/1/P1			0	02	13
	141	1P1	0	07	12	
	141	1P2	0	07	30	
	141	2	0	15	00	
	145	-	0	06	52	
	146	-	0	20	92	
	165	-	0	17	18	
	181	2	0	21	74	
	182	-	0	11	58	
	184	-	0	21	74	
	209	-	0	29	91	
	210	P2	0	07	12	
	208	-	0	24	41	
	207	1	0	11	44	
	207	2P1	0	22	63	
	206	-	0	12	83	
	Asphalted Road In between Survey Number.206 & 238/P1 238			0	04	50
	P1	0	09	54		
Cart track In between Village boundary of Sapara & Survey Number.171			-	0	09	40
13. DUDASAN						

Taluk : KANKREJ		District : BANASKANTHA		State : GUJARAT		
Name of Village	Survey no.	Sub-Division No.	Area			
			Hectare	Are	Square Metre	
13. DUDASAN	171	-	0	14	96	
( Contd....)	170	1	0	07	84	
	170	2	0	07	30	
	170	3P1	0	09	05	
	168	P1	0	13	36	
	153	-	0	23	54	
	152	P2	0	12	29	
	151	-	0	12	47	
	150	2	0	10	69	
	149	-	0	07	84	
	146	-	0	17	10	
	145	-	0	08	26	
	140	2	0	07	91	
	141	1P1	0	14	23	
	121	-	0	19	60	
	Cart track In between Survey Number.121 & 116/2	-	0	00	50	
	116	2	0	10	58	
	116	1P2	0	12	47	
	60	P2	0	16	37	
	Asphalted Road In Survey Number.60/P2	-	0	00	55	
	60	P1	0	15	68	
	59	P1	0	01	88	
	24	-	0	14	96	
	Canal In Survey Number.24	-	0	00	80	
	58	1P1	0	05	70	
	58	2P1	0	07	66	
	57	-	0	13	54	
	46	-	0	14	43	
	47	-	0	15	96	
	39	-	0	09	62	
	38	-	0	09	97	
	37	1	0	17	03	
	36	-	0	03	38	
	Cart track In between Survey No.36 & 279	-	0	03	38	
	279	-	0	04	81	

Taluk : KANKREJ		District : BANASKANTHA		State : GUJARAT		
Name of Village	Survey no.	Sub-Division No.	Area			
			Hectare	Are	Square Metre	
13. DUDASAN ( Contd...)	278	-	0	01	06	
	281	P3	0	13	89	
	281	P2	0	12	71	
	281	P4	0	00	47	
	302	P1	0	21	38	
	302	P2	0	19	24	
	303	1	0	12	11	
	304	P1	0	09	26	
	305	P2	0	17	10	
	14. LAXMIPURA	97	2	0	03	86
97		1	0	00	20	
123		P3	0	1	10	
98		1	0	09	97	
98		2	0	08	91	
99		-	0	09	32	
100		1	0	01	37	
102		-	0	31	36	
115		-	0	12	48	
146		1	0	10	87	
145		-	0	01	43	
210		P1	0	19	06	
206		-	0	24	65	
209		P2	0	15	68	
209		P1	0	19	95	
207		-	0	33	50	
103		-	0	17	10	
116		-	0	12	11	
Canal In Survey Number.116		-	0	01	42	
Canal In Survey Number.147/P2		-	0	00	20	
15. KAMBOI	147	P1	0	14	61	
	Cart track In between Survey Number. 145 of village laxmipura and 219/P1	-	0	01	42	
	219	P1	0	11	40	
	219	P2	0	11	00	
	219	P3	0	12	83	
	217	-	0	08	73	
	220	1	0	18	71	

Taluk : KANKREJ		District : BANASKANTHA		State : GUJARAT		
Name of Village	Survey no.	Sub-Division No.	Area			
			Hectare	Are	Square Metre	
15. KAMBOI	216	-	0	11	76	
( Contd....)	Asphalted Road In Survey Number.208/P1	-	0	02	06	
	Canal.In Survey Number.208/P1	-	0	00	70	
	208	P1	0	53	91	
	208	P2	0	22	45	
	834	-	0	18	89	
	820	P1	0	12	47	
	833	-	0	17	46	
	836	-	0	18	17	
	835	P1	0	19	35	
	835	P2	0	00	25	
	848	-	0	00	20	
	837	P2	0	13	20	
	837	P1	0	15	68	
	846	-	0	08	73	
	845	P1	0	13	18	
	839	1	0	18	06	
	839	2	0	00	25	
	842	-	0	09	50	
	843	3	0	04	75	
	Cart track In between Survey Number.843/3 and 913		0	03	56	
	913	-	0	21	38	
	1643	3	0	17	82	
	1646	-	0	13	36	
	1647	-	0	14	61	
	1648	-	0	12	11	
	1651	-	0	01	68	
	1650	P1	0	18	27	
	1650	P2	0	12	83	
	1676	-	0	11	04	
	1675	P2	0	14	96	
	1675	P1	0	17	46	
	1674	2	0	07	30	
	1674	1	0	08	89	
	1673	-	0	00	32	
	1693	1	0	13	54	

Taluk : KANKREJ		District : BANASKANTHA		State : GUJARAT		
Name of Village	Survey no.	Sub-Division No.	Area			
			Hectare	Are	Square Metre	
15. KAMBOI ( Contd....)	1693	2	0	12	83	
	1695	P2	0	11	30	
	1695	P1	0	17	95	
	1696	-	0	07	84	
	1700	-	0	05	70	
	1690	-	0	15	32	
	1691	-	0	25	66	
	1749	1P2	0	14	85	
	Cart track In between Survey Number.1749/1/P2 and 1667/P2		0	07	28	
	1667	P2	0	22	81	
16. RANER	1766	P1	0	31	36	
	1762	P1	0	04	60	
	1764	-	0	06	41	
	1763	-	0	14	25	
	1452	-	0	14	46	
	1411	-	0	10	75	
	1412	-	0	09	67	
	1408	2	0	04	27	
	1407	1	0	06	34	
	1407	2	0	06	00	
	1413	-	0	04	63	
	1406	-	0	09	19	
	1405	2	0	00	94	
	1405	1	0	13	00	
	1404	-	0	01	37	
	1397	-	0	26	01	
	1385	-	0	03	30	
	Cart track In between Survey Number.1385 and 1398		-	0	03	76
	1398	-	0	11	26	
	Cart track In between Survey Number.1398 and 1349/P3		-	0	03	75
	1349	P3	0	18	53	
	1345	P1	0	15	68	
	Canal.InSurvey Number.1346/P2		0	08	64	
	1346	P1	0	18	54	
	1312	P1	0	13	54	
	1311	-	0	20	31	
	1302	-	0	04	26	
	1300	1	0	04	29	
	1301	-	0	13	55	

Taluk : KANKREJ		District : BANASKANTHA		State : GUJARAT		
Name of Village	Survey no.	Sub-Division No.	Area			
			Hectare	Are	Square Metre	
16. RANER (Contd...)	Metalled Road In between Survey Number 1301 and 1181	-	0	03	76	
	1181	-	0	13	54	
	1182	P1	0	17	53	
	1155	P1	0	15	00	
	1154	P1	0	15	68	
	Canal.InSurvey Number.1154/P2	-	0	03	56	
	1153	-	0	06	77	
	1150	-	0	17	70	
	1149	-	0	04	30	
	1135	-	0	19	95	
	1134	-	0	14	25	
	1121	-	0	22	09	
	1122	-	0	09	26	
	1109	-	0	09	13	
	1119	-	0	01	64	
	1110	-	0	12	23	
	1108	P1	0	00	30	
	1111	-	0	17	10	
	1112	-	0	07	12	
	1079	-	0	15	68	
	1080	-	0	09	67	
	1078	-	0	00	30	
	1075	-	0	15	67	
	1076	P1	0	09	27	
	1053	P1	0	20	67	
	Asphalted road In between Survey Number.1053/P1 and 750/P1	-	0	02	16	
	750	P1	0	09	26	
	749	P1	0	19	95	
	748	-	0	22	09	
	747	P1	0	16	39	
	746	-	0	09	98	
	745	-	0	11	40	
	744	-	0	15	96	
	743	-	0	11	40	
	742	-	0	00	30	
	Cart track In between Survey Number.742 and 712	-	0	05	65	
	712	-	0	04	27	
	713	-	0	11	40	
	718	P2	0	28	50	

11-0053(11)

Taluk : KANKREJ		District : BANASKANTHA		State : GUJARAT		
Name of Village	Survey no.	Sub-Division No.	Area			
			Hectare	Are	Square Metre	
16. RANER ( Contd...)	Cart track In between Survey Number.718/P2 and 719		0	00	30	
	719	-	0	37	78	
	721	-	0	17	81	
	612	-	0	07	11	
	722	-	0	25	66	
	724	-	0	37	05	
	725	-	0	14	63	

[No. R-31015/38/2004-O.R.-II]  
HARISH KUMAR, Under Secy.

नई दिल्ली, 5 नवम्बर, 2004

का. आ. 2914.— केन्द्रीय सरकार ने, पेट्रोलियम और खनिज पाइपलाइन (भूमि में उपयोग के अधिकार का अर्जन) अधिनियम, 1962 (1962 का 50) (जिसे इसमें इसके पश्चात उक्त अधिनियम कहा गया है) की धारा 3 की उपधारा (1) के अधीन जारी की गई भारत सरकार के पेट्रोलियम और प्राकृतिक गैस अनुसूची में विनिर्दिष्ट भूमि में मैसर्स गैस ट्रांसपोर्टेशन एण्ड इन्फ्रास्ट्रक्चर कम्पनी लिमिटेड की संप्रवर्तक कम्पनी मैसर्स रिलायंस इन्डस्ट्रीज लिमिटेड के गोवा के उत्तरी/दक्षिणी अपतट के खोज ब्लॉकों और आन्ध्र प्रदेश राज्य की संरचनाओं से गोवा राज्य के उत्तरी और दक्षिणी गोवा जिले के विभिन्न उपभोक्ताओं तक प्राकृतिक गैस के परिवहन के लिए पाइपलाइन बिछाने के प्रयोजन के लिए उपयोग के अधिकार का अर्जन करने के अपने आशय की घोषणा की थी ;

और, उक्त राजपत्रित अधिसूचना की प्रतियाँ जनता को तारीख 2 जनवरी, 2003 को उपलब्ध करा दी गई थीं ;

और पाइपलाइन बिछाने के संबंध में जनता से प्राप्त आक्षेपों पर सक्षम प्राधिकारी द्वारा विचार कर किया लिया गया और उन्हें अननुज्ञात कर दिया है ;

और, उक्त अधिनियम की धारा 6 की उपधारा (1) के अधीन सक्षम प्राधिकारी ने केन्द्रीय सरकार को अपनी रिपोर्ट दे दी है;

और, केन्द्रीय सरकार ने उक्त रिपोर्ट पर विचार करने के पश्चात और यह समाधान हो जाने पर कि उक्त भूमि पाइपलाइन बिछाने के लिए अपेक्षित है उस भूमि में उपयोग का अधिकार अर्जन करने का विनिश्चय किया है ;

अतः, अब, केन्द्रीय सरकार उक्त अधिनियम की धारा 6 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, घोषणा करती है कि इस अधिसूचना से संलग्न अनुसूची में विनिर्दिष्ट उक्त भूमि में पाइपलाइन बिछाने के लिए उपयोग का अधिकार अर्जित किया जाता है ;

और, केन्द्रीय सरकार उक्त अधिनियम की धारा 6 की उपधारा (4) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह निदेश देती है कि उक्त भूमि में पाइपलाइन बिछाने के लिए उपयोग का अधिकार इस घोषणा के प्रकाशन की तारीख को केन्द्रीय सरकार में निहित होने की बजाए सभी विल्लंगमों से मुक्त गैस ट्रांसपोर्टेशन एण्ड इन्फ्रास्ट्रक्चर कम्पनी लिमिटेड (मैसर्स रिलायंस इन्डस्ट्रीज लिमिटेड की संप्रवर्तित कंपनी) में निहित होगा।

कमुसुपी						
तालुका - मुरगांव		जिल्हा : दक्षिण गोवा			राज्य : गोवा	
क्र. नं.	गांव का नाम	खं नंबर	सबडिविजन नं.	हेक्टर	एर	स्क्व मी.
1	2	3	4	5	6	7
1	साकमाळे	85		00	00	90
		84		00	48	00
		77	1	00	01	12
		78	1	00	50	40
		81	1	00	77	10
		68	1	00	22	50
		69		00	18	90
		64	1	00	38	45
		67		00	00	04
		64	3	00	45	45
		64	4	00	19	05
		66		00	08	00
		65	2	00	30	90
2	कुदळळी	यन ऐच - 17 (सर्वे नं. 206/0 और 207/0 के बीच में)		3	60	81
		206	1	0	14	35
		207	1	0	01	32
		रास्ता (सर्वे नं. 207/0 और 127/2 के बीच में)		0	57	80
		127	2	0	02	66
		128		0	07	22
		रास्ता (सर्वे नं. 131/0 और 133/1 के बीच में)		0	39	60
		145	1	0	05	10
		143	1	0	00	10
		143	2	0	03	00
		यन ऐच - 17 (सर्वे नं. 115/1, 116/1, 111/4 और 106/0 के बीच में)		0	05	26
		116	3	0	01	54
		116	2	0	00	30
		106		0	18	30
		पैल गाडी का रास्ता (सर्वे नं. 106/0 और 111/4 के बीच में)		0	00	58
		111	3	0	00	50
		110	1	0	11	50
		109	16	0	33	00
		109	22	0	01	01
		109	21	0	02	72
		109	3	0	04	00
		109	4	0	07	50
		109	5	0	08	40
		108	2	0	06	12
		109	7	0	12	60
		109	8	0	01	35
		109	9	0	01	22
		79	1	0	03	49
		नाला (सर्वे नं. 56/5 और 152 केळशी के बीच में)		0	36	00
		57	1	0	04	88
		56	5	0	01	29
		नाला (सर्वे नं. 54 और 156/1 केळशी के बीच में)		0	04	23
		56	3	0	04	23
		54		0	04	00
3	केळशी	रास्ता (सर्वे नं. 79/0 कुदळळी के 142/1 केळशी के बीच में)		4	10	37
		142	1	0	02	55
				0	08	88



[भाग II—खण्ड 3(ii)]

1	2	3	4	5	6	7
	केलसी (निरंतर)	142	7	0	00	60
		142	4	0	39	60
		142	3	0	19	16
		144	1	0	08	30
		144	4	0	16	52
		144	3	0	07	35
		153	45	0	03	20
		153	44	0	02	68
		153	42	0	00	76
		153	40	0	01	04
		153	41	0	01	50
		153	39	0	00	82
		153	38	0	00	10
		153	34	0	00	41
		153	35	0	01	19
		153	36	0	00	71
		153	37	0	00	37
		153	30	0	00	48
		153	31	0	00	80
		153	27	0	03	83
		153	25	0	01	10
		153	29	0	00	69
		153	26	0	01	04
		153	24	0	01	28
		153	22	0	01	49
		153	21	0	01	56
		153	20	0	01	49
		153	19	0	00	10
		153	17	0	00	89
		153	18	0	02	18
		153	16	0	02	73
		153	14	0	02	52
		153	13	0	02	72
		153	10	0	02	73
		153	9	0	02	17
		153	7	0	01	48
		153	6	0	00	93
		153	5	0	00	10
		153	1	0	31	30
		154	1	0	02	92
		155	10	0	02	92
		155	9	0	04	54
		155	8	0	03	45
		155	7	0	01	13
		155	5	0	06	00
		155	6	0	00	92
		155	1	0	01	22
		155	2	0	00	70
		155	2	0	03	74
	रास्ता (स्वै नं. 155/1 और 156/12, 13, 14 केलसी के बीच में)	156	14	0	03	44
		156	17	0	00	18
		156	16	0	00	17
		156	15	0	00	18
		156	13	0	02	31
		156	12	0	01	84
		156	11	0	00	57

1	2	3	4	5	6	7
	केळशी (निरंतर)	156	9	0	07	69
		156	10	0	16	40
		156	5	0	00	77
		156	4	0	03	26
		156	3	0	02	70
		156	2	0	02	70
		156	1	0	02	50
		157	1	0	05	88
	नाला (सर्वे नं. 157/2 और 156/1 के बीच में)	157	2	0	52	10
	जुवारी नदी (सर्वे नं. 157/1 और 167 के बीच में)	167		0	81	08
	जुवारी नदी (सर्वे नं. 167/0, 58/0 और 59/0 के बीच में)			2	26	30
				6	80	17
1	तालुका - फोंडा	जिल्हा : उत्तर गोवा			राज्य : गोवा	
	मडकई	58	1	0	01	05
		59		0	10	20
		63	1	0	33	30
	रास्ता (सर्वे नं. 67/0, 65/0 और 69/2 के बीच में)	69	3	0	02	84
		69	1	0	01	36
		48	2	0	03	34
		70	3	0	01	24
		70	5	0	19	62
		71	2	0	00	20
		71	2	0	01	99
		71	1	0	10	86
		71	5	0	05	10
		71	7	0	02	10
		72	1	0	05	40
		72	2	0	03	90
		72	3	0	03	85
		72	6	0	08	85
		72	4	0	00	25
		42	1	0	03	68
		42	2	0	08	40
		42	4	0	08	10
		42	6	0	08	43
		42	8	0	08	86
		42	11	0	10	58
		129	11	0	00	10
		129	12	0	00	10
		129	13	0	00	10
		129	14	0	00	10
		129	15	0	00	35
		129	16	0	00	50
		129	17	0	00	68
		42	12	0	01	28
		130	8	0	08	90
		130	7	0	03	70
		133	1	0	02	10
		133	2	0	02	10
		133	3	0	03	69
		133	4	0	03	69
		133	5	0	03	78
		133	6	0	04	20

1	2	3	4	5	6	7
	मठकई (निरंतर)	133	7	0	03	97
		133	8	0	02	40
		133	9	0	02	13
		133	10	0	04	50
		133	11	0	01	50
		133	12	0	01	80
		133	13	0	01	83
		133	14	0	01	70
		133	15	0	06	30
		133	16	0	05	14
		133	17	0	01	35
	साडी (सर्वे नं. 133/17 और सर्वे नं 134/5 के बीच में)	133		0	03	97
		134	5	0	05	75
		134	2	0	10	28
		134	3	0	04	84
		134	4	0	04	27
		135		0	00	31
	रास्ता (सर्वे नं. 134/3 और सर्वे नं 144/7, 8 के बीच में)	135		0	01	78
		144	11	0	01	98
		144	7	0	01	28
		144	10	0	00	15
		144	8	0	08	16
		144	9	0	07	92
		143	8	0	08	28
		143	9	0	06	47
		143	10	0	07	20
		143	11	0	04	32
		142	1	0	05	60
		142	2	0	04	23
		142	3	0	04	68
		142	4	0	04	25
		142	13	0	00	01
		142	11	0	01	97
		142	9	0	04	34
		142	6	0	05	19
		142	5	0	03	07
	साडी (सर्वे नं. 142/5 और सर्वे नं 279/1 के बीच में)	142		0	06	42
		142	7	0	00	01
		279	1	0	01	31
		279	2	0	06	35
		278	1	0	00	12
		278	2	0	03	88
		278	3	0	05	53
		278	4	0	07	20
		278	5	0	04	54
		278	6	0	03	86
		278	7	0	05	02
		278	8	0	07	29
		278	9	0	05	26
		278	10	0	05	84
		278	11	0	05	20
		273	1	0	02	82
		273	2	0	03	14
		273	3	0	02	73
		273	4	0	04	68

1	2	3	4	5	6	7
	महकई (निरंतर)	273	5	0	05	16
		273	6	0	04	00
		273	7	0	08	32
		273	8	0	08	32
		273	9	0	05	05
		272	1	0	04	20
		272	2	0	05	34
		272	3	0	04	46
		272	4	0	05	60
		272	5	0	04	64
		272	6	0	04	40
		272	7	0	04	56
		272	8	0	09	60
	साडी (सर्वे नं. 272/8 और सर्वे नं 269/1 के बीच में)			0	05	99
		269	1	0	02	24
		267		0	52	47
		269	3	0	01	97
		269	4	0	02	16
		269	5	0	01	12
		268	1	0	01	35
		268	2	0	03	23
		268	3	0	01	44
		268	4	0	01	64
		268	5	0	01	91
	रास्ता(सर्वे नं.267, 268/5 और सर्वे नं 266/1 के बीच में)			0	02	17
		266	1	0	04	71
		266	2	0	02	88
		266	3	0	03	01
		266	4	0	05	64
		266	5	0	04	50
		265	1	0	02	52
		265	2	0	04	04
		265	3	0	00	10
	साडी (सर्वे नं. 265/2 और सर्वे नं 264/4 के बीच में)			0	05	35
		264	4	0	03	90
		264	5	0	08	17
		264	6	0	08	40
		263	1	0	05	71
		263	2	0	04	35
		263	3	0	08	50
		263	4	0	02	63
		263	5	0	02	70
		263	6	0	03	68
		263	7	0	02	70
		261	8	0	24	95
		243	5	0	00	10
		261	4	0	00	25
		261	1	0	01	19
		261	2	0	00	90
		261	3	0	16	87
		249	8	0	03	70
		249	10	0	11	28
		249	9	0	00	75
	साडी (सर्वे नं 249/9, 10 और सर्वे नं 250/3 के बीच में)			0	06	37
		250	3	0	02	86

1	2	3	4	5	6	7
	मडकई (निरंतर)	250	4	0	17	70
		250	6	0	03	62
		250	2	0	00	93
		248	3	0	08	65
		251	0	0	13	05
	रास्ता (सर्वे नं. 252/0 में)			0	01	75
		252	0	0	21	45
		247	5	0	00	72
				7	86	85
2	कुंडई	बैल गाड़ी रास्ता (सर्वे नं. 252/0, 247/5 मडकई के और सर्वे नं. 118/3 कुंडई के बीच में)		0	02	32
		118	3	0	16	80
		118	4	0	05	84
		118	2	0	00	52
		119	5	0	05	49
		119	2	0	04	21
		119	1	0	16	50
		120		0	32	40
	रास्ता (सर्वे नं. 120/0 में)			0	02	00
		113	1	0	07	65
		113	2	0	02	18
		113	5	0	11	55
		113	3	0	05	33
		113	4	0	09	92
		114	7	0	00	27
		114	3	0	00	54
		114	2	0	01	03
		114	1	0	01	50
		126	16	0	04	39
		126	15	0	06	93
		126	12	0	00	40
	बैल गाड़ी का रास्ता (सर्वे नं. 126/12, 15, 16 और 127/6, 112/5, 7, 8 के बीच में)			0	03	34
		112	8	0	00	13
		112	7	0	00	70
		112	5	0	02	33
		112	4	0	00	12
		112	3	0	00	21
		112	2	0	00	29
		112	1	0	00	45
		127	6	0	13	74
		127	5	0	02	45
		127	4	0	07	32
		127	2	0	00	03
		129	23	0	00	61
		129	22	0	00	66
		129	21	0	00	59
		129	20	0	01	50
		129	19	0	01	96
		129	18	0	02	80
		129	17	0	01	72
		129	16	0	01	35
		129	15	0	03	50
		129	14	0	01	68
		129	13	0	01	86
		129	12	0	04	88
		129	11	0	05	31

1	2	3	4	5	6	7
	कुंडई (निरंतर)					
	129	10	0	03	90	
	129	9	0	04	20	
	129	8	0	04	58	
	129	7	0	03	84	
	129	6	0	02	70	
	129	5	0	03	44	
	129	4	0	02	88	
	129	3	0	04	05	
	साडी (136/15, 128/0 और 129/3, 4, 5, 7 और 133/1 से 7 के बीच में)		0	04	48	
	128		0	01	25	
	136	15	0	00	22	
	133	7	0	02	07	
	133	6	0	02	10	
	133	5	0	02	77	
	133	4	0	04	16	
	133	3	0	02	88	
	133	2	0	03	84	
	133	1	0	02	90	
	135	13	0	03	84	
	135	12	0	03	52	
	135	11	0	03	74	
	135	9	0	03	41	
	135	6	0	03	41	
	135	5	0	03	41	
	135	4	0	03	72	
	135	3	0	03	72	
	135	1	0	03	10	
	140	9	0	03	30	
	140	8	0	02	85	
	140	7	0	03	16	
	140	6	0	02	01	
	140	5	0	02	85	
	140	4	0	03	92	
	140	3	0	02	85	
	140	2	0	03	06	
	140	1	0	03	30	
	142	11	0	04	05	
	142	10	0	03	60	
	142	9	0	02	01	
	142	8	0	02	25	
	142	7	0	03	97	
	142	6	0	04	28	
	142	5	0	03	18	
	142	4	0	03	35	
	142	3	0	03	34	
	142	2	0	03	97	
	142	1	0	06	12	
	145	2	0	05	32	
	145	3	0	21	90	
	रास्ता (सर्वे नं. 145/3 और 147/11, 12 के बीच में)		0	03	30	
	147	12	0	01	82	
	147	11	0	03	57	
	147	10	0	02	48	
	147	9	0	03	30	
	147	8	0	03	31	

1	2	3	4	5	6	7
	कुडई (निरंतर)	147	7	0	02	79
		147	6	0	02	23
		147	5	0	05	10
		147	4	0	04	35
		147	3	0	02	57
		147	2	0	01	80
		147	1	0	04	85
		153	14	0	03	45
	साड़ी (सर्वे नं 154/0 और 153/13, 14 के बीच में)			0	00	76
		153	13	0	04	61
		153	12	0	03	75
		153	11	0	01	80
		153	10	0	02	38
		153	9	0	04	10
		153	8	0	04	78
		153	7	0	04	72
		153	6	0	04	50
		153	5	0	04	71
		153	4	0	04	22
		153	3	0	03	78
		153	1	0	00	95
	मैल गाड़ी का रास्ता (सर्वे नं 153/1 और 232/16 के बीच में)			0	01	72
		232	16	0	02	57
		232	15	0	03	21
		232	14	0	03	91
		232	13	0	01	80
		232	12	0	01	71
		232	11	0	01	96
		232	10	0	01	79
		232	9	0	03	74
		232	8	0	03	00
		232	7	0	04	81
		232	6	0	02	17
		232	4	0	04	41
		232	2	0	03	90
		235	12	0	06	00
		235	10	0	04	64
		235	9	0	05	10
		235	7	0	04	95
		235	5	0	12	30
		235	3	0	04	50
		235	1	0	02	46
		236	10	0	02	40
		236	9	0	05	64
		236	8	0	02	56
		236	6	0	00	86
		236	7	0	03	88
		236	3	0	01	28
		227	14	0	00	22
		227	13	0	00	76
		227	12	0	01	07
		227	11	0	01	65
		227	10	0	01	64
		227	9	0	02	52
		227	8	0	03	30





1	2	3	4	5	6	7
	कुर्ब (मिरत)	212	17	0	03	08
		212	14	0	05	53
		212	12	0	02	85
		212	10	0	03	38
		212	9	0	01	16
		212	7	0	00	84
		212	6	0	01	41
		212	5	0	01	44
		212	25	0	00	53
		212	4	0	00	55
		212	2	0	00	54
		212	1	0	00	48
		213	5	0	04	49
		213	1	0	02	37
		213	6	0	00	20
	नरता (सर्वे नं. 212/1,213/1,210/14 और 208/6 के बीच में)			0	01	73
		208	6	0	01	14
		211	1	0	00	10
		210	14	0	01	02
		210	13	0	03	74
		210	12	0	02	01
		210	11	0	02	48
		210	10	0	01	65
		210	9	0	01	72
		210	8	0	03	05
		210	7	0	03	07
		210	6	0	02	97
		210	5	0	03	03
		210	4	0	03	12
		210	3	0	03	17
		210	2	0	03	06
		210	1	0	02	88
		206	24	0	03	34
		206	23	0	03	06
		206	22	0	02	74
		206	21	0	02	99
		206	19	0	03	05
		206	18	0	03	00
		206	17	0	02	98
		206	16	0	02	83
		206	15	0	03	45
		206	13	0	02	62
		206	12	0	03	02
		206	11	0	02	81
		206	10	0	00	52
		206	9	0	00	41
		206	8	0	01	83
		206	7	0	00	40
		206	6	0	00	40
		206	5	0	00	30
		206	4	0	01	88
		206	3	0	00	28
		206	2	0	00	34
		206	1	0	01	37
		205	27	0	05	29

1	2	3	4	5	6	7
	कुंडई (निरंतर)					
	205	30	0	00	79	
	205	29	0	00	32	
	205	28	0	00	25	
	205	26	0	00	20	
	205	25	0	00	15	
	205	24	0	00	06	
	205	23	0	02	63	
	205	22	0	00	06	
	205	21	0	00	07	
	205	20	0	02	57	
	205	19	0	00	06	
	205	18	0	02	72	
	205	17	0	00	07	
	205	16	0	00	09	
	205	15	0	03	23	
	205	14	0	05	62	
	205	12	0	02	56	
	205	11	0	01	84	
	205	8	0	04	82	
	205	7	0	08	82	
	205	3	0	05	53	
	205	2	0	10	25	
	205	1	0	02	27	
	204		0	34	39	
	साडी (सर्वे नं. 199/0, 204/0, 200/0, 203/0 201/6 से 24 के बीच में)		0	53	09	
	203		0	07	40	
	199		0	12	68	
	201	24	0	00	14	
	201	22	0	01	09	
	201	21	0	01	40	
	201	20	0	01	14	
	201	19	0	00	96	
	201	18	0	00	74	
	201	17	0	00	60	
	201	16	0	00	39	
	201	15	0	00	15	
	201	14	0	00	13	
	201	13	0	00	24	
	201	12	0	00	26	
	201	11	0	00	18	
	201	10	0	00	15	
	201	9	0	00	13	
	201	8	0	00	11	
	201	7	0	00	10	
	201	6	0	00	10	
	201	5	0	00	10	
	202	2	0	00	10	
	200		0	08	06	
	जुवारी नदी (सर्वे नं. 200/0, 13/18, 20 और 14/0 के बीच में)		0	15	03	
	14		0	01	67	
	साडी (सर्वे नं. 200/0, 14/0 और 13/20, 18 के बीच में)		0	08	77	
	13	20	0	00	55	
	13	18	0	15	06	
	13	17	0	00	97	
	13	16	0	02	56	

1	2	3	4	5	6	7
	कुंडई (निरंतर)	13	15	0	03	03
		13	14	0	03	55
		13	13	0	03	39
		13	12	0	06	14
		13	11	0	06	47
		13	10	0	03	12
		13	9	0	06	51
		13	8	0	07	50
		13	7	0	05	72
		13	6	0	04	03
		13	5	0	03	58
		13	4	0	03	30
		13	3	0	03	86
		13	2	0	03	42
		13	1	0	03	25
		15	29	0	02	77
		15	28	0	03	32
		15	27	0	02	95
		15	26	0	03	26
		15	25	0	05	41
		15	21	0	05	70
		15	16	0	03	01
		15	13	0	02	84
		15	11	0	03	05
		15	9	0	02	53
		15	8	0	01	47
		24	1	0	02	57
		21	16	0	05	73
		21	15	0	01	92
		21	14	0	14	80
		21	13	0	00	87
		21	10	0	02	22
		21	9	0	03	26
		21	8	0	02	17
		21	7	0	02	36
		21	6	0	02	12
		21	5	0	02	30
		21	4	0	06	30
		21	3	0	02	38
		21	1	0	12	45
		22	1	0	01	21
		19	3	0	01	01
		19	4	0	04	11
		नक्सा (सर्वे नं. 19/3, 19/4 और 44/1, 45/6 योजना के बीच में)		0	02	04
				12	64	05
3	भोसा	44	1	0	03	00
		45	6	0	07	42
		48	1	0	01	77
		48	4	0	04	46
		48	5	0	07	79
		48	6	0	00	61
		48	7	0	00	61
		48	8	0	00	61
		48	9	0	03	43
		48	10	0	03	18

1	2	3	4	5	6	7
	बोधा (निरंतर)					
	48	12	0	02	60	
	48	11	0	04	39	
	48	16	0	01	21	
	48	17	0	01	25	
	48	18	0	01	16	
	48	19	0	01	70	
	48	20	0	02	11	
	48	21	0	01	26	
	48	22	0	01	45	
	48	23	0	00	44	
	48	24	0	00	67	
	48	25	0	00	33	
	48	26	0	02	72	
	48	28	0	02	90	
	48	29	0	12	50	
	48	27	0	02	42	
	48	15	0	02	05	
	48	14	0	02	60	
	48	13	0	02	57	
	55	45	0	00	42	
	55	44	0	00	40	
	55	43	0	00	40	
	55	42	0	00	57	
	55	41	0	00	74	
	55	40	0	01	01	
	55	39	0	00	66	
	55	38	0	00	52	
	55	37	0	00	11	
	55	36	0	00	64	
	55	35	0	00	10	
	55	34	0	00	10	
	55	33	0	00	10	
	55	32	0	00	60	
	55	31	0	00	47	
	55	30	0	00	10	
	55	29	0	00	10	
	55	28	0	00	10	
	55	27	0	00	17	
	55	26	0	00	18	
	55	25	0	00	27	
	55	24	0	00	22	
	55	23	0	00	10	
	55	22	0	00	10	
	55	21	0	00	10	
	55	20	0	00	10	
	55	19	0	00	10	
	55	18	0	00	10	
	55	17	0	00	10	
	55	16	0	00	11	
	55	15	0	00	12	
	57	14	0	00	15	
	57	5	0	00	34	
	57	4	0	00	56	
	57	3	0	03	00	
	57	2	0	01	02	

1	2	3	4	5	6	7
57	00	57	1	0	02	25
58	00	58	28	0	00	26
58	00	58	27	0	05	64
59	00	59	9	0	15	40
59	00	59	16	0	00	10
59	00	59	15	0	00	13
59	00	59	14	0	00	28
59	00	59	13	0	00	47
59	00	59	11	0	02	04
59	00	59	10	0	02	07
59	00	59	8	0	00	28
59	00	59	7	0	00	27
59	00	59	6	0	00	31
59	00	59	5	0	00	28
59	00	59	4	0	00	13
56	00	56	2	0	42	12
56	00	56	1	0	02	48
नक्सा (सर्वे नं. 59/4 से 10 और 110/20, 21, 22 के बीच में)						
110	00	110	22	0	02	80
110	00	110	21	0	03	47
110	00	110	20	0	01	34
110	00	110	19	0	01	98
110	00	110	18	0	04	37
110	00	110	17	0	02	59
110	00	110	16	0	03	87
110	00	110	15	0	02	38
110	00	110	14	0	01	85
110	00	110	13	0	01	87
110	00	110	12	0	02	06
110	00	110	11	0	02	06
110	00	110	10	0	02	01
110	00	110	9	0	01	71
110	00	110	8	0	01	71
110	00	110	7	0	01	62
110	00	110	1	0	01	80
109	00	109	21	0	04	77
109	00	109	16	0	01	68
109	00	109	13	0	00	77
109	00	109	10	0	00	73
109	00	109	7	0	01	21
109	00	109	5	0	00	84
109	00	109	3	0	00	25
साडी (सर्वे नं. 57, 58, 59 और 48, 55 के बीच में)						
65	00	65	26	0	00	10
65	00	65	25	0	00	10
65	00	65	24	0	00	10
65	00	65	23	0	00	10
65	00	65	22	0	00	10
65	00	65	21	0	00	10
65	00	65	20	0	00	10
65	00	65	19	0	00	29
65	00	65	18	0	00	26
65	00	65	17	0	00	53
65	00	65	16	0	00	43
65	00	65	15	0	00	34

1	2	3	4	5	6	7
	भोमा (निरंतर)					
	65	14	0	00	88	
	65	13	0	00	32	
	65	12	0	00	44	
	65	11	0	00	47	
	65	10	0	00	45	
	65	9	0	00	34	
	65	8	0	00	27	
	65	7	0	00	19	
	68	6	0	00	10	
	68	12	0	00	19	
	68	11	0	00	21	
	68	10	0	00	39	
	68	9	0	00	35	
	68	8	0	00	82	
	68	6	0	01	04	
	68	5	0	01	45	
	68	4	0	01	95	
	68	3	0	02	19	
	68	2	0	06	21	
	68	1	0	06	09	
	67	36	0	00	60	
	67	35	0	00	36	
	67	34	0	00	26	
	67	33	0	00	26	
	67	32	0	00	14	
	67	31	0	00	21	
	67	30	0	00	10	
	साडी (सर्वे नं. 68, 67 और 107 के बीच में)		0	16	03	
	107	1	0	05	43	
	107	5	0	00	44	
	107	4	0	00	98	
	107	3	0	00	44	
	107	2	0	00	39	
	103	61	0	00	10	
	103	60	0	00	98	
	103	59	0	01	15	
	103	58	0	01	16	
	103	57	0	01	41	
	103	56	0	01	32	
	103	55	0	01	78	
	103	53	0	04	14	
	103	52	0	01	50	
	103	50	0	01	49	
	103	49	0	01	38	
	103	47	0	01	34	
	103	46	0	02	69	
	103	45	0	00	83	
	103	44	0	01	80	
	103	42	0	00	94	
	103	41	0	00	83	
	103	40	0	01	34	
	103	39	0	01	57	
	103	38	0	01	40	
	103	37	0	01	18	
	103	36	0	01	25	

1	2	3	4	5	6	7
	बोमा (निरंतर)	103	34	0	01	20
		103	32	0	01	51
		103	31	0	01	44
		103	30	0	01	28
		103	27	0	01	43
		103	26	0	02	47
		103	25	0	01	23
		103	23	0	01	27
		103	22	0	01	36
		103	21	0	01	31
		103	20	0	00	60
		103	18	0	00	60
		103	17	0	02	70
		103	16	0	01	41
		103	15	0	01	66
		103	13	0	02	70
		103	12	0	02	95
		103	11	0	02	82
		103	10	0	02	00
		103	9	0	01	19
		103	8	0	02	07
		103	7	0	02	65
		103	6	0	00	60
		103	4	0	06	72
		103	1	0	01	83
		102	1	0	05	06
		101		0	15	02
		102	2	0	00	53
	साडी (सर्वे नं. 101, 102 और 7 के बीच में)			0	19	80
	7		0	1	11	78
	साडी (सर्वे नं. 6/1, 6/2 और 9/19, 9/18 के बीच में)			0	01	30
	6		2	0	04	28
	6		1	0	01	27
	9		16	0	20	92
	9		15	0	00	77
	9		14	0	06	36
	9		13	0	12	00
	9		12	0	01	07
	9		11	0	03	54
	9		10	0	02	02
	9		9	0	01	09
	9		8	0	00	10
	9		19	0	01	66
	9		18	0	00	21
	यन ऐज - 4A (सर्वे नं. 9/13, 11/7 और सर्वे नं. 11 और 9 के बीच में)			0	05	40
	11		2	0	01	86
	11		3	0	01	70
	11		4	0	01	99
	11		5	0	03	72
	11		6	0	03	04
	11		7	0	01	12
	11		8	0	00	03
	11		1	0	00	41
	12		1	0	00	65
	10		13	0	04	60

1	2	3	4	5	6	7
	भोमा (निरंतर)	10	12	0	00	31
		10	3	0	00	66
		10	19	0	00	50
		10	20	0	02	53
		10	15	0	08	50
		10	18	0	00	03
		10	17	0	04	60
		10	6	0	10	20
		10	16	0	00	65
		10	4	0	07	60
		10	2	0	01	09
		10	1	0	00	65
4	अडकोण	66		6	47	58
		74	37	0	39	11
		74	34	0	01	24
		74	32	0	00	95
		74	30	0	00	80
		74	28	0	00	75
		74	26	0	00	62
		74	25	0	00	48
		73	1	0	05	02
		73	32	0	01	28
		73	30	0	00	74
		73	28	0	00	90
		73	26	0	00	98
		73	24	0	01	14
		73	22	0	00	96
		73	20	0	00	92
		73	18	0	00	94
		73	16	0	00	97
		73	15	0	03	30
		73	12	0	03	32
		73	10	0	03	00
		73	7	0	03	34
		73	5	0	02	46
		73	2	0	07	13
		72	39	0	03	98
		72	37	0	03	88
		72	35	0	03	47
		72	33	0	03	60
		72	31	0	03	65
		72	29	0	01	25
		72	27	0	01	23
		72	25	0	02	32
		72	23	0	01	24
		72	21	0	04	70
		72	19	0	01	67
		72	17	0	02	93
		72	15	0	03	15
		72	11	0	03	91
		72	10	0	03	87
		72	8	0	03	30
		72	7	0	07	27
				0	01	74

रास्ता (सर्वे नं. 72/2 और 19/13 के बीच में)



1	2	3	4	5	6	7
81	80	0	8	72	05	2
82	80	0	8	19	05	13
83	80	0	8	19	05	12
84	80	0	8	19	05	10
85	80	0	8	19	05	7
86	80	0	8	19	05	5
87	80	0	8	19	05	3
88	80	0	8	19	05	1
89	80	0	8	15	05	11
90	80	0	8	15	05	9
91	80	0	8	15	05	7
92	80	0	8	15	05	6
93	80	0	8	15	05	5
94	80	0	8	15	05	4
95	80	0	8	15	05	3
96	80	0	8	15	05	2
97	80	0	8	15	05	1
98	80	0	8	16	05	6
99	80	0	8	14	05	22
100	80	0	8	14	05	20
101	80	0	8	14	05	19
102	80	0	8	14	05	18
103	80	0	8	14	05	15
104	80	0	8	14	05	17
105	80	0	8	14	05	16
106	80	0	8	14	05	14
107	80	0	8	14	05	12
108	80	0	8	14	05	10
109	80	0	8	14	05	1
110	80	0	8	14	05	23
111	80	0	8	14	05	24
112	80	0	8	14	05	2
113	80	0	8	12	05	40
114	80	0	8	12	05	38
115	80	0	8	12	05	13
116	80	0	8	12	05	29
117	80	0	8	12	05	14
118	80	0	8	12	05	19
119	80	0	8	12	05	10
120	80	0	8	11	05	0
121	80	0	8	11	05	0
122	80	0	8	10	05	0
123	80	0	8	10	05	2
124	80	0	8	31	05	11
125	80	0	8	20	05	23
126	80	0	8	20	05	24
127	80	0	8	20	05	22
128	80	0	8	20	05	20
129	80	0	8	20	05	19
130	80	0	8	20	05	18
131	80	0	8	20	05	17
132	80	0	8	20	05	15
133	80	0	8	20	05	12
134	80	0	8	20	05	10
135	80	0	8	20	05	0
136	80	0	8	20	05	0
137	80	0	8	20	05	0
138	80	0	8	20	05	0
139	80	0	8	20	05	0
140	80	0	8	20	05	0
141	80	0	8	20	05	0
142	80	0	8	20	05	0
143	80	0	8	20	05	0
144	80	0	8	20	05	0
145	80	0	8	20	05	0
146	80	0	8	20	05	0
147	80	0	8	20	05	0
148	80	0	8	20	05	0
149	80	0	8	20	05	0
150	80	0	8	20	05	0
151	80	0	8	20	05	0
152	80	0	8	20	05	0
153	80	0	8	20	05	0
154	80	0	8	20	05	0
155	80	0	8	20	05	0
156	80	0	8	20	05	0
157	80	0	8	20	05	0
158	80	0	8	20	05	0
159	80	0	8	20	05	0
160	80	0	8	20	05	0
161	80	0	8	20	05	0
162	80	0	8	20	05	0
163	80	0	8	20	05	0
164	80	0	8	20	05	0
165	80	0	8	20	05	0
166	80	0	8	20	05	0
167	80	0	8	20	05	0
168	80	0	8	20	05	0
169	80	0	8	20	05	0
170	80	0	8	20	05	0
171	80	0	8	20	05	0
172	80	0	8	20	05	0
173	80	0	8	20	05	0
174	80	0	8	20	05	0
175	80	0	8	20	05	0
176	80	0	8	20	05	0
177	80	0	8	20	05	0
178	80	0	8	20	05	0
179	80	0	8	20	05	0
180	80	0	8	20	05	0
181	80	0	8	20	05	0
182	80	0	8	20	05	0
183	80	0	8	20	05	0
184	80	0	8	20	05	0
185	80	0	8	20	05	0
186	80	0	8	20	05	0
187	80	0	8	20	05	0
188	80	0	8	20	05	0
189	80	0	8	20	05	0
190	80	0	8	20	05	0
191	80	0	8	20	05	0
192	80	0	8	20	05	0
193	80	0	8	20	05	0
194	80	0	8	20	05	0
195	80	0	8	20	05	0
196	80	0	8	20	05	0
197	80	0	8	20	05	0
198	80	0	8	20	05	0
199	80	0	8	20	05	0
200	80	0	8	20	05	0



1	2	3	4	5	6	7
8	वरमा	87	25	0	02	55
		87	24	0	16	90
		87	26	0	00	01
		87	27	0	05	23
		86	2	0	01	00
		86	3	0	00	76
		87	15	0	02	83
		86	4	0	03	60
		87	34	0	02	53
		87	16	0	01	73
		87	17	0	01	83
		87	18	0	02	82
		86	5	0	01	51
		87	19	0	07	20
		87	20	0	01	67
		87	21	0	01	40
		87	22	0	00	76
		87	1	0	02	44
		87	2	0	03	00
		86	6	0	00	39
		87	3	0	05	83
		87	4	0	03	00
		87	5	0	03	30
		87	6	0	03	80
		87	7	0	03	38
		87	8	0	03	06
		87	9	0	06	32
		87	10	0	01	51
		87	11	0	03	93
		87	12	0	02	81
		87	13	0	03	19
		86	8	0	00	75
		87	14	0	21	13
		87	28	0	02	53
		87	29	0	01	27
		87	33	0	00	48
		87	30	0	00	01
		87	31	0	00	91
		84	4	0	13	02
		84	9	0	06	59
		84	10	0	00	37
		नाला (सर्वे नं. 1 और 84/4 के बीच में)		0	10	40
		1	1	0	23	41
		74	2	0	04	29
		74	3	0	15	45
		74	1	0	05	01
		रास्ता (सर्वे नं. 74/1 और 73/0 के बीच में)		0	02	49
		73		0	42	96
		72		0	47	29
				2	98	65
7	सांठोला	102		0	03	80
		मैल गाड़ी का रास्ता (102 और 103 के बीच में)		0	01	73
		रास्ता (सर्वे नं. 103 और 104/1 के बीच में)		0	02	79
		104	1	0	29	25
		116	5	0	00	25

1	2	3	4	5	6	7
	सांख्यिकी (निरंतर)					
		117	43	0	02	17
		117	42	0	00	93
		117	41	0	01	14
		117	40	0	01	17
		117	39	0	01	15
		117	38	0	01	20
		117	37	0	01	33
		117	36	0	00	79
		117	35	0	01	18
		117	34	0	01	05
		117	33	0	01	15
		117	32	0	01	13
		117	31	0	01	15
		117	30	0	00	80
		117	29	0	01	64
		117	28	0	01	16
		117	27	0	01	08
		117	26	0	05	92
		117	25	0	02	40
		117	24	0	01	78
		117	23	0	01	29
		117	22	0	01	54
		117	21	0	01	54
		117	20	0	01	61
		117	19	0	01	76
		117	18	0	02	75
		117	17	0	05	56
		117	16	0	02	58
		117	14	0	02	18
		117	13	0	02	16
		117	12	0	02	10
		117	11	0	02	31
		117	10	0	00	90
		117	9	0	01	25
		117	8	0	02	03
		117	7	0	02	29
		117	6	0	02	40
		117	5	0	02	55
		117	4	0	02	55
		117	3	0	00	75
		117	2	0	01	07
		117	1	0	02	73
		123	31	0	00	69
		122	27	0	03	95
		123	24	0	01	90
		123	23	0	02	02
		123	22	0	01	52
		123	21	0	01	39
		123	20	0	01	13
		123	19	0	00	90
		123	18	0	01	21
		123	17	0	00	52
		123	16	0	01	23
		123	15	0	00	95
		123	14	0	00	40

1	2	3	4	5	6	7
	संशोधन (निरंतर)	123	13	0	00	32
		123	12	0	00	47
		123	11	0	00	37
		123	10	0	00	11
		123	9	0	00	10
		123	9	0	10	30
	नक्सा (सर्वे नं. 123 और 122/27 और 26 के बीच में)	122	9	0	00	24
		122	8	0	00	53
		122	7	0	00	12
		122	26	0	08	51
		122	5	0	00	70
		123	7	0	00	51
		123	5	0	00	64
		123	4	0	01	01
		123	3	0	01	73
		123	2	0	02	07
		123	1	0	03	10
		128	15	0	02	17
		128	14	0	02	01
		128	13	0	05	10
		128	12	0	02	64
		128	11	0	02	60
		128	10	0	05	25
		128	17	0	00	75
		128	9	0	00	91
		128	8	0	00	89
		128	7	0	01	09
		128	6	0	00	94
		128	16	0	01	24
		128	5	0	03	48
		128	4	0	01	80
		128	3	0	01	70
		128	2	0	01	41
		128	1	0	01	82
		128	21	0	00	17
		57	2	0	01	02
		129	6	0	05	00
		129	5	0	01	72
		129	4	0	01	80
		129	3	0	02	44
		129	1	0	39	05
		129	15	0	00	10
		127	15	0	03	54
	रस्ता (सर्वे नं. 129/1 और 130/11 के बीच में)	130	11	0	11	10
		130	9	0	04	95
		130	6	0	05	01
		130	4	0	01	51
		130	2	0	12	45
		130	3	0	01	47
		130	1	0	02	64
		130	1	0	40	50
		131	1	0	09	30
		47		0	03	38
	रस्ता (सर्वे नं. 47/0 और 43/38 के बीच में)	43	2	0	00	01
		43	38	0	04	35

1	2	3	4	5	6	7	8
	सांख्यिक (निरंतर)						
	43	12	0	00	35		
	43	37	0	01	94		
	43	36	0	01	59		
	43	35	0	00	75		
	43	34	0	00	92		
	43	33	0	01	37		
	43	32	0	01	55		
	43	31	0	01	86		
	43	30	0	01	80		
	43	28	0	01	76		
	43	27	0	01	26		
	43	25	0	01	06		
	43	24	0	01	25		
	43	23	0	01	00		
	43	11	0	02	25		
	43	15	0	00	10		
	43	14	0	00	29		
	43	13	0	00	63		
	43	10	0	01	50		
	43	9	0	00	57		
	43	2	0	06	46		
	43	8	0	00	73		
	43	7	0	00	37		
	43	6	0	00	58		
	43	5	0	00	53		
	43	4	0	00	15		
	42	46	0	00	10		
	42	47	0	00	78		
	42	48	0	01	88		
	42	49	0	01	85		
	42	50	0	07	94		
	42	25	0	07	83		
	42	23	0	00	11		
	42	24	0	09	75		
	44	1	0	01	52		
	44	2	0	05	54		
	44	3	0	04	08		
	44	4	0	04	17		
	44	18	0	00	02		
	44	5	0	02	46		
	44	6	0	01	71		
	44	7	0	00	60		
	44	8	0	00	10		
	नाला (सर्वे नं. 44/0 और 41 के बीच में)		0	04	16		
	41	0	0	24	24		
	तालाब (सर्वे नं. 41 और 39/IC के बीच में)		0	01	80		
	39	1C	0	14	10		
	39	1D	0	10	28		
	रास्ता सर्वे नं. (39/1-D और 38/3 के बीच में)		0	01	58		

1	2	3	4	5	6	7
		38	3	0	22	95
	संकेत (निराकरण)	38	2	0	01	20
				0	84	66
	संकेत नदी (पूर्व नं. 38/3 में)			6	82	05

[फ़ा. सं. एल-14014/51/2002-जी.पी.]

स्वामी सिंह, निदेशक

New Delhi, the 5th November, 2004

**S. O. 2914.—** Whereas by notification of the Government of India in the Ministry of Petroleum and Natural Gas, number S.O.3851, dated the 10<sup>th</sup> December, 2002, issued under sub-section (1) of section 3 of the Petroleum and Minerals Pipelines (Acquisition of Right of User in Land) Act, 1962) (50 of 1962) (hereinafter referred to as the said Act), the Central Government declared its intention to acquire the right of user in the land, specified in the Schedule appended to that notification for the purpose of laying pipeline for the transportation of natural gas from the exploration blocks in the Northern/Southern Offshore of Goa and Structures in Andhra Pradesh of M/s Reliance Industries Limited, the promoter company of M/s Gas Transportation and Infrastructure Company Limited to various consumers of North and South Goa Districts in the State of Goa;

And whereas, the copies of the said Gazette notification were made available to the public on the 2<sup>nd</sup> January, 2003;

And whereas the objections received from the public to the laying of the pipeline have been considered and disallowed by the competent authority;

And, whereas, the competent authority has, under sub-section (1) of section 6 of the said Act, submitted a report to the Central Government;

And, whereas, the Central Government after considering the said report and on being satisfied that the said land is required for laying pipeline, has, decided to acquire the right of user therein;

Now, therefore, in exercise of the powers conferred by sub-section (1) of section 6 of the said Act, the Central Government hereby declares that the right of user in the land specified in the Schedule appended to this notification is hereby acquired, for laying the pipelines;

And further, in exercise of the powers conferred by sub-section (4) of section 6 of the said Act, the Central Government hereby directs that the right of user in the said land for laying the pipelines shall instead of instead of vesting in the Central Government, vests, on this date of publication of this declaration, in Gas Transportation and Infrastructure Company Limited, free from all encumbrances.

## SCHEDULE - 6(1)

Taluka - Marmagao		District - South Goa		State - Goa		
Sl. No.	Village Name	Survey No.	Hisa No.	Area		
1	2	3	4	Hectare	Acre	Centiare
1	Sancoale	85		0	00	90
		84		0	48	00
		77	1	0	01	12
		78	1	0	50	40
		81	1	0	77	10
		68	1	0	22	50
		69		0	18	90
		64	1	0	38	45
		67		0	00	04
		64	3	0	45	45
		64	4	0	19	05
		66		0	08	00
		65	2	0	30	90
2	Cortalim	NH-17 ( Between Svy No.206/0 & 207/0)		3	60	81
		206	1	1	14	35
		207	I	0	01	32
		Road ( Between Svy No.207/0 & 127/2)	I	0	57	80
		127		0	02	66
		128	2	0	07	22
		Road ( Between Svy No.131/0 & 133/1)		0	39	80
		145		0	05	10
		143	1	0	00	10
		143	1	0	03	00
		NH-17 ( Between Svy No.115/1,116/1,111/4 & 106/0)	2	0	05	26
		116		0	01	54
		116	3	0	00	30
		106	2	0	18	30
		Cart Track ( Between Svy No.106/0 & 111/4)		0	00	58
		111		0	00	50
		110	3	0	11	50
		109	1	0	33	00
		109	16	0	01	01
		109	22	0	02	72
		109	21	0	04	00
		109	3	0	07	50
		109	4	0	08	40
		109	5	0	06	12
		108	2	0	12	60
		109	7	0	01	35
		109	8	0	01	22
		109	9	0	03	49
		79	1	0	36	00
		Nala ( Between Svy No.56/5 & 152 of Quelossim)		0	04	88
		57	1	0	01	29
		56	5	0	04	23
		Nala ( Between Svy No.54 & 156/1 of Quelossim)		0	04	23
		56	3	0	04	00
		54		0	05	00
3	Queilossim	Road (Between Svy No.79/0 of Cortalim & 142/1 of Quelossim)		4	10	37
		142		0	02	55
			1	0	08	88

Cont P3



1	2	3	4	5	6	7
	Queolossim Contd...	142	7	0	00	60
		142	4	0	39	60
		142	3	0	19	16
		144	1	0	06	30
		144	4	0	16	52
		144	3	0	07	35
		153	45	0	03	20
		153	44	0	02	68
		153	42	0	00	76
		153	40	0	01	04
		153	41	0	01	50
		153	39	0	00	82
		153	38	0	00	10
		153	34	0	00	41
		153	35	0	01	19
		153	36	0	00	71
		153	37	0	00	37
		153	30	0	00	48
		153	31	0	00	80
		153	27	0	03	83
		153	25	0	01	10
		153	29	0	00	69
		153	26	0	01	04
		153	24	0	01	28
		153	22	0	01	49
		153	21	0	01	56
		153	20	0	01	49
		153	19	0	00	10
		153	17	0	00	89
		153	18	0	02	18
		153	16	0	02	73
		153	14	0	02	52
		153	13	0	02	72
		153	10	0	02	73
		153	9	0	02	17
		153	7	0	01	48
		153	6	0	00	93
		153	5	0	00	10
		154	1	0	31	30
		155	10	0	02	92
		155	9	0	04	54
		155	8	0	03	45
		155	7	0	01	13
		155	5	0	06	00
		155	6	0	00	92
		155	1	0	01	22
		155	2	0	00	70
	Road ( Between Svy No.155/1 & 156/12,13,14)			0	03	74
	156	14	0	03	44	
	156	17	0	00	18	
	156	16	0	00	17	
	156	15	0	00	18	
	156	13	0	02	31	
	156	12	0	01	84	
	156	11	0	00	57	

1	2	3	4	5	6	7
	Queolossim Contd...	156	9	0	07	69
		156	10	0	16	40
		156	5	0	00	77
		156	4	0	03	26
		156	3	0	02	70
		156	2	0	02	70
		156	1	0	02	50
		157	1	0	05	88
	Nala ( Between Svy No.157/2 & 158/1)	157	2	0	02	43
	Zuvari River ( Between Svy No.157/1& 167)	167		0	52	10
				0	81	08
	Zuvari River (Between Svy No.167/0,58/0 & 59/0 of Marcalm)			0	65	70
				2	26	30
				6	80	17
Taluka - Ponda	District - North Goa	State - Goa				
1	Marcalm	58	1	0	01	05
		59		0	10	20
		63	1	0	33	30
	Road (Between Svy No.67/0,65/0 & 69/2)	69		0	02	84
		69	3	0	01	36
		69	1	0	03	34
		48	2	0	01	24
		70	3	0	19	62
		70	5	0	00	20
		71	2	0	01	99
		71	1	0	10	86
		71	5	0	05	10
		71	7	0	02	10
		72	1	0	05	40
		72	2	0	03	90
		72	3	0	03	85
		72	6	0	08	85
		72	4	0	00	25
		42	1	0	03	68
		42	2	0	08	40
		42	4	0	08	10
		42	6	0	08	43
		42	8	0	06	86
		42	11	0	10	56
		129	11	0	00	10
		129	12	0	00	10
		129	13	0	00	10
		129	14	0	00	10
		129	15	0	00	35
		129	16	0	00	50
		129	17	0	00	68
		42	12	0	01	26
		130	8	0	08	90
		130	7	0	03	70
		133	1	0	02	10
		133	2	0	02	10
		133	3	0	03	69
		133	4	0	03	69
		133	5	0	03	78
		133	6	0	04	20

1	2	3	4	5	6	7
	Marcaim Contd....	133	7	0	03	97
		133	8	0	02	40
		133	9	0	02	13
		133	10	0	04	50
		133	11	0	01	50
		133	12	0	01	80
		133	13	0	01	83
		133	14	0	01	70
		133	15	0	06	30
		133	16	0	05	14
		133	17	0	01	35
	Creek (Between Sy. Nos. 133/17 & 134/5)			0	03	97
		134	5	0	05	75
		134	2	0	10	28
		134	3	0	04	84
		134	4	0	04	27
		135		0	00	31
	Road (Between Svy No. 134/3 & 144/7,8)			0	01	78
		144	11	0	01	98
		144	7	0	01	28
		144	10	0	00	15
		144	8	0	06	16
		144	9	0	07	92
		143	8	0	08	28
		143	9	0	06	47
		143	10	0	07	20
		143	11	0	04	32
		142	1	0	05	60
		142	2	0	04	23
		142	3	0	04	68
		142	4	0	04	25
		142	13	0	00	01
		142	11	0	01	97
		142	9	0	04	34
		142	6	0	05	19
		142	5	0	03	07
	Creek (Between svy. no. 142/5 & 279/1)			0	06	42
		142	7	0	00	01
		279	1	0	01	31
		279	2	0	06	35
		278	1	0	00	12
		278	2	0	03	88
		278	3	0	05	53
		278	4	0	07	20
		278	5	0	04	54
		278	6	0	03	86
		278	7	0	05	02
		278	8	0	07	29
		278	9	0	05	26
		278	10	0	05	84
		278	11	0	05	20
		273	1	0	02	82
		273	2	0	03	14
		273	3	0	02	73
		273	4	0	04	68

1	2	3	4	5	6	7
	Marcaim Contd....	273	5	0	05	16
		273	6	0	04	00
		273	7	0	06	32
		273	8	0	08	32
		273	9	0	05	05
		272	1	0	04	20
		272	2	0	05	34
		272	3	0	04	46
		272	4	0	05	60
		272	5	0	04	64
		272	6	0	04	40
		272	7	0	04	56
		272	8	0	09	60
	Creek (Between Svy No.272/8 & 269/1)			0	05	99
		269	1	0	02	24
		267		0	52	47
		269	3	0	01	97
		269	4	0	02	16
		269	5	0	01	12
		268	1	0	01	35
		268	2	0	03	23
		268	3	0	01	44
		268	4	0	01	64
		268	5	0	01	91
	Road (Between Svy.no. 267,268/5 & 266/1)			0	02	17
		266	1	0	04	71
		266	2	0	02	86
		266	3	0	03	01
		266	4	0	05	64
		266	5	0	04	50
		265	1	0	02	52
		265	2	0	04	04
		265	3	0	00	10
	Creek (Between Svy No.265/2 & 264/4)			0	05	35
		264	4	0	03	90
		264	5	0	08	17
		264	6	0	08	40
		263	1	0	05	71
		263	2	0	04	35
		263	3	0	06	50
		263	4	0	02	63
		263	5	0	02	70
		263	6	0	03	68
		263	7	0	02	70
		261	8	0	24	95
		243	5	0	00	10
		261	4	0	00	25
		261	1	0	01	19
		261	2	0	00	90
		261	3	0	16	87
		249	8	0	03	70
		249	10	0	11	28
		249	9	0	00	75
	Creek (Between svy.no. 249/9,10 & 250/3)			0	06	37
		250	3	0	02	86

1	2	3	4	5	6	7
	Marcaim Contd....	250	4	0	17	70
		250	6	0	03	62
		250	2	0	00	93
		248	3	0	08	65
		251	0	0	13	05
	Road ( In Svy No. 252/0)			0	01	75
		252	0	0	21	45
		247	5	0	00	72
				7	86	85
2	Cundaim	Cart Track(Between SvyNo.252/0,247/5 of Marcaim & 118/3 of Cundaim)		0	02	32
		118	3	0	16	80
		118	4	0	05	84
		118	2	0	00	52
		119	5	0	05	49
		119	2	0	04	21
		119	1	0	16	50
		120		0	32	40
	Road ( In Svy No. 120/0)			0	02	00
		113	1	0	07	65
		113	2	0	02	18
		113	5	0	11	55
		113	3	0	05	33
		113	4	0	09	92
		114	7	0	00	27
		114	3	0	00	54
		114	2	0	01	03
		114	1	0	01	50
		126	16	0	04	39
		126	15	0	06	93
		126	12	0	00	40
	Cart Track (Between SvyNo.126/12,15,18 & 127/8, 112/5, 7, 8)			0	03	34
		112	8	0	00	13
		112	7	0	00	70
		112	5	0	02	33
		112	4	0	00	12
		112	3	0	00	21
		112	2	0	00	29
		112	1	0	00	45
		127	6	0	13	74
		127	5	0	02	45
		127	4	0	07	32
		127	2	0	00	03
		129	23	0	00	61
		129	22	0	00	66
		129	21	0	00	59
		129	20	0	01	50
		129	19	0	01	96
		129	18	0	02	80
		129	17	0	01	72
		129	16	0	01	35
		129	15	0	03	50
		129	14	0	01	68
		129	13	0	01	86
		129	12	0	04	88
		129	11	0	05	31

1	2	3	4	5	6	7
	Cundaim Contd....	129	10	0	03	90
		129	9	0	04	20
		129	8	0	04	58
		129	7	0	03	84
		129	6	0	02	70
		129	5	0	03	44
		129	4	0	02	88
		129	3	0	04	05
	Creek (Between Svy.No.136/15,128/0&129/3,4,5,7& 133/1 to 7)			0	04	48
		128		0	01	25
		136	15	0	00	22
		133	7	0	02	07
		133	6	0	02	10
		133	5	0	02	77
		133	4	0	04	16
		133	3	0	02	88
		133	2	0	03	84
		133	1	0	02	90
		135	13	0	03	84
		135	12	0	03	52
		135	11	0	03	74
		135	9	0	03	41
		135	6	0	03	41
		135	5	0	03	41
		135	4	0	03	72
		135	3	0	03	72
		135	1	0	03	10
		140	9	0	03	30
		140	8	0	02	85
		140	7	0	03	16
		140	6	0	02	01
		140	5	0	02	85
		140	4	0	03	92
		140	3	0	02	85
		140	2	0	03	06
		140	1	0	03	30
		142	11	0	04	05
		142	10	0	03	60
		142	9	0	02	01
		142	8	0	02	25
		142	7	0	03	97
		142	6	0	04	28
		142	5	0	03	18
		142	4	0	03	35
		142	3	0	03	34
		142	2	0	03	97
		142	1	0	06	12
		145	2	0	05	32
		145	3	0	21	90
	Road (Between Svy No.145/3 & 147/11,12)			0	03	30
		147	12	0	01	82
		147	11	0	03	57
		147	10	0	02	48
		147	9	0	03	30
		147	8	0	03	31

Contd P9

1	2	3	4	5	6	7
	Cundaim Contd.....	147	7	0	02	79
		147	6	0	02	23
		147	5	0	05	10
		147	4	0	04	35
		147	3	0	02	57
		147	2	0	01	80
		147	1	0	04	85
		147	14	0	03	45
		153		0	00	76
	Creek (Between Svy No.154/0 & 153/13,14)			0	04	61
		153	13	0	03	75
		153	12	0	01	80
		153	11	0	02	38
		153	10	0	04	10
		153	9	0	04	78
		153	8	0	04	72
		153	7	0	04	50
		153	6	0	04	71
		153	5	0	04	22
		153	4	0	03	78
		153	3	0	00	95
		153	1	0	01	72
	Cart Track (Between Svy No.153/1 & 232/16)			0	02	57
		232	16	0	03	21
		232	15	0	03	91
		232	14	0	01	80
		232	13	0	01	71
		232	12	0	01	96
		232	11	0	01	79
		232	10	0	03	74
		232	9	0	03	00
		232	8	0	04	81
		232	7	0	02	17
		232	6	0	04	41
		232	4	0	03	90
		232	2	0	06	00
		235	12	0	04	64
		235	10	0	05	10
		235	9	0	04	95
		235	7	0	12	30
		235	5	0	04	50
		235	3	0	02	46
		235	1	0	02	40
		236	10	0	05	64
		236	9	0	02	56
		236	8	0	00	86
		236	6	0	03	88
		236	7	0	01	28
		236	3	0	00	22
		227	14	0	00	76
		227	13	0	01	07
		227	12	0	01	65
		227	11	0	01	64
		227	10	0	02	52
		227	9	0	03	30
		227	8	0		

1	2	3	4	5	6	7
	Cundaim Contd....					
		227	7	0	03	04
		227	6	0	03	47
		227	5	0	02	97
		227	4	0	03	02
		227	3	0	03	38
		227	2	0	03	68
		227	1	0	02	22
		224	5	0	06	93
		224	4	0	10	29
		224	1	0	10	77
		224	2	0	00	83
		226	5	0	00	02
		226	4	0	00	18
		226	3	0	00	29
		226	2	0	00	89
		226	1	0	01	51
		225	9	0	02	17
		225	8	0	02	43
		225	7	0	03	10
		225	6	0	03	23
		225	5	0	02	62
		225	4	0	03	87
		225	3	0	02	72
		225	2	0	03	60
		225	1	0	02	76
		221	11	0	02	80
		221	10	0	03	54
		221	9	0	01	35
		221	8	0	01	45
		221	7	0	03	13
		221	6	0	03	23
		221	5	0	02	59
		221	4	0	03	40
		221	3	0	03	22
		221	1	0	04	81
		215		0	01	17
		216	15	0	08	96
		216	14	0	02	98
		216	13	0	02	84
		216	12	0	03	00
		216	11	0	02	97
		216	10	0	02	72
		216	9	0	02	81
		216	7	0	03	29
		216	6	0	03	09
		216	5	0	02	85
		216	4	0	03	03
		216	3	0	02	87
		216	2	0	02	92
		216	1	0	02	95
		212	23	0	01	59
		212	22	0	02	87
		212	21	0	02	81
		212	20	0	03	29
		212	19	0	02	93



1	2	3	4	5	6	7
	Cundaim Contd.....	212	17	0	03	08
		212	14	0	05	53
		212	12	0	02	85
		212	10	0	03	38
		212	9	0	01	16
		212	7	0	00	84
		212	6	0	01	41
		212	5	0	01	44
		212	25	0	00	53
		212	4	0	00	55
		212	2	0	00	54
		212	1	0	00	48
		213	5	0	04	49
		213	1	0	02	37
		213	6	0	00	20
	Nala (Between Svy No.212/1,213/1,210/14 & 208/6)			0	01	73
	208	6	0	01	14	
	211	1	0	00	10	
	210	14	0	01	02	
	210	13	0	03	74	
	210	12	0	02	01	
	210	11	0	02	48	
	210	10	0	01	85	
	210	9	0	01	72	
	210	8	0	03	05	
	210	7	0	03	07	
	210	6	0	02	97	
	210	5	0	03	03	
	210	4	0	03	12	
	210	3	0	03	17	
	210	2	0	03	06	
	210	1	0	02	88	
	206	24	0	03	34	
	206	23	0	03	06	
	206	22	0	02	74	
	206	21	0	02	99	
	206	19	0	03	05	
	206	18	0	03	00	
	206	17	0	02	98	
	206	16	0	02	83	
	206	15	0	03	45	
	206	13	0	02	62	
	206	12	0	03	02	
	206	11	0	02	81	
	206	10	0	00	52	
	206	9	0	00	41	
	206	8	0	01	83	
	206	7	0	00	40	
	206	6	0	00	40	
	206	5	0	00	30	
	206	4	0	01	88	
	206	3	0	00	28	
	206	2	0	00	34	
	206	1	0	01	37	
	205	27	0	05	29	

1	2	3	4	5	6	7
	Cundaim Contd....	205	30	0	00	79
		205	29	0	00	32
		205	28	0	00	25
		205	26	0	00	20
		205	25	0	00	15
		205	24	0	00	06
		205	23	0	02	63
		205	22	0	00	06
		205	21	0	00	07
		205	20	0	02	57
		205	19	0	00	06
		205	18	0	02	72
		205	17	0	00	07
		205	16	0	00	09
		205	15	0	03	23
		205	14	0	05	62
		205	12	0	02	56
		205	11	0	01	84
		205	8	0	04	82
		205	7	0	08	82
		205	3	0	05	53
		205	2	0	10	25
		205	1	0	02	27
		204		0	34	39
	Creek (Between Svy. No.189/0, 204/0, 200/0, 203/0 & 201/6 to 24)			0	53	09
		203		0	07	40
		199		0	12	68
		201	24	0	00	14
		201	22	0	01	09
		201	21	0	01	40
		201	20	0	01	14
		201	19	0	00	96
		201	18	0	00	74
		201	17	0	00	60
		201	16	0	00	39
		201	15	0	00	15
		201	14	0	00	13
		201	13	0	00	24
		201	12	0	00	26
		201	11	0	00	18
		201	10	0	00	15
		201	9	0	00	13
		201	8	0	00	11
		201	7	0	00	10
		201	6	0	00	10
		201	5	0	00	10
		202	2	0	00	10
		200		0	08	06
	Zuvari River (Between Svy No.200/0,13/18,20 & 14/0)			0	15	03
		14		0	01	67
	Creek (Between Svy No.200/0,14/0 & 13/20,18)			0	08	77
		13	20	0	00	55
		13	18	0	15	06
		13	17	0	00	97
		13	16	0	02	56

1	2	3	4	5	6	7
	Cundaim Contd.....	13	15	0	03	03
		13	14	0	03	55
		13	13	0	03	39
		13	12	0	06	14
		13	11	0	06	47
		13	10	0	03	12
		13	9	0	06	51
		13	8	0	07	50
		13	7	0	05	72
		13	6	0	04	
		13	5	0	03	
		13	4	0	03	30
		13	3	0	03	86
		13	2	0	03	42
		13	1	0	03	25
		15	29	0	02	77
		15	28	0	03	32
		15	27	0	02	95
		15	26	0	03	26
		15	25	0	05	41
		15	21	0	05	70
		15	16	0	03	01
		15	13	0	02	84
		15	11	0	03	05
		15	9	0	02	53
		15	8	0	01	47
		15	1	0	02	57
		24	16	0	05	73
		21	15	0	01	92
		21	14	0	14	80
		21	13	0	00	87
		21	10	0	02	22
		21	9	0	03	26
		21	8	0	02	17
		21	7	0	02	36
		21	6	0	02	12
		21	5	0	02	30
		21	4	0	06	30
		21	3	0	02	38
		21	1	0	12	45
		22	1	0	01	21
		19	3	0	01	01
		19	4	0	04	11
				0	02	04
				12	64	05
3	Bhoma	44	1	0	03	00
		45	6	0	07	42
		48	1	0	01	77
		48	4	0	04	46
		48	5	0	07	79
		48	6	0	00	61
		48	7	0	00	61
		48	8	0	00	61
		48	9	0	03	43
		48	10	0	03	18

Nala (Between Svy No.19/3, 19/4 &amp; 44/1, 45/6 of Bhoma)

1	2	3	4	5	6	7
	Bhoma Contd....					
		48	12	0	02	60
		48	11	0	04	39
		48	16	0	01	21
		48	17	0	01	25
		48	18	0	01	16
		48	19	0	01	70
		48	20	0	02	11
		48	21	0	01	26
		48	22	0	01	45
		48	23	0	00	44
		48	24	0	00	67
		48	25	0	00	33
		48	26	0	02	72
		48	28	0	02	90
		48	29	0	12	50
		48	27	0	02	42
		48	15	0	02	05
		48	14	0	02	60
		48	13	0	02	57
		55	45	0	00	42
		55	44	0	00	40
		55	43	0	00	40
		55	42	0	00	57
		55	41	0	00	74
		55	40	0	01	01
		55	39	0	00	66
		55	38	0	00	52
		55	37	0	00	11
		55	36	0	00	64
		55	35	0	00	10
		55	34	0	00	10
		55	33	0	00	10
		55	32	0	00	60
		55	31	0	00	47
		55	30	0	00	10
		55	29	0	00	10
		55	28	0	00	10
		55	27	0	00	17
		55	26	0	00	18
		55	25	0	00	27
		55	24	0	00	22
		55	23	0	00	10
		55	22	0	00	10
		55	21	0	00	10
		55	20	0	00	10
		55	19	0	00	10
		55	18	0	00	10
		55	17	0	00	10
		55	16	0	00	11
		55	15	0	00	12
		55	14	0	00	15
		57	5	0	00	34
		57	4	0	00	56
		57	3	0	03	00
		57	2	0	01	02

1	2	3	4	5	6	7
	Bhoma Contd....	57	1	0	02	25
		58	28	0	00	26
		58	27	0	05	64
		59	9	0	15	40
		59	16	0	00	10
		59	15	0	00	13
		59	14	0	00	28
		59	13	0	00	47
		59	11	0	02	04
		59	10	0	02	07
		59	8	0	00	28
		59	7	0	00	27
		59	6	0	00	31
		59	5	0	00	28
		59	4	0	00	13
		56	2	0	42	12
		56	1	0	02	48
	Nala (Between Svy No. 59/4 to 10 & 110/20, 21, 22)			0	02	73
		110	22	0	02	80
		110	21	0	03	47
		110	20	0	01	34
		110	19	0	01	98
		110	18	0	04	37
		110	17	0	02	59
		110	16	0	03	87
		110	15	0	02	38
		110	14	0	01	85
		110	13	0	01	87
		110	12	0	02	06
		110	11	0	02	06
		110	10	0	02	01
		110	9	0	01	71
		110	8	0	01	71
		110	7	0	01	62
		110	1	0	01	80
		109	21	0	04	77
		109	16	0	01	68
		109	13	0	00	77
		109	10	0	00	73
		109	7	0	01	21
		109	5	0	00	84
		109	3	0	00	25
	Creek (Between Svy. No. 57, 58, 59 & 48, 55)			0	25	67
		65	26	0	00	10
		65	25	0	00	10
		65	24	0	00	10
		65	23	0	00	10
		65	22	0	00	10
		65	21	0	00	10
		65	20	0	00	10
		65	19	0	00	29
		65	18	0	00	26
		65	17	0	00	53
		65	16	0	00	43
		65	15	0	00	34

1	2	3	4	5	6	7
	Bhoma Contd....	65	14	0	00	88
		65	13	0	00	32
		65	12	0	00	44
		65	11	0	00	47
		55	10	0	00	45
		55	9	0	00	34
		55	8	0	00	27
		55	7	0	00	19
		65	6	0	00	10
		68	12	0	00	19
		68	11	0	00	21
		68	10	0	00	39
		68	9	0	00	35
		68	8	0	00	82
		68	6	0	01	04
		68	5	0	01	45
		68	4	0	01	95
		68	3	0	02	19
		68	2	0	06	21
		68	1	0	06	09
		67	36	0	00	60
		67	35	0	00	36
		67	34	0	00	26
		67	33	0	00	26
		67	32	0	00	14
		67	31	0	00	21
		67	30	0	00	10
	Creek (Between Svy. No. 68, 67 & 107)			0	16	03
		107	1	0	05	43
		107	5	0	00	44
		107	4	0	00	98
		107	3	0	00	44
		107	2	0	00	39
		103	61	0	00	10
		103	60	0	00	98
		103	59	0	01	15
		103	58	0	01	16
		103	57	0	01	41
		103	56	0	01	32
		103	55	0	01	78
		103	53	0	04	14
		103	52	0	01	50
		103	50	0	01	49
		103	49	0	01	38
		103	47	0	01	34
		103	46	0	02	69
		103	45	0	00	83
		103	44	0	01	80
		103	42	0	00	94
		103	41	0	00	83
		103	40	0	01	34
		103	39	0	01	57
		103	38	0	01	40
		103	37	0	01	18
		103	36	0	01	25

1	2	3	4	5	6	7
	Bhoma Contd....	103	34	0	01	20
		103	32	0	01	51
		103	31	0	01	44
		103	30	0	01	28
		103	27	0	01	43
		103	26	0	02	47
		103	25	0	01	23
		103	23	0	01	27
		103	22	0	01	36
		103	21	0	01	31
		103	20	0	00	60
		103	18	0	00	60
		103	17	0	02	70
		103	16	0	01	41
		103	15	0	01	66
		103	13	0	02	70
		103	12	0	02	95
		103	11	0	02	82
		103	10	0	02	00
		103	9	0	01	19
		103	8	0	02	07
		103	7	0	02	65
		103	6	0	00	60
		103	4	0	06	72
		103	1	0	01	83
		102	1	0	05	06
		101		0	15	02
		102	2	0	00	53
	Creek (Between Svy. No. 101, 102 & 7)			0	19	80
	7		0	1	11	78
	Creek (Between Svy. No. 6/1, 6/2 & 9/19, 9/18)			0	01	30
	6		2	0	04	28
	6		1	0	01	27
	9		16	0	20	92
	9		15	0	00	77
	9		14	0	06	36
	9		13	0	12	00
	9		12	0	01	07
	9		11	0	03	54
	9		10	0	02	02
	9		9	0	01	09
	9		8	0	00	10
	9		19	0	01	66
	9		18	0	00	21
	NH-4A (Between Svy. No. 9/13, 11/7 & Svy. No. 11 & 9)			0	05	40
	11		2	0	01	86
	11		3	0	01	70
	11		4	0	01	99
	11		5	0	03	72
	11		6	0	03	04
	11		7	0	01	12
	11		8	0	00	03
	11		1	0	00	41
	12		1	0	00	65
	10		13	0	04	60

1	2	3	4	5	6	7
	Bhoma Contd....	10	12	0	00	31
		10	3	0	00	66
		10	19	0	00	50
		10	20	0	02	53
		10	15	0	08	50
		10	18	0	00	03
		10	17	0	04	60
		10	6	0	10	20
		10	16	0	00	65
		10	4	0	07	60
		10	2	0	01	09
		10	1	0	00	65
4	Adcolna	66		6	47	58
		74	37	0	39	11
		74	34	0	01	24
		74	32	0	00	95
		74	30	0	00	80
		74	28	0	00	75
		74	26	0	00	62
		74	25	0	00	48
		73	1	0	00	22
		73	32	0	05	02
		73	30	0	01	28
		73	28	0	00	74
		73	26	0	00	90
		73	24	0	00	98
		73	22	0	01	14
		73	20	0	00	96
		73	18	0	00	92
		73	16	0	00	94
		73	15	0	00	97
		73	12	0	03	30
		73	10	0	03	32
		73	7	0	03	00
		73	5	0	03	34
		73	2	0	02	46
		72	39	0	07	13
		72	37	0	03	98
		72	35	0	03	88
		72	33	0	03	47
		72	31	0	03	60
		72	29	0	03	65
		72	27	0	01	25
		72	25	0	01	23
		72	23	0	02	32
		72	21	0	01	24
		72	19	0	04	70
		72	17	0	01	67
		72	15	0	02	93
		72	11	0	03	15
		72	10	0	03	31
		72	8	0	03	87
		72	7	0	03	30
	Road (Between Svy. No. 72/2 & 19/13)			0	07	27
				0	01	74



1	2	3	4	5	6	7
	Adcolna Contd....	72	2	0	07	88
		19	13	0	03	54
		19	12	0	01	72
		19	10	0	05	43
		19	7	0	06	15
		19	5	0	06	54
		19	4	0	03	63
		19	3	0	01	65
		19	1	0	06	75
		15	11	0	02	70
		15	9	0	02	40
		15	7	0	02	40
		15	6	0	02	70
		15	5	0	01	80
		15	4	0	01	83
		15	3	0	03	20
		15	2	0	03	79
		15	1	0	03	40
		16	6	0	00	12
		14	22	0	01	15
		14	20	0	02	01
		14	19	0	00	46
		14	18	0	01	57
		14	15	0	00	18
		14	17	0	00	08
		14	16	0	01	53
		14	14	0	04	42
		14	12	0	03	75
		14	10	0	03	06
		14	1	0	03	90
		14	23	0	02	92
		14	24	0	01	47
		14	2	0	00	55
		12	40	0	01	86
		12	38	0	02	55
		12	13	0	22	13
		12	29	0	00	98
		12	14	0	01	45
		12	19	0	00	02
		12	10	0	01	87
		11		0	09	12
				0	01	96
	Road (Between Svy. No.11/0 & 10/0)			0	06	00
		10		2	80	35
5	Tivrem	31	11	0	08	70
		20	23	0	07	79
		20	24	0	00	35
		20	22	0	13	20
		20	20	0	06	00
		20	19	0	05	85
		20	18	0	01	88
		20	17	0	06	99
		20	15	0	04	05
		20	12	0	03	05
		20	10	0	06	91

1	2	3	4	5	6	7
	Tivrem Contd....	20	8	0	03	18
		20	6	0	01	73
		20	4	0	11	25
		20	3	0	04	95
		20	2	0	06	08
		20	1	0	03	15
	Stone Bund (Between Svy. No. 20/1 & 16/2)			0	01	91
		16	2	0	06	00
		16	1	0	00	27
		16	3	0	16	71
		16	4	0	03	24
		63	1	0	15	15
		63	2	0	02	30
		63	3	0	01	80
		63	4	0	00	60
		63	5	0	00	10
		62	20	0	01	32
		62	28	0	00	10
		62	29	0	00	29
		62	30	0	00	38
		62	31	0	00	42
		62	32	0	00	18
		62	33	0	00	18
		62	34	0	00	56
		62	35	0	00	80
		62	36	0	03	00
		62	37	0	00	74
		62	38	0	00	80
		62	39	0	00	83
		62	40	0	01	48
		62	41	0	01	50
		62	42	0	01	50
		62	43	0	01	20
		61	30	0	17	49
		61	29	0	08	23
		60	2	0	36	80
		60	5	0	03	24
		60	1	0	00	92
		60	3	0	00	70
		61	28	0	00	10
		59	3	0	04	17
		59	25	0	04	90
		59	29	0	10	05
		59	14	0	00	94
		59	15	0	05	25
		59	16	0	02	49
		59	17	0	08	26
		59	18	0	05	56
		59	19	0	02	48
		59	20	0	02	70
		59	21	0	05	70
		59	22	0	03	48
		59	23	0	11	40
		59	24	0	15	30
		59	27	0	08	71
				3	17	34

1	2	3	4	5	6	7
6	Orgao	87	25	0	02	55
		87	24	0	16	90
		87	26	0	00	01
		87	27	0	05	23
		86	2	0	01	00
		86	3	0	00	76
		87	15	0	02	83
		86	4	0	03	60
		87	34	0	02	53
		87	16	0	01	73
		87	17	0	01	83
		87	18	0	02	82
		86	5	0	01	51
		87	19	0	07	20
		87	20	0	01	67
		87	21	0	01	40
		87	22	0	00	76
		87	1	0	02	44
		87	2	0	03	00
		86	6	0	00	39
		87	3	0	05	83
		87	4	0	03	00
		87	5	0	03	30
		87	6	0	03	80
		87	7	0	03	38
		87	8	0	03	06
		87	9	0	06	32
		87	10	0	01	51
		87	11	0	03	93
		87	12	0	02	81
		87	13	0	03	19
		86	8	0	00	75
		87	14	0	21	13
		87	28	0	02	53
		87	29	0	01	27
		87	33	0	00	48
		87	30	0	00	01
		87	31	0	00	91
		84	4	0	13	02
		84	9	0	06	59
		84	10	0	00	37
		Nala (Between Svy. No. 1 & 84/4)		0	10	40
		1	1	0	23	41
		74	2	0	04	29
		74	3	0	15	45
		74	1	0	05	01
		Road (Between Svy. No. 74/1 & 73/0)		0	02	49
		73		0	42	96
		72		0	47	29
				2	98	65
7	Candola	102		0	03	80
		Cart Track (Between Svy. No. 102 & 103)		0	01	73
		Road (Between Svy. No. 103 & 104/1)		0	02	79
		104	1	0	29	25
		116	5	0	00	25

1	2	3	4	5	6	7
	Candola Contd....	117	43	0	02	17
		117	42	0	00	93
		117	41	0	01	14
		117	40	0	01	17
		117	39	0	01	15
		117	38	0	01	20
		117	37	0	01	33
		117	36	0	00	79
		117	35	0	01	18
		117	34	0	01	05
		117	33	0	01	15
		117	32	0	01	13
		117	31	0	01	15
		117	30	0	00	80
		117	29	0	01	64
		117	28	0	01	16
		117	27	0	01	08
		117	26	0	05	92
		117	25	0	02	40
		117	24	0	01	78
		117	23	0	01	29
		117	22	0	01	54
		117	21	0	01	54
		117	20	0	01	61
		117	19	0	01	76
		117	18	0	02	75
		117	17	0	05	56
		117	16	0	02	58
		117	14	0	02	18
		117	13	0	02	16
		117	12	0	02	10
		117	11	0	02	31
		117	10	0	00	90
		117	9	0	01	25
		117	8	0	02	03
		117	7	0	02	29
		117	6	0	02	40
		117	5	0	02	55
		117	4	0	02	55
		117	3	0	00	75
		117	2	0	01	07
		117	1	0	02	73
		123	31	0	00	69
		122	27	0	03	95
		123	24	0	01	90
		123	23	0	02	02
		123	22	0	01	52
		123	21	0	01	39
		123	20	0	01	13
		123	19	0	00	90
		123	18	0	01	21
		123	17	0	00	52
		123	16	0	01	23
		123	15	0	00	95
		123	14	0	00	40

1	2	3	4	5	6	7
	Candola Contd....	123	13	0	00	32
		123	12	0	00	47
		123	11	0	00	37
		123	10	0	00	11
		123	9	0	00	10
	Stream (Between Svy. No.123 & 122/27 & 26)			0	10	30
		122	9	0	00	24
		122	8	0	00	53
		122	7	0	00	12
		122	26	0	08	51
		122	5	0	00	70
		123	7	0	00	51
		123	5	0	00	64
		123	4	0	01	01
		123	3	0	01	73
		123	2	0	02	07
		123	1	0	03	10
		128	15	0	02	17
		128	14	0	02	01
		128	13	0	05	10
		128	12	0	02	64
		128	11	0	02	60
		128	10	0	05	25
		128	17	0	00	75
		128	9	0	00	91
		128	8	0	00	89
		128	7	0	01	09
		128	6	0	00	94
		128	16	0	01	24
		128	5	0	03	48
		128	4	0	01	80
		128	3	0	01	70
		128	2	0	01	41
		128	1	0	01	82
		57	21	0	00	17
		129	2	0	01	02
		129	6	0	05	00
		129	5	0	01	72
		129	4	0	01	80
		129	3	0	02	44
		129	1	0	39	05
		127	15	0	00	10
	Road (Between Svy. No. 129/1 & 130/11)			0	03	54
		130	11	0	11	10
		130	9	0	04	95
		130	6	0	05	01
		130	4	0	01	51
		130	2	0	12	45
		130	3	0	01	47
		130	1	0	02	64
		131	1	0	40	50
		47		0	09	30
	Road (Between Svy. No. 47/0 & 43/38)			0	03	38
		1	2	0	00	01
		43	38	0	04	35

1	2	3	4	6	7	8
	Candola Contd....	43	12	0	00	35
		43	37	0	01	94
		43	36	0	01	59
		43	35	0	00	75
		43	34	0	00	92
		43	33	0	01	37
		43	32	0	01	55
		43	31	0	01	86
		43	30	0	01	80
		43	28	0	01	76
		43	27	0	01	26
		43	25	0	01	06
		43	24	0	01	25
		43	23	0	01	00
		43	11	0	02	25
		43	15	0	00	10
		43	14	0	00	29
		43	13	0	00	63
		43	10	0	01	50
		43	9	0	00	57
		43	2	0	06	46
		43	8	0	00	73
		43	7	0	00	37
		43	6	0	00	58
		43	5	0	00	53
		43	4	0	00	15
		42	46	0	00	10
		42	47	0	00	78
		42	48	0	01	88
		42	49	0	01	85
		42	50	0	07	94
		42	25	0	07	83
		42	23	0	00	11
		42	24	0	09	75
		44	1	0	01	52
		44	2	0	05	54
		44	3	0	04	08
		44	4	0	04	17
		44	18	0	00	02
		44	5	0	02	46
		44	6	0	01	71
		44	7	0	00	60
		44	8	0	00	10
	Stream (Between Svy No.44/0 & 41)			0	04	16
	41		0	0	24	24
	Pond (Between Svy. No.41 & 39/1C)			0	01	80
	39	1C		0	14	10
	39	1D		0	10	28
	Road (Between Svy No.39/1-D & 38/3)			0	01	58

1	2	3	4	5	6	7
	Candola Contd....	38	3	0	22	95
		38	2	0	01	20
	Mandovi River (In Svy Nos. 38/3)			0	84	66
				6	92	05

[F. No. L-14014/51/2002-G.P.]  
SWAMI SINGH, Director

नई दिल्ली, 5 नवम्बर, 2004

का. आ. 2915.— केन्द्रीय सरकार को लोकहित में यह आवश्यक प्रतीत होता है कि मुन्दा (गुजरात) से दिल्ली तक पेट्रोलियम उत्पादों के परिवहन के लिए हिन्दुस्तान पेट्रोलियम कॉर्पोरेशन लिमिटेड द्वारा एक पाइपलाइन बिछाई जानी चाहिए;

और केन्द्रीय सरकार को ऐसी पाइपलाइन बिछाने के प्रयोजन के लिए यह आवश्यक प्रतीत होता है कि ऐसी भूमि में, जो इससे उपाबद्ध अनुसूची में वर्णित है, जिसमें उक्त पाइपलाइन बिछाए जाने का प्रस्ताव है,\* उपयोग के अधिकार का अर्जन किया जाए;

अतः अब, केन्द्रीय सरकार, पेट्रोलियम और खनिज पाइपलाइन ( भूमि में उपयोग के अधिकार का अर्जन) अधिनियम 1962 (1962 का 50) की धारा 3 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, उस भूमि में उपयोग के अधिकार के अर्जन के अपने आशय की घोषणा करती है;

कोई व्यक्ति, जो उक्त अनुसूची में वर्णित भूमि में हितबद्ध है, उस तारीख से जिसको इस अधिसूचना से युक्त भारत के राजपत्र की प्रतियाँ साधारण जनता को उपलब्ध करा दी जाती हैं, इक्कीस दिन के भीतर भूमि के नीचे पाइपलाइन बिछाए जाने के लिए उसमें उपयोग के अधिकार के अर्जन के सम्बन्ध में श्री राम करण शर्मा, सक्षम प्राधिकारी, हिन्दुस्तान पेट्रोलियम कॉर्पोरेशन लिमिटेड, मकान संख्या 1418, सेक्टर - 6, बहादुर गढ़ 124507 जिला झज्जर (हरियाणा) को लिखित रूप में आक्षेप भेज सकेगा ।

## अनुसूची

तहसील: बावल		जिला: रेवाड़ी		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
1. खण्डेवडा	50	17	4	00	09	98
			5	00	02	77
			7	00	09	50
			8	00	04	24
			12	00	00	25
			13	00	13	49
			18	00	01	75
			19	00	11	99
			21	00	06	49
			22	00	07	24
		37	5	00	05	70
			6	00	12	39
			7	00	05	18
			90	00	03	71
			13/2	00	00	22
			14	00	08	04
			17	00	01	45
			18	00	12	71
			22	00	09	31
			23	00	05	16
		38	1	00	11	26
		42	1	00	05	68
			2	00	08	79
			10	00	12	30
			11	00	00	10
		43	6/1	00	01	30
			6/2	00	00	34
			14/2	00	00	78
			15	00	14	39



तहसील: बावल		जिला: रेवाड़ी		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	झसरा/किला संख्या	क्षेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
1. खण्डेवडा (जारी...)	50	43	16	00	00	83
			17	00	14	36
			53	00	01	25
			18	00	00	10
			22/2	00	00	10
			23/1	00	10	49
			23/2	00	02	17
			24	00	01	72
		61	15	00	06	24
			16	00	12	73
			17	00	00	89
			94	00	02	12
			24/2	00	12	00
			25/1	00	00	52
			25/2	00	00	46
		62	2	00	10	13
			3	00	05	30
			9	00	06	74
			10	00	08	69
			11/1	00	06	89
		69	3	00	07	61
			4	00	06	02
			8	00	11	89
			9	00	01	73
			12	00	13	63
			19	00	04	65
			20	00	05	20
			15	00	05	23
2. मोहनपुर	20	2	16	00	12	74
			17	00	01	63
			23/2	00	00	10
			24	00	14	05

तहसील: बावल		जिला: रेवाड़ी		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
2. मोहबपुर (जारी...)	20	2	25	00	00	27
			3	00	07	20
		5	289	00	03	52
			3	00	11	95
			4	00	01	30
			8	00	06	48
			9	00	06	77
			11	00	02	70
			12/1	00	07	01
			12/2	00	04	30
			19	00	00	10
			20	00	13	40
			21	00	02	20
		6	25/1	00	07	60
			25/2	00	02	82
		8	17	00	00	76
			18	00	04	92
			23	00	02	31
			24	00	11	39
			52	00	03	68
			25	00	08	16
		9	4	00	06	20
			5/1	00	07	05
			7	00	11	81
			8	00	02	21
			12	00	00	10
			13	00	13	89
			14	00	00	10
			18	00	02	78
			19	00	11	24
			21	00	12	31
			22	00	07	41

तहसील: बावल		जिला: रेवाड़ी		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	ससरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
2. मोहनपुर (जारी...)	20	14	1	00	00	73
		15	5/1	00	03	19
3. टोंकड़ी	48	101	10	00	00	38
		102	5/1	00	00	40
			5/2	00	03	32
			6	00	13	65
			7	00	00	37
			14	00	12	57
			15	00	01	45
			17	00	05	95
			18	00	08	07
			22	00	02	15
			23	00	10	70
			316	00	01	16
		118	1/2/2	00	00	10
			2/1	00	13	65
			2/2	00	00	15
			3/1	00	00	15
			3/2	00	00	10
			9/1	00	02	33
			9/4	00	00	51
			10/1	00	04	19
			10/2	00	06	63
		126	18	00	02	01
			19	00	01	08
			21	00	12	46
			22	00	11	15
			23	00	03	30
		127	1	00	04	14
		128	4	00	00	10
			5	00	11	52
			6	00	03	31

तहसील: बावल		जिला: रेवाड़ी		राज्य: हरियाणा			
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	श्रेत्रफल			
				हेक्टेयर	एयर	वर्गमीटर	
4. सांजरपूर	16	1	25/2	00	00	10	
			2	12	00	03	18
		2	18/2	00	01	20	
			19	00	13	39	
			20	00	01	14	
			76	00	00	92	
			21/1	00	04	23	
			21/2	00	02	00	
			21/3	00	06	77	
			22	00	00	54	
			6	1	00	03	81
				7	5	00	10
			7	6/1	00	08	44
				6/2	00	00	10
				7/1	00	02	51
				7/2	00	03	08
				14/1	00	09	39
				14/2	00	04	69
				17/1	00	00	42
				18/1	00	06	61
		18/2		00	01	15	
		23/1		00	00	10	
5. आसरा का माजरा	15	3	8	00	09	90	
			9	00	00	10	
			12	00	12	12	
			13	00	03	06	
			19	00	05	02	
			20	00	10	16	
			21	00	06	98	
			4	25	00	07	68
		8	4	00	03	78	
			5	00	10	58	

तहसील: बावल		जिला: रेवाड़ी		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुखतिल संख्या	खसरा/किला संख्या	ब्रेनफल		
				हेक्टेयर	एयर	वर्गमीटर
5. आसरा का माजरा (जारी...)	15	8	6/1	00	00	10
			7	00	13	61
			8	00	00	76
			12/2	00	00	10
			13	00	13	50
			14/1	00	00	87
			18	00	04	01
			19	00	10	37
			21	00	06	47
			22	00	07	89
		15	1	00	12	27
			10	00	00	10
			5/1	00	00	70
		16	5/2	00	01	60
			6	00	14	15
			7	00	00	35
		19	14	00	13	13
			15	00	01	46
			17	00	04	44
			18	00	10	14
			144	00	01	20
			88	00	01	70
			22	00	05	04
			23	00	06	70
			6/2	00	02	72
			14	00	00	29
			15	00	13	97
			16	00	01	59
			17/1	00	04	74
			17/2	00	05	46
			55	00	01	83
			23	00	08	84

171

तहसील: बावल		जिला: रेवाड़ी		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुखतिल संख्या	खसरा/किला संख्या	क्षेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
5. आसरा का माजरा (जारी...)	15	19	24	00	06	08
			1	00	06	90
			2	00	07	30
			10	00	11	42
			11	00	00	10
		30	2/2	00	03	61
			3/1	00	03	04
			3/2	00	07	07
			8	00	00	10
			9	00	13	61
			10	00	00	10
			11	00	11	43
			12	00	02	27
			20/1	00	04	57
			148	00	00	72
			20/2	00	00	35
			20/3	00	02	71
		31	16	00	05	71
			24	00	00	78
			25/1	00	08	88
			25/2	00	04	04
		34	4	00	12	84
			5/1	00	00	87
			7/1	00	00	10
			7/2	00	05	89
			8	00	07	82
			12	00	00	10
			13	00	09	27
		25	18	00	04	15
			22	00	13	58
		29	15	00	09	69
			16/2	00	08	77
6. भैरामपुर भड़व्ही	9	25				

तहसील: बावल		जिला: रेवाड़ी		सब: हरियाणा		
मौज का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
6. भैरामपुर भइजी (जारी...)	9	29	17/1	00	05	50
			17/2	00	00	10
			23	00	00	66
			24/1	00	08	89
			24/2	00	01	60
			24/3	00	02	16
			173	00	00	90
		30	1	00	01	56
			2	00	12	20
			9	00	00	33
			10	00	13	43
			11	00	04	47
		32	2	00	00	10
			3	00	13	92
			4	00	00	29
			8	00	02	90
			9	00	11	22
			172	00	01	20
			187	00	00	20
			11	00	06	23
			12	00	06	76
			20	00	11	60
		33	21	00	00	10
			16/2	00	02	62
			24	00	00	10
			25	00	14	02
		36	4	00	07	22
			189	00	00	80
			5	00	06	08
			7	00	10	32
			8	00	03	89
			12/1	00	00	10

तहसील: बावल		जिला: रेवाड़ी		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
6. भैरामपुर भड़्वाणी (जारी...)	9	36	12/2	00	00	61
			13	00	13	60
			18	00	01	06
			19	00	13	15
			21	00	09	42
			22	00	04	79
		38	1	00	09	24
		39	5	00	00	50
7. मोहमन्दपुर	12	2	15	00	02	78
			16	00	12	84
			17/1	00	02	06
			17/2	00	00	67
			23/2	00	01	78
			24	00	13	78
			25	00	00	10
		11	15/2	00	00	42
			16	00	14	32
			17	00	00	24
			23/2	00	00	13
			24/1	00	01	45
			24/2	00	12	64
			25	00	01	69
		12	2	00	00	58
			3	00	14	52
			4	00	00	78
			8	00	01	08
			9	00	14	43
			10	00	00	36
			11	00	14	24
			12	00	01	44
			20	00	01	84
		14	2	00	00	10



तहसील: बावल		जिला: रेवाड़ी		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुखतिल संख्या	खसरा/किला संख्या	क्षेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
7. मोहम्मदपुर (जारी...)	12	14	3	00	13	96
			4/1	00	01	37
			4/2	00	00	10
			8	00	02	55
			9	00	12	90
			52	00	02	10
			11/1/2	00	03	19
			11/2	00	05	86
			12	00	03	92
			20/2	00	05	28
		15	16	00	11	37
			24/1	00	09	37
			24/2	00	02	03
			25	00	04	81
			313	00	01	20
	21	21	16	00	09	44
			24/1	00	00	28
			24/2	00	06	37
			25/1	00	01	75
			309/1	00	00	95
			26	00	08	03
		22	3/2	00	01	20
			3/3	00	04	90
			3/4	00	05	70
			4	00	04	40
			8	00	04	30
			9	00	11	11
	28	28	11	00	11	87
			12/1	00	04	34
			20	00	04	31
			3/2/1	00	08	12
			4/1/1	00	07	83

तहसील: बावल		जिला: रेवाड़ी		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	क्षेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
7. मोहम्मदपुर (जारी...)	12	28	4/1/2	00	00	10
			8/2/1	00	08	24
			309/3	00	01	00
			9	00	06	92
			11	00	06	08
			12/1	00	08	29
			53	00	01	33
			20	00	08	96
		29	16	00	05	57
			311	00	00	80
			24	00	04	58
			25	00	10	71
		32	3	00	05	50
			4	00	11	50
			8	00	04	80
			11	00	06	89
		20	86	00	01	10
			16	00	02	61
		21	15/3	00	02	79
			16	00	13	39
			17	00	01	57
			345	00	00	87
		22	23	00	01	75
			24	00	14	01
			25	00	00	10
			2	00	04	02
			3	00	02	96
			9	00	12	45
			10/1	00	03	19
			10/2	00	00	20
8. नैचाना	1	19	11/1	00	09	00
			11/2	00	01	32

तहसील: बावल		जिला: रेवाड़ी		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
8. नैचाबा (जारी...)	1	22	11/3	00	02	78
			20/2	00	00	10
			36	00	00	91
			2	00	14	34
			3	00	00	21
			4	00	00	72
			8	00	12	03
			9	00	01	50
			87	00	01	24
			10	00	03	77
			11/1	00	10	15
			11/2	00	01	50
			12	00	02	60
			20/2	00	00	10
			37	00	02	60
			15	00	07	82
			16	00	00	36
9. सुलखा	2	60	17/1	00	07	17
			17/2	00	03	07
			23	00	02	07
			24/1	00	00	37
			24/2	00	03	67
			24/3	00	04	42
			24/3	00	08	24
			85	00	03	33
			15	00	02	99
			16/1	00	13	00
			16/2	00	00	10
			17	00	05	25
			23	00	10	14
			24	00	06	92
			25	00	04	38
			86	00		
			2	00		
			3	00		
			9/1	00		
			9/2	00		

तहसील: बावल		जिला: रेवाड़ी		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुखतिल संख्या	असरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
9. सुलखा (जारी...)	2	86	10	00	04	42
			11	00	12	14
			20	00	00	10
		88	2	00	02	67
			3	00	13	31
			4/1	00	00	10
			8	00	00	10
			9	00	13	66
			10	00	02	37
			11/1	00	04	53
			164	00	00	62
			11/2	00	08	65
			12	00	00	10
			20	00	00	10
		89	15	00	02	05
			16	00	14	50
			17	00	01	48
			23	00	01	00
			24	00	14	42
			25	00	00	33
		103	15	00	03	12
			16	00	12	33
			17	00	04	16
			22	00	00	10
			23	00	01	84
			24	00	11	75
			174	00	04	32
		104	2	00	00	75
			3	00	15	90
			8	00	00	88
			9	00	14	57
			10	00	01	21

तहसील: बावल		जिला: रेवाड़ी		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	क्षेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
9. सुलखा (जारी...)	2	104	11	00	04	88
			12	00	00	50
		105	2	00	01	05
			3	00	08	51

[फा. सं. आर-31015/34/2004-ओ.आर-II]

हरीश कुमार, अवर सचिव

New Delhi, the 5th November, 2004

S. O. 2915.— Whereas it appears to the Central Government that it is necessary in the public interest that for the transportation of petroleum products from Mundra (Gujarat) to Delhi, a pipeline should be laid by Hindustan Petroleum Corporation Limited;

And whereas it appears to the Central Government that for the purpose of laying such pipeline, it is necessary to acquire the right of user in land under which the said pipeline is proposed to be laid and which is described in the Schedule annexed hereto;

Now, therefore, in exercise of powers conferred by sub-section (1) of section 3 of the Petroleum and Minerals Pipelines (Acquisition of Right of User in Land) Act, 1962 (50 of 1962), the Central Government hereby declares its intention to acquire the right of user therein;

Any person, interested in the land described in the said Schedule may, within twenty one days from the date on which copies of the Gazette of India containing this notification are made available to the public, object in writing to the acquisition of the right of user therein for laying of the pipeline under the land to Shri Ram Karan Sharma, Competent Authority, Mundra-Delhi Petroleum Product Pipeline, Hindustan Petroleum Corporation Limited, H. No.1418, Sector-6, Bahadurgarh 124507, District: Jhajjar (Haryana).

### SCHEDULE

Tehsil : BAWAL		District : REWARI		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
1. KHANDEWRA	50	17	4	00	09	98
			5	00	02	77
			7	00	09	50
			8	00	04	24

Tehsil :BAWAL		District : REWARI		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
1. KHANDEWRA (Contd...)			12	00	00	25
			13	00	13	49
			18	00	01	75
			19	00	11	99
			21	00	06	49
			22	00	07	24
		37	5	00	05	70
			6	00	12	39
			7	00	05	18
			90	00	03	71
			13/2	00	00	22
			14	00	08	04
			17	00	01	45
			18	00	12	71
			22	00	09	31
			23	00	05	16
		38	1	00	11	26
		42	1	00	05	68
			2	00	08	79
			10	00	12	30
			11	00	00	10
		43	6/1	00	01	30
			6/2	00	00	34
			14/2	00	00	78
			15	00	14	39
	50	43	16	00	00	83
			17	00	14	36
			53	00	01	25
			18	00	00	10
			22/2	00	00	10
			23/1	00	10	49
			23/2	00	02	17
			24	00	01	72

Tehsil : BAWAL		District : REWARI		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
2. MOHANPUR (Contd...)		61	15	00	06	24
			16	00	12	73
			17	00	00	89
			94	00	02	12
			24/2	00	12	00
		62	25/1	00	00	52
			25/2	00	00	46
			2	00	10	13
			3	00	05	30
			9	00	06	74
		69	10	00	08	69
			11/1	00	06	89
			3	00	07	61
			4	00	06	02
			8	00	11	89
2. MOHANPUR	20	2	9	00	01	73
			12	00	13	63
			19	00	04	65
			20	00	05	20
			15	00	05	23
		2	16	00	12	74
			17	00	01	63
			23/2	00	00	10
			24	00	14	05
			25	00	00	27
	20	3	11	00	07	20
			289	00	03	52
			3	00	11	95
			4	00	01	30
			8	00	06	48
2. MOHANPUR	20	5	9	00	06	77
			11	00	02	70
			12/1	00	07	01
			12/2	00	04	30

Tehsil :BAWAL		District : REWARI		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
2. MOHANPUR (Contd...)			19	00	00	10
			20	00	13	40
			21	00	02	20
		6	25/1	00	07	60
			25/2	00	02	82
			17	00	00	76
		8	18	00	04	92
			23	00	02	31
			24	00	11	39
		9	52	00	03	68
			25	00	08	16
			4	00	06	20
			5/1	00	07	05
			7	00	11	81
			8	00	02	21
			12	00	00	10
			13	00	13	89
			14	00	00	10
			18	00	02	78
			19	00	11	24
			21	00	12	31
			22	00	07	41
	20	14	1	00	00	73
			5/1	00	03	19
			10	00	00	38
3. TANKRI	48	101	5/1	00	00	40
			5/2	00	03	32
			6	00	13	65
			7	00	00	37
			14	00	12	57
			15	00	01	45
			17	00	05	95
			18	00	08	07
			22	00	02	15
		102				



[भाग II—खण्ड 3(II)]

Tehsil :BAWAL		District : REWARI		State : HARYANA					
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area					
				Hectare	Are	Square Metre			
3. TANKRI (Contd.)		118	23	00	10	70			
			316	00	01	16			
			1/2/2	00	00	10			
			2/1	00	13	65			
			2/2	00	00	15			
			3/1	00	00	15			
			3/2	00	00	10			
			9/1	00	02	33			
			9/4	00	00	51			
			10/1	00	04	19			
			10/2	00	06	63			
			126	18	00	02	01		
			19	00	01	08			
			21	00	12	46			
			22	00	11	15			
			23	00	03	30			
			127	1	00	04	14		
			128	4	00	00	10		
			5	00	11	52			
			6	00	03	31			
			4. SANJARPUR	16	1	25/2	00	00	10
						2	12	00	03
					18/2	00	01	20	
19	00	13			39				
20	00	01			14				
76	00	00			92				
21/1	00	04			23				
21/2	00	02			00				
21/3	00	06			77				
22	00	00			54				
6	1	00			03	81			
7	5	00			10	27			
6/1	00	08			44				
6/2	00	00			10				

Tehsil :BAWAL		District : REWARI		State : HARYANA		
Name of Villags	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
4. SANJAR PUR (20 1-1)			7/1	00	02	51
			7/2	00	03	08
			14/1	00	09	39
			14/2	00	04	69
			17/1	00	00	42
			18/1	00	06	61
			18/2	00	01	15
			23/1	00	00	10
5. ASRA KA MAJRA	15	3	8	00	09	90
			9	00	00	10
			12	00	12	12
			13	00	03	06
			19	00	05	02
			20	00	10	16
			21	00	06	98
		4	25	00	07	68
		8	4	00	03	78
			5	00	10	58
	15	8	6/1	00	00	10
			7	00	13	61
			8	00	00	76
			12/2	00	00	10
			13	00	13	50
			14/1	00	00	87
			18	00	04	01
			19	00	10	37
			21	00	06	47
			22	00	07	89
		15	1	00	12	27
			10	00	00	10
		16	5/1	00	00	70
			5/2	00	01	60
			6	00	14	15
			7	00	00	35

Tehsil :BAWAL		District : REWARI		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
5. ASRA KA MAJRA (Contd...)		19	14	00	13	13
			15	00	01	46
			17	00	04	44
			18	00	10	14
			144	00	01	20
			88	00	01	70
			22	00	05	04
			23	00	06	70
			6/2	00	02	72
			14	00	00	29
			15	00	13	97
			16	00	01	59
			17/1	00	04	74
			17/2	00	05	46
			55	00	01	83
			23	00	08	84
	15	19	24	00	06	08
			1	00	06	90
		20	2	00	07	30
			10	00	11	42
		30	11	00	00	10
			2/2	00	03	61
			3/1	00	03	04
			3/2	00	07	07
			8	00	00	10
			9	00	13	61
			10	00	00	10
			11	00	11	43
			12	00	02	27
			20/1	00	04	57
			148	00	00	72
			20/2	00	00	35
			20/3	00	02	71

Tehsil :BAWAL		District : REWARI		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
5. ASRA KA MAJRA (Contd...)		31	16	00	05	71
			24	00	00	78
			25/1	00	08	88
			25/2	00	04	04
		34	4	00	12	84
			5/1	00	00	87
			7/1	00	00	10
			7/2	00	05	89
			8	00	07	82
			12	00	00	10
			13	00	09	27
			18	00	04	15
			22	00	13	58
			15	00	09	69
			16/2	00	08	77
			17/1	00	05	50
6. BEHRAMPUR BHARANGI	9	25	17/2	00	00	10
			23	00	00	66
			24/1	00	08	89
			24/2	00	01	60
			24/3	00	02	16
			173	00	00	90
			1	00	01	56
			2	00	12	20
			9	00	00	33
	9	29	10	00	13	43
			11	00	04	47
			2	00	00	10
			3	00	13	92
			4	00	00	29
			8	00	02	90
			9	00	11	22
			172	00	01	20
			187	00	00	20
		30	2	00	00	10
			3	00	13	92
			4	00	00	29
			8	00	02	90
			9	00	11	22
			172	00	01	20
		32	187	00	00	20

Tehsil :BAWAL		District : REWARI		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
6. BEHRAMPUR BHARANGI (Contd..)			11	00	06	23
			12	00	06	76
			20	00	11	60
			21	00	00	10
		33	16/2	00	02	62
			24	00	00	10
			25	00	14	02
		36	4	00	07	22
			189	00	00	80
			5	00	06	08
		9	7	00	10	32
			8	00	03	89
			12/1	00	00	10
			12/2	00	00	61
			13	00	13	60
			18	00	01	06
			19	00	13	15
			21	00	09	42
			22	00	04	79
			38	00	09	24
			39	00	00	50
	12	2	15	00	02	78
			16	00	12	84
			17/1	00	02	06
		11	17/2	00	00	67
			23/2	00	01	78
			24	00	13	78
			25	00	00	10
			15/2	00	00	42
			16	00	14	32
			17	00	00	24
			23/2	00	00	13
			24/1	00	01	45
			24/2	00	12	64
			25	00	01	69

Tehsil :BAWAL		District : REWARI		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
7. MOHAMADPUR (Contd...)		12	2	00	00	58
			3	00	14	52
			4	00	00	78
			8	00	01	08
			9	00	14	43
			10	00	00	36
			11	00	14	24
			12	00	01	44
			20	00	01	84
			12	14	2	00
	14	3		00	13	96
		4/1		00	01	37
		4/2		00	00	10
		8		00	02	55
		9		00	12	90
		52		00	02	10
		11/1/2		00	03	19
		11/2		00	05	86
		12		00	03	92
		20/2	00	05	28	
		15	16	00	11	37
			24/1	00	09	37
			24/2	00	02	03
			25	00	04	81
		21	313	00	01	20
			16	00	09	44
			24/1	00	00	28
			24/2	00	06	37
			25/1	00	01	75
	309/1		00	00	95	
	26		00	08	03	
	22		3/2	00	01	20
		3/3	00	04	90	

Tehsil : BAWAL		District : REWARI		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
7. MOHAMADPUR (Contd...)	12	28	3/4	00	05	70
			4	00	04	40
			8	00	04	30
			9	00	11	11
			11	00	11	87
			12/1	00	04	34
			20	00	04	31
			3/2/1	00	08	12
			4/1/1	00	07	83
			4/1/2	00	00	10
			8/2/1	00	08	24
			309/3	00	01	00
			9	00	06	92
			11	00	06	08
			12/1	00	08	29
			53	00	01	33
			20	00	08	96
			16	00	05	57
			311	00	00	80
			24	00	04	58
			25	00	10	71
			3	00	05	50
			4	00	11	50
			8	00	04	80
			11	00	06	89
			86	00	01	10
			16	00	02	61
			15/3	00	02	79
			16	00	13	39
			17	00	01	57
			345	00	00	87
			23	00	01	75
			24	00	14	01
8. NECHANA	1	19	11	00	06	89
			86	00	01	10
			16	00	02	61
			15/3	00	02	79
		20	16	00	02	61
			15/3	00	02	79
			16	00	13	39
			17	00	01	57
		21	345	00	00	87
			23	00	01	75
			24	00	14	01

Tehsil :BAWAL		District : REWARI		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
8. NECHANA (Contd...)	1	22	25	00	00	10
			2	00	04	02
			3	00	02	96
			9	00	12	45
			10/1	00	03	19
			10/2	00	00	20
			11/1	00	09	00
			11/2	00	01	32
			11/3	00	02	78
			20/2	00	00	10
		36	2	00	00	91
			3	00	14	34
			4	00	00	21
			8	00	00	72
			9	00	12	03
			87	00	01	50
			10	00	01	24
			11/1	00	03	77
			11/2	00	10	15
			12	00	01	50
			20/2	00	02	60
		37	15	00	00	10
			16	00	02	60
9. SULKHA	2	60	17/1	00	07	82
			17/2	00	00	36
			23	00	07	17
			24/1	00	03	07
			24/2	00	02	07
			24/3	00	00	37
		85	15	00	03	67
			16/1	00	04	42
			16/2	00	08	24
			17	00	03	33
			23	00	02	99



Tehsil :BAWAL		District : REWARI		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
9. SULKHA (Contd...)	2	86	24	00	13	00
			25	00	00	10
			2	00	05	25
			3	00	10	14
			9/1	00	06	92
			9/2	00	04	38
			10	00	04	42
			11	00	12	14
			20	00	00	10
		88	2	00	02	67
			3	00	13	31
			4/1	00	00	10
			8	00	00	10
			9	00	13	66
			10	00	02	37
			11/1	00	04	53
			164	00	00	62
			11/2	00	08	65
			12	00	00	10
			20	00	00	10
		89	15	00	02	05
			16	00	14	50
			17	00	01	48
			23	00	01	00
			24	00	14	42
			25	00	00	33
		103	15	00	03	12
			16	00	12	33
			17	00	04	16
			22	00	00	10
			23	00	01	84
			24	00	11	75
			174	00	04	32

Tehsil :BAWAL		District : REWARI		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
9. SULKHA (Contd...)	2	104	2	00	00	75
			3	00	15	90
			8	00	00	88
			9	00	14	57
			10	00	01	21
		104	11	00	04	88
			12	00	00	50
			105	00	01	05
		105	2	00	01	05
			3	00	08	51

[No. R-31015/34/2004-O.R.-II]  
HARISH KUMAR, Under Secy.

नई दिल्ली, 5 नवम्बर, 2004

का. आ. 2916.— केन्द्रीय सरकार को लोकहित में यह आवश्यक प्रतीत होता है कि मुन्दा (गुजरात) से दिल्ली तक पेट्रोलियम उत्पादों के परिवहन के लिए हिन्दुस्तान पेट्रोलियम कॉर्पोरेशन लिमिटेड द्वारा एक पाइपलाइन बिछाई जानी चाहिए;

और केन्द्रीय सरकार को ऐसी पाइपलाइन बिछाने के प्रयोजन के लिए यह आवश्यक प्रतीत होता है कि ऐसी भूमि में, जो इससे उपाबद्ध अनुसूची में वर्णित है, जिसमें उक्त पाइपलाइन बिछाए जाने का प्रस्ताव है, उपयोग के अधिकार का अर्जन किया जाए;

अतः अब, केन्द्रीय सरकार, पेट्रोलियम और खनिज पाइपलाइन (भूमि में उपयोग के अधिकार का अर्जन) अधिनियम, 1962 (1962 का 50) की धारा 3 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, उस भूमि में उपयोग के अधिकार का अर्जन करने के अपने आशय की घोषणा करती है;

कोई व्यक्ति, जो उक्त अनुसूची में वर्णित भूमि में हितबद्ध है, उस तारीख से जिसको इस अधिसूचना से युक्त भारत के राजपत्र की प्रतियाँ साधारण जनता को उपलब्ध करा दी जाती हैं, इक्कीस दिन के भीतर भूमि के नीचे पाइपलाइन बिछाए जाने के लिए उसमें उपयोग के अधिकार के अर्जन के सम्बन्ध में श्री राम करण शर्मा, सक्षम प्राधिकारी, हिन्दुस्तान पेट्रोलियम कॉर्पोरेशन लिमिटेड, मकान संख्या 1418, सेक्टर - 6, बहादुर गढ़ 124507, जिला झज्जर (हरियाणा) को लिखित रूप में आक्षेप भेज सकेगा।

## अनुसूची

तहसील: फठखनगर		जिला: गुड़गाँव		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	असरा/किला संख्या	क्षेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
1. फरीदपुर	15	6	12	00	04	21
			19	00	11	26
			22	00	11	26
			1	00	04	15
			2	00	06	60
			9	00	00	53
			10	00	10	50
			11	00	11	06
		8	20	00	11	06
			21	00	09	50
			1	00	00	10
			8	00	00	39
			9	00	08	07
			12	00	11	27
			19	00	11	27
2. कारोला	14	15	21	00	03	38
			22	00	07	76
			1	00	10	76
			2	00	00	34
			177	00	00	60
			10	00	10	49
			11	00	11	10
		27	20	00	10	55
			21	00	03	70
			141	00	04	20
			25/2	00	02	78
			5	00	08	70
		28	89	00	00	60
			6	00	12	11
			15/1	00	02	77
			15/2	00	00	10
		43				

तहसील: फरुखनगर		जिला: गुड़गाँव		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	असरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
2. कारोला (जारी...)	14	43	112	00	07	04
			127	00	01	50
			16	00	08	58
			17	00	02	53
			24	00	10	13
			25	00	01	01
		44	1	00	00	10
		50	4	00	11	10
			7/1	00	01	30
			7/2	00	09	80
			13/2/1	00	00	25
			13/2/2	00	01	30
			13/2/3	00	00	95
			114/1	00	28	27
			114/2	00	00	20
			14/1	00	04	22
			14/2	00	03	24
			14/3	00	01	36
			17	00	01	02
			18/1	00	04	06
			18/2	00	00	72
			23/1	00	00	63
			23/2	00	00	10
			145	00	00	90
		65	8	00	07	88
			9	00	00	85
			12	00	08	07
			13	00	03	02
			19/1	00	09	23
			130	00	01	60
			19/2	00	00	42

तहसील: फरुखनगर		जिला: मुड़गाँव		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
2. कारोला (जारी...)	14	65	22/1	00	01	05
			22/2	00	09	89
		72	1	00	00	10
			2	00	11	23
			9	00	06	52
			10	00	04	71
			11/2	00	11	13
			12	00	00	10
			20/1/1	00	06	29
			20/1/2	00	01	77
			131	00	02	22
			20/2/1	00	00	87
			20/2/2	00	00	20
			21/1/1	00	10	10
			21/1/2	00	00	90
		73	26	00	00	10
		85	5/2	00	05	56
			6/1	00	11	17
			6/2	00	00	10
			15	00	09	67
			134	00	01	50
			16	00	11	14
			17	00	00	10
			24	00	06	40
			25	00	04	50
		86	199/1	00	00	40
			199/2	00	00	10
			1/1	00	04	90
			10	00	00	10
		91	4	00	11	17
			7	00	11	17

तहसील: फठस्रनगर		जिला: गुड़गाँव		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
2. कारोला (जारी...)	14	91	13	00	00	39
			14	00	10	77
			17	00	03	73
			18	00	07	40
			23	00	11	15
		98	3	00	11	17
			8	00	11	57
			9	00	00	10
			12	00	00	10
3. राजूपुर	23	8	38	00	08	04
			9	00	03	07
			90	00	01	50
			24	00	01	58
			12/1	00	08	80
			12/2	00	02	48
			19	00	11	06
			21/1	00	01	77
			22	00	09	50
		15	1	00	08	82
			2/1	00	01	48
			2/2	00	00	10
			10	00	11	29
			11/1	00	05	64
			11/2	00	05	64
			20	00	06	66
			21	00	00	10
		16	16	00	04	63
			25	00	11	43
4. गुगाना	4	120	19	00	07	04
			20	00	02	09
			83	00	02	86

तहसील: फठखनगर		जिला: मुड़गाँव		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
4. गुगाना (जारी...)	4	20	21	00	01	80
			22	00	06	60
			23	00	11	10
			10	00	11	10
			11	00	08	20
			20	00	00	39
			24	00	03	10
			16	00	10	91
			25	00	11	10
			39	00	11	10
			5	00	06	91
			6/1	00	00	15
			6/2	00	02	03
			7/1	00	00	16
			7/2	00	01	80
			73	00	00	21
			14/1	00	10	16
			14/2	00	00	10
			15/1	00	00	62
			15/2	00	11	10
			17	00	11	10
			24	00	00	17
			43	00	10	92
			3	00	05	06
			4	00	06	30
			7	00	10	99
			8	00	11	10
			13	00	11	10
			14/1	00	01	05
			18	00	09	78
			23	00		
			60	00		
			2	00		
			3	00		

तहसील: फरुखनगर		जिला: मुझगाँव		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
5. बिरहेड़ा	5	6	4	00	04	16
			7	00	11	19
			14/2	00	11	19
			17	00	10	34
			18	00	00	84
			23	00	07	65
			24	00	02	60
			23/2	00	00	90
		14	3	00	11	19
			8/1	00	05	61
			8/2/1	00	00	61
			8/2/2	00	01	55
			8/2/3	00	03	41
			12	00	00	44
			13	00	10	74
			18/1/1	00	03	46
			19	00	07	73
			22	00	11	19
		16	2	00	11	13
			9/1	00	10	41
			9/2	00	00	32
			26	00	00	11
			10	00	00	39
			11/2	00	02	26
			11/3	00	04	24
			12	00	04	02
			20/1	00	01	83
			20/2	00	09	55
			21	00	10	75
			18/25/3/1	00	00	70
	24		5	00	02	33



तहसील: फरुखनगर		जिला: गुड़गाँव		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	क्षेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
5. बिरहेड़ा (जारी...)	5	24	6	00	10	78
			15	00	11	39
			16	00	10	18
			17	00	00	59
			24	00	09	02
			25	00	02	37
		25	1/1	00	08	07
			1/2	00	00	98
			10/3	00	00	61
		27	4	00	11	39
			7	00	11	25
			8	00	00	10
			13	00	06	58
			14	00	04	81
			18	00	11	39
			23	00	11	39
		31	2/2	00	01	08
			3	00	06	42
			9	00	01	39
6. जराउ	2	16	11	00	03	58
			20	00	00	10
			16	00	03	14
7. मुशेदपुर	6	1	25	00	11	31
			10	00	05	46
			11	00	11	55
		2	20	00	08	40
			21/1	00	00	19
			5	00	06	95
		8	6	00	11	51
			14	00	11	39
			15/2	00	00	17

तहसील: फरुखनगर		ज़िला: मुड़गाँव		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
7. मुशेदपुर (जारी...)	6	8	17	00	11	56
			23	00	04	08
			24	00	07	47
		9	3	00	11	45
			4/1	00	00	10
			8	00	11	18
			11/1	00	00	31
			12	00	03	57
			13	00	07	85
			18	00	00	10
			19	00	10	90
			20	00	00	23
			21	00	00	10
			22	00	10	99
			23	00	00	35
			18/25/2	00	00	72
		18	1	00	08	20
			2	00	03	69
			10	00	11	88
			11	00	08	51
			20	00	00	10
		19	15/2	00	02	24
			15/3	00	01	14
			16	00	11	85
			24	00	00	43
			25/1	00	11	37
			25/2	00	00	10
		20	4/1	00	00	10
			4/2	00	09	27
			5/1	00	01	97
			5/2	00	00	40

तहसील: फरुखनगर		ज़िला: मुझाँव		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	असरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
7. मुशेदपुर (जारी...)	6	20	7	00	11	90
			12/2	00	05	40
			13	00	09	57
			14	00	06	42
			18	00	03	53
			22/1	00	00	10
			22/2	00	01	38
			23	00	10	51
		32	2/1	00	05	69
			29	00	02	00
			2/2	00	02	76
			3	00	01	38
			9	00	11	90
			13/1	00	00	65
			12	00	04	76
		33	11/1	00	06	48
			20	00	11	90
			21	00	09	85
			25	00	02	05
		34	5/1	00	01	14
			5/2	00	09	31
			6/1	00	02	14
			6/2	00	08	95
			15/1	00	07	56
			15/2	00	02	25
			16/1	00	10	46
			16/2	00	01	91
			17/2	00	00	15
			24	00	06	44
			25	00	04	66
		35	1	00	00	62

तहसील: फरुखनगर		जिला: मुहम्मदगढ़		राज्य: हरियाणा		
गाँव का नाम	हदबस्त संख्या	मुसतिल संख्या	खसरा/किला संख्या	श्रेत्रफल		
				हेक्टेयर	एयर	वर्गमीटर
7. मुशेदपुर (जारी...)	6	45	4	00	04	97
			5	00	00	10

[फा. सं. आर-31015/35/2004-ओ.आर-II]

हरीश कुमार, अवर सचिव

New Delhi, the 5th November, 2004

S. O. 2916.— Whereas it appears to the Central Government that it is necessary in the public interest that for the transportation of petroleum products from Mundra (Gujarat) to Delhi, a pipeline should be laid by Hindustan Petroleum Corporation Limited;

And whereas it appears to the Central Government that for the purpose of laying such pipeline, it is necessary to acquire the right of user in land under which the said pipeline is proposed to be laid and which is described in the Schedule annexed hereto;

Now, therefore, in exercise of powers conferred by sub-section (1) of section 3 of the Petroleum and Minerals Pipelines (Acquisition of Right of User in Land) Act, 1962 (50 of 1962), the Central Government hereby declares its intention to acquire the right of user therein;

Any person, interested in the land described in the said Schedule may, within twenty one days from the date on which copies of the Gazette of India containing this notification are made available to the public, object in writing to the acquisition of the right of user therein for laying of the pipeline under the land to Shri Ram Karan Sharma, Competent Authority, Mundra-Delhi Petroleum Product Pipeline, Hindustan Petroleum Corporation Limited, H. No.1418, Sector-6, Bahadurgarh 124507, District: Jhajjar (Haryana).

**SCHEDULE**

Tehsil : FARUK NAGAR		District : GURGAON		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
1. FARIDPUR	15	6	12	00	04	21
			19	00	11	26
			22	00	11	26
			1	00	04	15
			2	00	06	60
			9	00	00	53
		8				

Tehsil : FARUK NAGAR		District : GURGAON		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
1. FARID PUR (contd.)			10	00	10	50
			11	00	11	06
			20	00	11	06
			21	00	09	50
2. KAROLA	14	15	1	00	00	10
		20	8	00	00	39
			9	00	08	07
			12	00	11	27
			19	00	11	27
			21	00	03	38
			22	00	07	76
		27	1	00	10	76
			2	00	00	34
			177	00	00	60
			10	00	10	49
			11	00	11	10
			20	00	10	55
			21	00	03	70
		28	141	00	04	20
			25/2	00	02	78
			5	00	08	70
			89	00	00	60
			6	00	12	11
			15/1	00	02	77
	14	43	15/2	00	00	10
			112	00	07	04
			127	00	01	50
			16	00	08	58
			17	00	02	53
			24	00	10	13
			25	00	01	01
		44	1	00	00	10
		50	4	00	11	10
			7/1	00	01	30

Tehsil : FARUK NAGAR		District : GURGAON		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
2. KAROLA (Contd...)			7/2	00	09	80
			13/2/1	00	00	25
			13/2/2	00	01	30
			13/2/3	00	00	95
			114/1	00	28	27
			114/2	00	00	20
			14/1	00	04	22
			14/2	00	03	24
			14/3	00	01	36
			17	00	01	02
			18/1	00	04	06
			18/2	00	00	72
			23/1	00	00	63
			23/2	00	00	10
			145	00	00	90
		65	8	00	07	88
			9	00	00	85
			12	00	08	07
			13	00	03	02
			19/1	00	09	23
			130	00	01	60
			19/2	00	00	42
	14	65	22/1	00	01	05
			22/2	00	09	89
		72	1	00	00	10
			2	00	11	23
			9	00	06	52
			10	00	04	71
			11/2	00	11	13
			12	00	00	10
			20/1/1	00	06	29
			20/1/2	00	01	77

Tehsil : FARUK NAGAR			District : GURGAON		State : HARYANA	
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
2. KAROLA (Contd...)			131	00	02	22
			20/2/1	00	00	87
			20/2/2	00	00	20
			21/1/1	00	10	10
			21/1/2	00	00	90
		73	26	00	00	10
		85	5/2	00	05	56
			6/1	00	11	17
			6/2	00	00	10
			15	00	09	67
			134	00	01	50
			16	00	11	14
			17	00	00	10
			24	00	06	40
			25	00	04	50
		86	199/1	00	00	40
			199/2	00	00	10
			1/1	00	04	90
			10	00	00	10
		91	4	00	11	17
			7	00	11	17
	14	91	13	00	00	39
			14	00	10	77
			17	00	03	73
			18	00	07	40
			23	00	11	15
		98	3	00	11	17
			8	00	11	57
			9	00	00	10
			12	00	00	10
3. RAJUPUR	23	8	38	00	08	04
			9	00	03	07

Tehsil : FARUK NAGAR		District : GURGAON		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
3. RAJUPUR (contd.)			90	00	01	50
			24	00	01	58
			12/1	00	08	80
			12/2	00	02	48
			19	00	11	06
			21/1	00	01	77
			22	00	09	50
		15	1	00	08	82
			2/1	00	01	48
			2/2	00	00	10
			10	00	11	29
			11/1	00	05	64
			11/2	00	05	64
			20	00	06	66
			21	00	00	10
		16	16	00	04	63
			25	00	11	43
4. GUGANA	4	20	19	00	07	04
			20	00	02	09
			83	00	02	86
	4	20	21	00	01	80
			22	00	06	60
		23	1	00	11	10
			10	00	11	10
			11	00	08	20
		24	20	00	00	39
			15	00	03	10
			16	00	10	91
		39	25	00	11	10
			5	00	11	10
			6/1	00	06	91
			6/2	00	00	15
			7/1	00	02	03



Tehsil : FARUK NAGAR		District : GURGAON		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
4. GUGANA (Contd...)			7/2	00	00	16
			73	00	01	80
			14/1	00	00	21
			14/2	00	10	16
			15/1	00	00	10
			15/2	00	00	62
			17	00	11	10
			24	00	11	10
		43	3	00	00	17
			4	00	10	92
			7	00	05	06
			8	00	06	30
			13	00	10	99
			14/1	00	00	10
			18	00	11	10
			23	00	11	10
		60	2	00	01	05
			3	00	09	78
			4	00	04	16
			7	00	11	19
			14/2	00	11	19
			17	00	10	34
			18	00	00	84
			23	00	07	65
			24	00	02	60
			23/2	00	00	90
5. BIRHERA	5	6	3	00	11	19
			8/1	00	05	61
			8/2/1	00	00	61
			8/2/2	00	01	55
			8/2/3	00	03	41
			12	00	00	44
			13	00	10	74
		14				

Tehsil : FARUK NAGAR		District : GURGAON			State : HARYANA	
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
5. BIRHERA (Contd...)			18/1/1	00	03	46
			19	00	07	73
			22	00	11	19
		16	2	00	11	13
			9/1	00	10	41
			9/2	00	00	32
			26	00	00	11
			10	00	00	39
			11/2	00	02	26
			11/3	00	04	24
			12	00	04	02
			20/1	00	01	83
			20/2	00	09	55
			21	00	10	75
			18/25/3/1	00	00	70
		24	5	00	02	33
	5	24	6	00	10	78
			15	00	11	39
			16	00	10	18
			17	00	00	59
			24	00	09	02
			25	00	02	37
		25	1/1	00	08	07
			1/2	00	00	98
			10/3	00	00	61
		27	4	00	11	39
			7	00	11	25
			8	00	00	10
			13	00	06	58
			14	00	04	81
			18	00	11	39
			23	00	11	39
		31	2/2	00	01	08
			3	00	06	42

Tehsil : FARUK NAGAR		District : GURGAON		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
6. JARAU	2	16	9	00	01	39
			11	00	03	58
			20	00	00	10
7. MUSHIDPUR	6	1	16	00	03	14
			25	00	11	31
			10	00	05	46
		2	11	00	11	55
			20	00	08	40
			21/1	00	00	19
		8	5	00	06	95
			6	00	11	51
			14	00	11	39
		8	15/2	00	00	17
			17	00	11	56
			23	00	04	08
		9	24	00	07	47
			3	00	11	45
			4/1	00	00	10
		9	8	00	11	18
			11/1	00	00	31
			12	00	03	57
		9	13	00	07	85
			18	00	00	10
			19	00	10	90
		9	20	00	00	23
			21	00	00	10
			22	00	10	99
		18	23	00	00	35
			18/25/2	00	00	72
			1	00	08	20
		18	2	00	03	69
			10	00	11	88
			11	00	08	51

Tehsil : FARUK NAGAR		District : GURGAON		State : HARYANA		
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
7. MUSHIDPUR (Contd...)	6	19	20	00	00	10
			15/2	00	02	24
			15/3	00	01	14
			16	00	11	85
			24	00	00	43
		20	25/1	00	11	37
			25/2	00	00	10
			4/1	00	00	10
			4/2	00	09	27
			5/1	00	01	97
		20	5/2	00	00	40
			7	00	11	90
			12/2	00	05	40
			13	00	09	57
			14	00	06	42
			18	00	03	53
	32	32	22/1	00	00	10
			22/2	00	01	38
			23	00	10	51
			2/1	00	05	69
			29	00	02	00
			2/2	00	02	76
			3	00	01	38
			9	00	11	90
			13/1	00	00	65
			12	00	04	76
		33	11/1	00	06	48
			20	00	11	90
			21	00	09	85
		34	25	00	02	05
			5/1	00	01	14
			5/2	00	09	31
			6/1	00	02	14

Tehsil : FARUK NAGAR			District : GURGAON		State : HARYANA	
Name of Village	Hadbast No.	Mustil No.	Khasara / Killa No.	Area		
				Hectare	Are	Square Metre
7. MUSHIDPUR (Contd...)	6	35 45	6/2	00	08	95
			15/1	00	07	56
			15/2	00	02	25
			16/1	00	10	46
			16/2	00	01	91
			17/2	00	00	15
			24	00	06	44
			25	00	04	66
			1	00	00	62
			4	00	04	97
			5	00	00	10

[No. R-31015/35/2004-O.R.-II]  
HARISH KUMAR, Under Secy.

नई दिल्ली, 9 नवम्बर, 2004

का. आ. 2917.— केन्द्रीय सरकार को लोकहित में यह आवश्यक प्रतीत होता है कि मुन्दा (गुजरात) से दिल्ली तक पेट्रोलियम उत्पादों के परिवहन के लिए हिन्दुस्तान पेट्रोलियम कॉर्पोरेशन लिमिटेड द्वारा एक पाइपलाइन बिछाई जानी चाहिए;

और केन्द्रीय सरकार को ऐसी पाइपलाइन बिछाने के प्रयोजन के लिए यह आवश्यक प्रतीत होता है कि ऐसी भूमि में, जो इससे उपाबद्ध अनुसूची में वर्णित है, जिसमें उक्त पाइपलाइन बिछाए जाने का प्रस्ताव है, उपयोग के अधिकार का अर्जन किया जाए;

अतः अब, केन्द्रीय सरकार, पेट्रोलियम और खनिज पाइपलाइन (भूमि में उपयोग के अधिकार का अर्जन) अधिनियम, 1962 (1962 का 50) की धारा 3 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, उस भूमि में उपयोग के अधिकार का अर्जन करने के अपने आशय की घोषणा करती है;

कोई व्यक्ति, जो उक्त अनुसूची में वर्णित भूमि में हितबद्ध है, उस तारीख से जिसको इस अधिसूचना से युक्त भारत के राजपत्र की प्रतियाँ साधारण जनता को उपलब्ध करा दी जाती है, इक्कीस दिन के भीतर भूमि के नीचे पाइपलाइन बिछाए जाने के लिए उसमें उपयोग के अधिकार के अर्जन के सम्बन्ध में श्री शिवदत्त गौड़, सक्षम प्राधिकारी, मुन्दा-दिल्ली पेट्रोलियम उत्पाद पाइपलाइन विस्तार परियोजना, हिन्दुस्तान पेट्रोलियम कॉर्पोरेशन लिमिटेड, 16, कृष्णा विहार, नारायण निवास के पास, गोपालपुरा बाईपास रोड, जयपुर पिन - 302018 (राजस्थान) को लिखित रूप में आक्षेप भेज सकेगा।

## अनुसूची

तहसील : किशनगढ़		जिला : अजमेर	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
1	2	3	हेक्टेयर	एयर	वर्ग मीटर
1	भुवाड़ा	494(स.नाला)	0	02	09
		493(स.नाला)	0	02	02
		489(स.चारागाह)	0	04	35
		492(स.नाला)	0	03	47
		491	0	02	50
		490(स.रास्ता)	0	01	08
		402	0	10	49
2	मुण्डोलाव	448(स.चारागाह)	0	65	21
		403	0	22	88
		402	0	05	89
		400(स.रास्ता)	0	01	37
		399/737	0	01	91
		386	0	25	08
		387	0	38	28
		390	0	03	77
		377(स.रास्ता)	0	01	52
		376(स.पाल)	0	02	00
		31(स.नाला)	0	01	14
		29	0	54	81
		43	0	17	05
		42	0	11	08
		40	0	19	38
		48	0	08	78
		52(स.रास्ता)	0	01	60
		72(स.रास्ता)	0	02	86
		66	0	00	20
		67/1	0	36	28
		67/2			
		70	0	10	63
		68	0	12	35
		69/1	0	19	08
		69/2			
		78	0	13	50
		79	0	11	60
		99(स.रास्ता)	0	01	31

तहसील : किशनगढ़		जिला : अजमेर	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
2	मुण्डोलाव (जारी)	118	0	00	83
		106	0	67	05
		104	0	31	03
		107	0	41	54
		103	0	00	20
		154(स.रास्ता)	0	03	09
		167(स.भूमे)	0	00	33
		168	0	25	53
		169	0	19	80
		627/2	0	00	88
3	काढ़ा	613	0	14	52
		618	0	17	51
		619	0	17	78
		620	0	02	85
		624/1	}	13	10
		624/2			
		621	0	21	10
		622	0	01	95
		627/1/691	0	19	57
		654	0	28	18
		653/1	0	23	92
		653/3	0	00	29
		653/2	0	34	34
		652	0	22	80
		643(स.रास्ता)	0	01	40
		642/1	}	17	32
		642/2			
		367/1	0	16	65
4	देवपुरी	367/2	0	24	64
		365/2	0	00	77
		385/2	0	36	69
		385/3(स.भूमे)	0	00	93
		372/1/11	0	16	41
		372/1/10	0	12	63
		384	0	26	86
		386(स.नाला)	0	96	60
		383	0	29	13

तहसील : किशनगढ़		जिला : अजमेर	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
1	2	3	हेक्टेयर	एयर	वर्ग मीटर
4			4	5	6
	देवपुरी	385/5	0	00	82
	(जारी)	385/6	0	00	20
		385/7	0	00	20
		408	0	08	97
		407/1	0	72	98
		407/2			
		407/3			
		410	0	02	10
		415	0	09	14
		413	0	29	29
		412	0	02	64
		418	0	26	22
		426/2(स.रास्ता)	0	11	72
		426/1(स.भूमे)	0	00	20
		340	0	44	13
		323(स.आबादी)	0	01	49
		421	0	00	81
		316(स.आबादी)	0	30	34
		141/2(स.नाला)	0	02	04
		139	0	08	09
		138	0	05	76
		137	0	01	04
		135	0	09	06
		134	0	14	89
		145/8(पी.डब्ल्यू.डी.सड़क)	0	06	08
		203	0	17	71
		221	0	37	06
		197	0	11	27
		198	0	00	20
		196	0	48	72
		187	0	02	93
		194	0	08	92
		190/2	0	05	56
		193	0	02	67
		192	0	18	96
5	भारला	4	0	36	49
		84	0	04	71



तहसील : किशनगढ़		जिला : अजमेर	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
5	भारला (जारी)	83	0	23	97
		5	0	02	73
		6	0	02	07
		82	0	09	33
		30	0	19	35
		81/2	0	10	92
		96	0	24	85
		97(स.रास्ता)	0	02	30
		98	0	08	65
		100	0	12	55
		101	0	03	06
		104	0	26	02
		105(स.रास्ता)	0	01	79
		106	0	03	33
		107	0	08	39
		108	0	11	82
		116/3/2	0	08	57
		116/3/1(स.छापर)	0	01	44
		203(स.नाला)	0	02	91
		126	0	00	50
		127	0	21	85
		128	0	01	66
		172	0	33	36
		170	0	25	67
		171	0	04	51
		168	0	00	20
		187	0	79	52
		162/1	0	10	18
		188	0	00	49
		162/2	0	08	55
		147(स.रास्ता)	0	03	42
6	कटसुरा	1335	0	25	58
		1334	0	00	20
		1333	0	03	77
		1332	0	19	08
		1337	0	01	35
		1256(स.रास्ता)	0	01	09

तहसील : किशनगढ़		जिला : अजमेर	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
6	कटसुरा (जारी)	1255(स.छापर)	0	02	03
		1250(पी.डब्ल्यू.डी)	0	02	02
		1249(पी.डब्ल्यू.डी.सड़क)	0	02	86
		1248(पी.डब्ल्यू.डी)	0	01	30
		14	0	49	65
		31	0	32	51
		30	0	08	38
		28(स.नडी)	0	00	83
		29	0	00	85
		161	0	00	83
		160(स.रास्ता)	0	07	75
		159	0	24	61
		158	0	01	03
		157	0	13	94
		156	0	05	95
		162	0	02	04
		163	0	10	65
		164	0	23	64
		208	0	22	89
		211	0	06	92
		210	0	01	89
		212	0	05	98
		213(स.रास्ता)	0	00	96
		214(स.चारागाह)	0	95	18
		218	0	17	27
		215	0	52	08
		250(स.रास्ता)	0	02	47
		247(स.भूमे)	0	05	23
		247/1			
		247/2			
		247/3			
		249	0	15	74
		238(स.उसर)	0	02	81
		257(स.पाल)	0	01	56
		258/1(स.पाल)	0	02	47
		258/3/1	0	11	03
		258/3/2	0	09	93

तहसील : किशनगढ़		जिला : अजमेर	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
6	कटसुरा (जारी)	258/6	0	01	18
		258/7	0	16	02
		258/8	0	10	27
7	धौलपुरीया	653	0	28	59
		651	0	09	69
		650	0	18	60
		647	0	14	75
		646(स.रास्ता)	0	02	08
		645(स.भूमे)	0	28	56
		642/705	0	09	94
		642	0	14	39
		576	0	32	01
		573	0	26	49
		572	0	29	00
		577	0	11	40
		483(स.रास्ता)	0	01	79
		492	0	22	69
		491	0	21	65
		490	0	17	69
		535(स.रास्ता)	0	01	99
		455	0	14	84
		452	0	37	18
		451	0	26	71
		450	0	00	20
		448	0	01	95
		427	0	04	05
		422	0	04	22
		423	0	10	86
		424	0	10	08
		426	0	02	32
		425	0	10	85
		397	0	27	34
		395	0	03	54
		396	0	11	47
		392	0	06	46
		390	0	02	26
8	कालानाड़ा	136	0	38	50

तहसील : किशनगढ़		जिला : अजमेर	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
1	2	3	हेक्टेयर	एयर	वर्ग मीटर
4	5	6			
8	कालानाड़ा	134	0	17	26
	(जारी)	119	0	06	83
		7	0	18	30
		21	0	17	96
		12	0	11	77
		20/3	0	00	55
		20/2	0	14	35
		19	0	05	68
		20/1	0	06	62
		17	0	14	64
		16	0	18	10
		30(स.रास्ता)	0	02	59
		46	0	05	23
		49/3	0	04	65
		47	0	19	98
		52	0	10	20
		51	0	23	62
		54	0	13	17
		58	0	39	30
		57	0	20	56
		59	0	00	98
		237/1/2(स.छापर)	0	33	23
		239	0	00	20
		238	0	12	20
		251/1(स.छापर)	0	23	35
		1/1(स.नदी)	0	08	43
9	टिहरी	468(स.नाला)	0	16	74
		387(स.छापर)	0	05	76
		388	0	47	16
		389	0	06	84
		390/1	0	00	20
		390/2			
		393	0	05	04
		369(स.छापर)	0	46	10
		397	0	15	10
		398	0	13	50
		401	0	18	62

तहसील : किशनगढ़		जिला : अजमेर	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
			हेक्टेयर	एयर	वर्ग मीटर
1	2	3	4	5	6
9	टिहरी (जारी)	400	0	00	28
		402(स.रास्ता)	0	00	99
		417	0	05	22
		416	0	00	20
		411	0	12	16
		410(स.छापर)	0	05	76
		409(पी.डब्ल्यू.डी.सड़क)	0	03	60
		408	0	07	65
		323(स.रास्ता)	0	03	78
		301	0	21	10
		299	0	00	20
		297	0	00	96
		296	0	12	15
		298	0	00	20
		294	0	01	76
		295	0	15	15
		293	0	02	45
		302	0	01	42
		272	0	06	86
		303	0	00	20
		270	0	16	13
		268	0	06	55
		266	0	04	86
		265	0	01	53
		236(स.रास्ता)	0	05	59
		220	0	20	26
		208	0	15	66
		207	0	09	91
		205	0	06	64
		210	0	33	78
		204	0	08	69
		211	0	01	34
		201	0	21	09
		200(स.रास्ता)	0	03	86
		158/477	0	28	17
		158	0	18	56
		159	0	24	20

तहसील : किशनगढ़		जिला : अजमेर	राज्य : राजस्थान		
क्रम सं.	गाँव का नाम	खसरा सं.	क्षेत्रफल		
1	2	3	हेक्टेयर	एयर	वर्ग मीटर
9	दिहरी (जारी)	161/469	0	10	75
		161	0	20	14
		163	0	25	43
		166	0	16	55
		164	0	01	25
		165	0	32	91
		121 (स.चारागाह)	1	55	26

[फा. सं. आर-31015/43/2004-ओ.आर.-II]

हरीश कुमार, अवर सचिव

New Delhi, the 9th November, 2004

**S. O. 2917.**— Whereas it appears to the Central Government that it is necessary in the public interest that for the transportation of petroleum products from Mundra (Gujarat) to Delhi, a pipeline should be laid by— Hindustan Petroleum Corporation Limited;

And whereas it appears to the Central Government that for the purpose of laying such pipeline, it is necessary to acquire the right of user in land under which the said pipeline is proposed to be laid and which is described in the Schedule annexed hereto;

Now, therefore, in exercise of powers conferred by sub-section (1) of section 3 of the Petroleum and Minerals Pipelines (Acquisition of Right of User in Land) Act, 1962 (50 of 1962), the Central Government hereby declares its intention to acquire the right of user therein;

Any person, interested in the land described in the said Schedule may, within twenty one days from the date on which copies of the Gazette of India containing this notification are made available to the public, object in writing to the acquisition of the right of user therein for laying of the pipeline under the land to Shri Shivdutt Gaur, Competent Authority, Mundra-Delhi Petroleum Product Pipeline, Hindustan Petroleum Corporation Limited, 16 Krishana Vihar, Near Narayan Niwas, Gopal/pura Bye-pass Road, Jaipur Pin – 302018 (Rajasthan)

**SCHEDULE**

Tehsil : KISHANGARH		District : AJMER	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
1	2	3	Hectare	Are	Sq.mtr.
			4	5	6
1	BHUNWADA	494(G/L Nala)	0	02	09
		493(G/L Nala)	0	02	02
		489(G/L Pasture)	0	04	35

Tehsil : KISHANGARH		District : AJMER	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
1	BHUNWADA (contd.)	492(G/L Nala)	0	03	47
		491	0	02	50
		490(G/L Cart Track)	0	01	08
		402	0	10	49
2	MUNDOLAV	448(G/L Pasture)	0	65	21
		403	0	22	88
		402	0	05	89
		400(G/L Cart Track)	0	01	37
		399/737	0	01	91
		386	0	25	08
		387	0	38	28
		390	0	03	77
		377(G/L Cart Track)	0	01	52
		376(G/L Pal)	0	02	00
		31(G/L Nala)	0	01	14
		29	0	54	81
		43	0	17	05
		42	0	11	08
		40	0	19	38
		48	0	08	78
		52(G/L Cart Track)	0	01	60
		72(G/L Cart Track)	0	02	86
		66	0	00	20
		67/1 }	0	36	28
		67/2 }			
		70	0	10	63
		68	0	12	35
		69/1 }	0	19	08
		69/2 }			
		78	0	13	50
		79	0	11	60
		99(G/L Cart Track)	0	01	31
118	0	00	83		
106	0	67	05		
104	0	31	03		
107	0	41	54		
103	0	00	20		

Tehsil : KISHANGARH		District : AJMER	State : RAJASTHAN				
Sr. No	Name of the Village	Khasara No.	Area				
			Hectare	Are	Sq.mtr.		
1	2	3	4	5	6		
2	MUNDOLAV (Contd)	154(G/L Cart Track)	0	03	09		
		167(G/L)	0	00	33		
		168	0	25	53		
		169	0	19	80		
3	KADHA	627/2	0	00	88		
		613	0	14	52		
		618	0	17	51		
		619	0	17	78		
		620	0	02	85		
		624/1 } 624/2 }	0	13	10		
		621	0	21	10		
		622	0	01	95		
		627/1/691	0	19	57		
		654	0	28	18		
		653/1	0	23	92		
		653/3	0	00	29		
		653/2	0	34	34		
		652	0	22	80		
		643(G/L Cart Track)	0	01	40		
		642/1 } 642/2 }	0	17	32		
		4	DEVPURI	367/1	0	16	65
				367/2	0	24	64
				365/2	0	00	77
				385/2	0	36	69
385/3(G/L)	0			00	93		
372/1/11	0			16	41		
372/1/10	0			12	63		
384	0			26	86		
386(G/L Nala)	0			96	60		
383	0			29	13		
385/5	0			00	82		
385/6	0			00	20		
385/7	0			00	20		
408	0			08	97		



Tehsil : KISHANGARH		District : AJMER	State : RAJASTHAN			
Sr. No	Name of the Village	Khasara No.	Area			
			Hectare	Are	Sq.mtr.	
1	2	3	4	5	6	
4	DEVPURI (Contd.)	407/1	}	0	72	98
		407/2				
		407/3				
		410	0	02	10	
		415	0	09	14	
		413	0	29	29	
		412	0	02	64	
		418	0	26	22	
		426/2(G/L Cart Track)	0	11	72	
		426/1(G/L)	0	00	20	
		340	0	44	13	
		323(G/L Abadi)	0	01	49	
		421	0	00	81	
		316(G/L Abadi)	0	30	34	
		141/2(G/L Nala)	0	02	04	
		139	0	08	09	
		138	0	05	76	
		137	0	01	04	
		135	0	09	06	
		134	0	14	89	
		145/8(PWD Road)	0	06	08	
		203	0	17	71	
		221	0	37	06	
		197	0	11	27	
		198	0	00	20	
		196	0	48	72	
		187	0	02	93	
		194	0	08	92	
		190/2	0	05	56	
		193	0	02	67	
		192	0	18	96	
5	BHARLA	4	0	36	49	
		84	0	04	71	
		83	0	23	97	
		5	0	02	73	
		6	0	02	07	
		82	0	09	33	
		30	0	19	35	
		81/2	0	10	92	

Tehsil : KISHANGARH		District : AJMER	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
5	BHARLA (Contd.)	96	0	24	85
		97(G/L Cart Track)	0	02	30
		98	0	08	65
		100	0	12	55
		101	0	03	06
		104	0	26	02
		105(G/L Cart Track)	0	01	79
		106	0	03	33
		107	0	08	39
		108	0	11	82
		116/3/2	0	08	57
		116/3/1(G/L Chhapar)	0	01	44
		203(G/L Nala)	0	02	91
		126	0	00	50
		127	0	21	85
		128	0	01	66
		172	0	33	36
		170	0	25	67
		171	0	04	51
		168	0	00	20
		187	0	79	52
		162/1	0	10	18
		188	0	00	49
		162/2	0	08	55
		6	KATSURA	147(G/L Cart Track)	0
1335	0			25	58
1334	0			00	20
1333	0			03	77
1332	0			19	08
1337	0			01	35
1256(G/L Cart Track)	0			01	09
1255(G/L Chhapar)	0			02	03
1250(P.W.D.)	0			02	02
1249(P.W.D Road)	0			02	86
1248(P.W.D)	0			01	30
14	0			49	65
31	0			32	51
30	0			08	38

Tehsil : KISHANGARH		District : AJMER	State : RAJASTHAN			
Sr. No	Name of the Village	Khasara No.	Area			
			Hectare	Are	Sq.mtr.	
1	2	3	4	5	6	
6	KATSURA (Contd.)	28(G/L Nadi)	0	00	83	
		29	0	00	85	
		161	0	00	83	
		160(G/L Cart Track)	0	07	75	
		159	0	24	61	
		158	0	01	03	
		157	0	13	94	
		156	0	05	95	
		162	0	02	04	
		163	0	10	65	
		164	0	23	64	
		208	0	22	89	
		211	0	06	92	
		210	0	01	89	
		212	0	05	98	
		213(G/L Cart Track)	0	00	96	
		214(G/L Pasture)	0	95	18	
		218	0	17	27	
		215	0	52	08	
		250(G/L Cart Trak)	0	02	47	
		247(G/L)	}	0	05	23
		247/1				
		247/2				
		247/3				
		249	0	15	74	
		238(G/L Ussar)	0	02	81	
		257(G/L Pal)	0	01	56	
		258/1(G/L Pal)	0	02	47	
		258/3/1	0	11	03	
		258/3/2	0	09	93	
		258/6	0	01	18	
		258/7	0	16	02	
		258/8	0	10	27	
7	DHOLPURIYA	653	0	28	59	
		651	0	09	69	
		650	0	18	60	
		647	0	14	75	
		646(G/L Cart Track)	0	02	08	

Tehsil : KISHANGARH		District : AJMER	State : RAJASTHAN				
Sr. No	Name of the Village	Khasara No.	Area				
			Hectare	Are	Sq.mtr.		
1	2	3	4	5	6		
7	DHOLPURIYA	645(G/L)	0	28	56		
		642/705	0	09	94		
		642	0	14	39		
		576	0	32	01		
		573	0	26	49		
		572	0	29	00		
		577	0	11	40		
		483(G/L Cart track)	0	01	79		
		492	0	22	69		
		491	0	21	65		
		490	0	17	69		
		535(G/L Cart track)	0	01	99		
		455	0	14	84		
		452	0	37	18		
		451	0	26	71		
		450	0	00	20		
		448	0	01	95		
		427	0	04	05		
		422	0	04	22		
		423	0	10	86		
		424	0	10	08		
		426	0	02	32		
		425	0	10	85		
		397	0	27	34		
		395	0	03	54		
		396	0	11	47		
		392	0	06	46		
		390	0	02	26		
		8	KALANADA	136	0	38	50
				134	0	17	26
				119	0	06	83
				7	0	18	30
				21	0	17	96
12	0			11	77		
20/3	0			00	55		
20/2	0			14	35		
19	0			05	68		

Tehsil : KISHANGARH		District : AJMER	State : RAJASTHAN		
Sr. No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr.
1	2	3	4	5	6
8	KALANADA (Contd.)	20/1	0	06	62
		17	0	14	64
		16	0	18	10
		30(G/L Cart Track)	0	02	59
		46	0	05	23
		49/3	0	04	65
		47	0	19	98
		52	0	10	20
		51	0	23	62
		54	0	13	17
		58	0	39	30
		57	0	20	56
		59	0	00	98
		237/1/2(G/L Chhapar)	0	33	23
		239	0	00	20
		238	0	12	20
		251/1(G/L Chhapar)	0	23	35
		1/1(G/L Nadi)	0	08	43
		468(G/L Nala)	0	16	74
		387(G/L Chhapar)	0	05	76
		388	0	47	16
		389	0	06	84
		390/1 } 390/2 }	0	00	20
		393	0	05	04
		369(G/L Chhapar)	0	46	10
397	0	15	10		
398	0	13	50		
401	0	18	62		
400	0	00	28		
402(G/L Cart Track)	0	00	99		
417	0	05	22		
416	0	00	20		
411	0	12	16		
410(G/L Chhapar)	0	05	76		
409((P.W.D.Road)	0	03	60		
408	0	07	65		
9	TIHRI				

Tehsil : KISHANGARH		District : AJMER	State : RAJASTHAN		
Sr No	Name of the Village	Khasara No.	Area		
			Hectare	Are	Sq.mtr
1	2	3	4	5	6
9	TIHRI (Contd.)	323(G/L Cart Track)	0	03	78
		301	0	21	10
		299	0	00	20
		297	0	00	96
		296	0	12	15
		298	0	00	20
		294	0	01	76
		295	0	15	15
		293	0	02	45
		302	0	01	42
		272	0	06	86
		303	0	00	20
		270	0	16	13
		268	0	06	55
		266	0	04	86
		265	0	01	53
		236(G/L Cart Track)	0	05	59
		220	0	20	26
		208	0	15	66
		207	0	09	91
		205	0	06	64
		210	0	33	78
		204	0	08	69
		211	0	01	34
		201	0	21	09
		200(G/L Cart Track)	0	03	86
		158/477	0	28	17
		158	0	18	56
		159	0	24	20
		161/469	0	10	75
		161	0	20	14
		163	0	25	43
		166	0	16	55
		164	0	01	25
		165	0	32	91
		121(G/L Pasture)	1	55	26

**श्रम मंत्रालय**

नई दिल्ली, 13 अक्टूबर, 2004

**का.आ. 2918.**—औद्योगिक विवाद अधिनियम, 1947 (1947 का 14) की धारा 17 के अनुसरण में, केन्द्रीय सरकार मै. हरियाणा मिनरल्स लि. के प्रबंधन के संबद्ध नियोजकों और उनके कर्मचारों के बीच, अनुबंध में निर्दिष्ट औद्योगिक विवाद में केन्द्रीय सरकार औद्योगिक अधिकरण, नई दिल्ली-II, के पंचाट (संदर्भ संख्या 88/95) को प्रकाशित करती है, जो केन्द्रीय सरकार को 12-10-2004 को प्राप्त हुआ था।

[ सं. एल-29012/50/95-आई.आर.(विविध) ]

बी. एम. डेविड, अवर सचिव

**MINISTRY OF LABOUR**

New Delhi, the 13th October, 2004

**S.O. 2918.**—In pursuance of Section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the award (Ref. No. 88/95) of the Central Government Industrial Tribunal/Labour Court, New Delhi -II, as shown in the Annexure in the Industrial Dispute between the employers in relation to the management of M/s. Haryana Minerals Ltd. and their workman, which was received by the Central Government on 12-10-2004

[No. L-29012/50/95-IR(M)]

B. M. DEVID, Under Secy.

**ANNEXURE**

**BEFORE THE PRESIDING OFFICER:  
CENTRAL GOVERNMENT INDUSTRIAL  
TRIBUNAL-CUM-LABOUR COURT-II,  
RAJENDRA BHAWAN, GROUND FLOOR,  
RAJENDRA PLACE, NEW DELHI**

**PRESIDING OFFICER, R.N. RAI****I.D.No. 88/95**

Sh. Sunil Kumar Sahoo,  
H. No. 1650-A, Sector-29,  
Faridabad

**VERSUS**

The Manager,  
Haryana Minerals Ltd.,  
703-704, 7th Floor,  
Arunachal Bhawan, 19,  
Barakhamba Road, New Delhi.

**AWARD**

The Ministry of Labour by its letter No. L-29012/50/95/IR (VIVIDH) Central Government dt. 29-08-1995 has referred the following point for adjudication.

**The point runs as hereunder:—**

“Whether the action of the management of M/s. Haryana Minerals Ltd. in terminating the services of

Sh. Sunil Sahoo w.e.f. 11-10-93 is justified? If not, what relief the workman is entitled to.”

The claimant has filed statement of claim and in the statement of claim, it has been stated that the petitioner (Sh. Sunil Sahoo S/o Sh. Samaru Sahoo) was given an employment in M/s. Haryana Minerals Ltd. on 2-8-89 as security guard on daily rated by the competent authority of the Co., which is a state Govt. Undertaking. That, the service record of the petitioner had been satisfactory and unblemished. That, the petitioner was working in Anangpur Cutton Stone Mines of M/s. Haryana Minerals Ltd. in 1993. The mines Manager and the management of HML were annoyed with him due to active participation in the activities of HML officers staff association to which he owed constitutional right. That the mines Manager (Sh. S.C. Gupta) in order to harm the petitioner started harassing him to fulfil his ulterior motives in order to get the services of the petitioner terminated by hook or crook.

That, the petitioner was given duty at the Magazine on 12-9-93 and 13-9-93. Since the petitioner was not keeping well the petitioner informed the mines manager and applied for leave for both the dates, on 11-9-93. Knowing perfectly well that the petitioner was ill and was not on duty, the manager concerned visited the magazine and marked him absent. He also called for his explanation for not being on duty vide letter No. Nil dated 17-9-93. A suitable written reply was given the manager mentioning that leave was taken for 12-9-93 and 13-9-93 and so the petitioner was not available on duty. That, it appears that both the application and reply of the explanation were destroyed by the manager concerned to harm the petitioner in the best possible manner and in order to execute the orders of the management to prepare the case for termination of the petitioner's services.

That, thereafter the petitioner was never taken on duty inspite of his frequent request that the manager concerned will not take him on duty what may come. The petitioner vide letter No. Nil dated 25-11-93 made a complaint to Asstt. Labour Commissioner (Central) Rohtak and a copy thereof to RLC (C) Chandigarh, LEO(C) FBD, for necessary action (Photocopy of the letter dated 25-11-93 is placed as Annexure B-1). That, the letter issued by the manager vide which he had written that the company had taken decision to terminate the petitioner's services is totally illegal as no such direction or orders was passed by the competent authority. The penalty imposed on him was very high as for such a lapse other mild administrative disciplinary action are available under the rules. Though, the petitioner would like to point out categorically that he had submitted that reply within the prescribed time and remained present at the mines. During the period he knocked at the doors of all the higher authorities of the Co. to give him justice but nobody listened to him and terminated his service without even giving him opportunity of hearing and explaining his

point of view. Thus he was deprived of natural justice for which he was constitutionally privileged. This amounts to gross unfair labour practices adopted by the management of HML to terminate the services of the petitioner.

That, no letter of termination was issued by the competent authority as required under the rules and hence, the act of the manager is totally unconstitutional and amounts to unfair labour practices punishable under I.D. Act, 1947.

The management has filed written statement. In the written statement, it has been stated that the claimant/workman had himself deserted the services of the management as his own w.e.f. 20-9-93. He was employed as semi-skilled workman at daily wages prescribed by the Central Government from time to time. He was employed purely on a temporary work. He never discharged his duties to the satisfaction of the management. He was a habitual absentee from his duties causing loss to the management.

He was given duty to supervise magazine at Anangpur Cutton Stone Mines. During surprise visit/checkings by manager on 12th and 13th September he was found absent from the duties which was crucial point of posting without any intimation. The manager issued a notice dated 17-9-93 to the workman calling his explanation for his wilful absence from duty without intimation. The workman instead of submitting any explanation absented himself from his duty w.e.f. 20-9-1993, and never came back. He abandoned the services of the management and joined the services Mohbatabad Mines under the control of private lessee Pradeep Sethi

Thereafter the answering management issued notices dated 22-9-93 and 29-9-93, through special messengers Sh. Rajinder Singh S/Guard and Sh. Bhagwan Sahu S/Guard but the workman/claimant refused to receive the same and misbehaved with them. Thus his conduct established that he was no longer interested to work with the management. As a result the manager Anangpur Cutton Mines submitted his enquiry report dated 6-10-93 to the management as the workman/complainant neither submitted any explanation to the aforesaid notices nor he reported back on the mines for work. After getting approval the services of the workman/claimant were dispensed with from 11-10-93 vide letter No. HML/FBD/ANG/12/93 dated 11-10-93.

The claimant has filed rejoinder. He has denied most of the paragraphs of the written statement and he has reiterated the averments of his statement of claim.

In this case, the workman is not turning up for a long time despite the knowledge of the case. Both the parties have filed affidavits and written arguments. Evidence of both the parties have been taken. After filing of the written arguments, both the parties are absenting, as such, the

case is decided on merits on the basis of the written arguments filed by both the parties.

I have perused the written arguments of both the parties and the oral evidence of the management witnesses. The Mines Manager Shri S.C. Gupta has filed affidavit. In cross examination, he has stated that explanation was called which was received by the workman himself. The workman had received notice. He remained regularly absent.

Affidavit of Shri Rajinder Sharma, Security Guard has been filed, affidavit of Shri Rajinder Phougat, Secretary has been filed. Affidavit of Shri Bhagwan Sahai, Security Guard has also been filed. The Security Guard Shri Bhagwan Sahai has stated in his cross-examination that he has gone to serve that notice to Mahbatabad Chungi. The workman was sitting there. He gave one notice to him but he did not receive the notice. He was accompanied by Shri Rajinder. The workman applicant in his cross-examination has denied that Shri Rajinder Bhagwan Sahai had served notice at Mahbatabad Mines and he refused to accept the same and abused them. The workman applicant has also stated that it is not correct that he has joined at Mahbatabad at Sethi Mines and did not resume his duties in the mines in which he was working previously.

The workman applicant has filed his own affidavit. He has not filed any paper which may prove that he was not working in Mahbatabad Sethi Mines. The Mines Manager has also given affidavit and according to his affidavit, an enquiry was conducted but the workman applicant was not available. He was given notice but he refused to take notice. From the perusal of the record, it transpires that the workman in this case is not turning up since 22-4-2003. The management has turned up several times. As such, the workman is not turning up despite the knowledge of the case. It indicates that he is working somewhere else so he is not turning up in this case and I was also told that M/s. Haryana Minerals Limited, the respondent management has been closed. From perusal of the documents on record, and the affidavit of the management witnesses, it is established that the workman received notice and he was working in Mahbatabad Sethi Mines and two workers of the Mines went to serve notice on him but he refused. It is established that the workman applicant is working somewhere else so he is not attending the case despite knowledge of the case. The workman applicant has not been able to make his case and to establish the averments of his statement of claim.

The reference is replied thus:—

The action of the management of M/s Haryana Minerals Ltd. in terminating the services of Sh. Sunil Sahoo w.e.f. 11-10-93 is justified. The workman applicant does not deserve to get any relief as prayed for.

The award is given accordingly.

Dt. 05-10-2004

R. N. RAI, Presiding Officer



नई दिल्ली 13 अक्टूबर, 2004

का.आ. 2919.—औद्योगिक विवाद अधिनियम, 1947 (1947 का 14) की धारा 17 के अनुसरण में, केन्द्रीय सरकार हरियाणा मिनरल्स लि. के प्रबंधन के संबद्ध नियोजकों और उनके कर्मचारों के बीच, अनुबंध में निर्दिष्ट औद्योगिक विवाद में केन्द्रीय सरकार औद्योगिक अधिकरण नई दिल्ली-II के पंचाट (संदर्भ संख्या 21/95) को प्रकाशित करती है, जो केन्द्रीय सरकार को 12-10-2004 को प्राप्त हुआ था।

[ सं. एल-29012/96/94-आई.आर.(विधि) ]

बी. एम. डेविड, अवर सचिव

New Delhi, the 13th October, 2004

S.O. 2919.—In pursuance of Section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the award (Ref. No. 21/95) of the Central Government Industrial Tribunal-cum-Labour Court, New Delhi-II as shown in the Annexure in the Industrial Dispute between the employers in relation to the management of Haryana Minerals Ltd. and their workman, which was received by the Central Government on 12-10-2004.

[No. L-29012/96/94-IR(M)]

B. M. DEVID, Under Secy.

**ANNEXURE**

**BEFORE THE PRESIDING OFFICER:  
CENTRAL GOVERNMENT INDUSTRIAL  
TRIBUNAL-CUM-LABOUR COURT-II,  
RAJENDRA BHAWAN, GROUND FLOOR,  
RAJENDRA PLACE, NEW DELHI**

PRESIDING OFFICER : R.N. RAI

I.D.No.21/95

IN THE MATTER OF:

Sh. Zile Singh  
S/o Sh. Hoshiar Singh R/o Village & Po Khudan  
Distt. Rohtak (Haryana)

VERSUS

The Managing Director  
Haryana Minerals Ltd.,  
703-704,  
Arunachal Building,  
Barakhamba Road, New Delhi.

**AWARD**

The Ministry of Labour by its letter No. L-29012/96/94-IR (VIVIDH) CENTRAL GOVERNMENT Dt. 3-02-1995 has referred the following point for adjudication.

The point runs as hereunder:—

“Whether the action of the management of M/s Haryana Minerals Ltd. in terminating the services of Sh. Zile Singh w.e.f. 22-02-1993 is just, fair and legal? If not, to what relief the workman is entitled to.”

The claimant has filed statement of claim. In the statement of claim, it has been stated that the respondent notified the vacancies to the employment exchange Naurnaul District Soldeirs Board Naurnaul and to the departmental candidates for the selection and filling up to post of compounder in HML and applicant applied for the post in question and the petitioner was interviewed by the selection committee on 31-12-90 and the petitioner was selected along with the other 3 persons. It is submitted that the petitioner was issued with an offer of appointment order dated 17/25-1-91 which is annexed here as annexure W-1 and the petitioner on the basis of the offer of the appointment dated 25-1-91 was appointed and posted at Faridabad at the post of compounder. The copy of the appointment order dated 28-1-91 is marked as annexure W-2. It is submitted that the petitioner was put on probation for a period of one year and after completion of one year there was no extension of probation period and therefore the petitioner acquired the status of confirmed employee and therefore was entitled for all the service benefits including the benefits of ID Act, 1947.

It is submitted that it will be relevant to submit here that the Haryana Minerals Ltd. has got its various offices/mines spread over in the Distt. of Gurgaon, Mohinder Garh, Rewari, Bhiwani, Faridabad and Alwar, which are controlled by the respondent No. 1 and therefore it can be said that all the mines/offices are under the common employer and the Haryana Minerals Ltd. is itself a unit for all purposes including the purposes of retrenchment. That the petitioner has been working in the HML since his appointment to the entire satisfaction of all his superior and there has been no complaint of any type against the petitioner. It is submitted that the petitioner acquired the status of confirmed employee and therefore is entitled for all the benefits which are admissible under the Industrial Dispute Act, 1947.

That the main function of the Haryana Minerals (HML) is to provide the services to the nation in the field of mines including the supply of raw material to the stone crushers for the production of building materials. It is submitted that the Hon'ble Supreme Court delivered its decision in which directions were issued to all the stone crusher operators to shift their work to other places from Delhi area and adjoining areas of Delhi for the reasons given by the Hon'ble Supreme Court and on the basis of this direction, the stone crushers which were operating on these areas were ordered to be shifted and these crushers were transferred to Pali and other places and not a single unit of stone crushers was closed down. It will not be out

of place to mention here that not a single unit which was operating/manufacturing the building material was closed down on the basis of the Hon'ble Supreme Court decision but these were transferred/shifted. There is no decrease in the production of the building materials etc. by the stone crushers and therefore, the question of decrease in the quantity of raw material does not arise.

That the management vide its order dated 22-2-93 (Annexure W-3) retrenched the petitioner from service without following the procedure and the impugned order dated 22-2-93 is produced here as under:—

"Consequent upon reduction of mining operations and productions of minerals, your services have been found surplus in your category. Your services are hereby retrenched with effect from 22-2-1993. Please collect the amount of one month's pay in lieu of notice and retrenchment compensation as admissible to you under section 25 F(a) on 22-2-1993 from the cash section."

Because, the petitioner completed his maximum period of probation and therefore he was confirmed employee of the management and hence the procedure required to be adopted under the service rules and under the provision of ID Act 1947 have not been followed and therefore the impugned retrenchment order dated 22-2-93 is illegal. There was no surplus post in the MHL management and the Management has taken a false plea on the decision of the Hon'ble Supreme Court of India as all the stone crushers were only transferred and not closed down and the stone crushers are still working and the sale of the management has also not gone down and hence the plea of the management is totally false.

There is no compliance of section 25F of the ID Act 1947 as the payment for a period of three months pay has not been even offered and therefore it is violation of the mandatory provision and hence the impugned order dated 22-2-93 is liable to be quashed. That the provision of section 25 N has not been followed and therefore the impugned order dated 22-02-93 is illegal.

The management has filed written statement and in the written statement, most of the paragraphs of the statement of claim have been denied and it has been stated that the workman applicant left the job as the Haryana Minerals Limited was closed. In the circumstances, the management was unable to provide employment to its workmen in the quarry in question. It was compelled to take appropriate legal steps for retrenchment of its workmen. The retrenchment dt. 22-09-1993 is just legal and valid as the same has been passed in compliance with the provision of chapter V-A of the Industrial Disputes Act 1947. Section 25(F) has completely been followed. Pay in lieu of one months notice and retrenchment compensation has been paid to be workman. Notice has also been given in

compliance with section 25(F) C. The workman applicant after retrenchment is gainfully employed. The rest of the paras of the statement of claim have been denied.

The workman has filed rejoinder. In his rejoinder, he has stated that the Haryana Minerals Limited has not been closed and he has not been paid retrenchment and provisions of Section 25N and 25F have not been complied with.

On the date of hearing, the management was not present. The workman was also not present so the case was posted for award. Perused the documents on the record.

Shri S.N. Sharma, Senior Mining Engineer has filed affidavit and he has been cross-examined. The workman applicant has also filed affidavit and he has been cross examined. The workman applicant in his cross examination has stated that he stayed for a short time so he could not say as to whether the crusher was closed. He has also admitted in his cross-examination that he did not know to which place stone from Budkal Lake used to be sent. It has been stated in the argument of the management that following the judgement of the Hon'ble Supreme Court of India dated 15-05-1992 in M.C. Mehta Versus Union of India and other (1992) 3 SCC pages, 256 the mechanical stone crushing activities in and around Delhi, Faridabad, Ballabgarh complexes were stopped w.e.f 15-8-1992. As such the arguments of the management appears to be correct that the crushing unit has been closed. The workman applicant has not been able to establish the fact that the crushing unit is still running. He has not filed written arguments and he was not present for arguing the case orally. This indicates that he is employed elsewhere and from the affidavit of the management witnesses and from the order of Hon'ble Supreme Court, the crushing unit has been closed and the workman applicant is gainfully employed somewhere. As such, when the crushing unit was closed, there was no work so the workman left the place. He has deposed that he remained for a short while in the crushing unit of the management so he did not know regarding the closing of the crushing unit. He is absenting himself from 22-4-2003. As such, he is absent for one and half year. He was given one months's pay and retrenchment compensation. As such, the provisions of 25 (F) and 25 (N) of the ID Act have been complied with. There appears to be no force in the case of the workman applicant.

The reference is replied thus:—

The action of the management of M/s. Haryana Minerals Ltd. in terminating the services of Sh. Zile Singh w.e.f 22-02-1993 is just, fair and legal. The workman applicant is not entitled to get any relief as prayed for.

The award is given accordingly.

Dt. 6-10-2004

R.N. RAI, Presiding Officer

नई दिल्ली 13 अक्टूबर, 2004

For the Management

: M/s S.  
Ramasubramaniam &  
Associates,  
Advocates.**AWARD**

का.आ. 2920.—औद्योगिक विवाद अधिनियम, 1947 (1947 का 14) की धारा 17 के अनुसरण में, केन्द्रीय सरकार चेन्नई पेट्रोलियम कार्पोरेशन लि. के प्रबंधन में संबद्ध नियोजकों और उनके कर्मचारों के बीच, अनुबंध में निर्दिष्ट औद्योगिक विवाद में केन्द्रीय सरकार औद्योगिक अधिकरण चेन्नई के पंचाट (संदर्भ संख्या 100/2002) को प्रकाशित करती है, जो केन्द्रीय सरकार को 12-10-2004 को प्राप्त हुआ था।

[ सं. एल-30011/36/2002-आई.आर.(विविध) ]

बी. एम. डेविड, अवर सचिव

New Delhi, the 13th October, 2004

S.O.2920.—In pursuance of Section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the award (Ref. No. 100/2002) of the Central Government Industrial Tribunal-cum-Labour Court, Chennai as shown in the Annexure in the Industrial Dispute between the employers in relation to the management of Chennai Petroleum Corpn. Ltd. and their workman, which was received by the Central Government on 12-10-2004.

[No. L-30011/36/2002-IR(M)]

B. M. DAVID, Under Secy.

**ANNEXURE****BEFORE THE CENTRAL GOVT. INDUSTRIAL  
TRIBUNAL-CUM-LABOUR COURT, CHENNAI**

Thursday, the 5th August, 2004

**PRESENT : K. JAYARAMAN, Presiding Officer****INDUSTRIAL DISPUTE NO. 100/2002**

(In the matter of the dispute for adjudication under clause (d) of sub-section (1) and sub-section 2(A) of Section 10 of the Industrial Disputes Act, 1947 (14 of 1947), between the Management of Chennai Petroleum Corporation Ltd. and their workman)

**BETWEEN:**

Sri D. Samuel Rajasekaran : I Party/ Petitioner

**AND**The Director (Operations), : II Party/ Management  
Chennai Petroleum Corporation  
Ltd. Chennai.**APPEARANCE:**For the workman : M/s C. Franco  
Louis & Nanchill J.  
Rajkumar, Advocates

The Central Government, Ministry of Labour vide Order No. L-30011/36/2002-IR (M) dated 22-10-2002 has referred the following industrial dispute to this Tribunal for adjudication:—

“Whether the action of the management of Chennai Petroleum Corporation Ltd. in terminating the services of the workman Shri D. Samuel Rajasekaran w.e.f. 6-11-1998 is justified? If not, to what relief is he entitled?”

2. After the receipt of the reference, it was taken on file as I.D. No. 100/2002 and notices were issued to both the parties and both the parties entered appearance through their advocates and filed their Claim Statement and Counter Statement respectively.

3. The allegations of the Petitioner in the Claim Statement are briefly as follows:—

The Petitioner was the General Secretary of Madras Refineries Employees Union for about thirteen years from 1984 to 1998. During the said 13 years, the Petitioner meticulously worked to build up an extremely cordial relationship between the union and management. While so, he was given a charge memo dated 22-6-97 and also suspended along with Sri S. Francis, Joint Secretary from Service. The charge memo issued against the Petitioner contains that on 18-6-97 at about 4.00 p.m. the Petitioner entered the administration conference hall along with six other union office bearers and stated that he would commit self-immolation seeking withdrawal of charge sheets issued to two lady employees of R & D. For the past 13 years prior to his suspension, there were no allegations against the Petitioner as General Secretary, that the Petitioner resorted to illegal methods to have the union demands accepted. Therefore, the charge is nothing but a calculated move to single out the Petitioner and victimize him. For the very same incident, the Respondent/ Management also gave a complaint to the police and the police have chargesheeted before the District Munsiff, Thiruvottiyur, but the Hon'ble Court on 27-4-98 acquitted the Petitioner and others on merits. The said judgement has a bearing on this case. To the charge memo, the Petitioner gave his reply, but the Respondent/ Management not satisfied with the reply decided to conduct domestic enquiry and appointed Enquiry Officer. The Enquiry Officer submitted his report on 12-9-98 holding the Petitioner guilty of the charges. The findings of the Enquiry Officer are ex-facie illegal, per se arbitrary and against all cannons of principles of natural justice and therefore is liable to be set aside. Further, the Enquiry Officer has introduced new management witnesses

in the middle of the cross examination of other management witnesses. The procedure followed in the domestic enquiry was basically illegal and fundamentally against the principles of natural justice and has caused prejudice to the Petitioner. The findings of the Enquiry Officer are totally against all legal principles and therefore, it cannot be taken in law as findings at all. Therefore, the findings of the Enquiry Officer dated 12-9-98 is liable to be set aside as perverse and not based on legal evidence. In the meanwhile, since the management was bent upon passing orders against him, the Petitioner preferred W.P. No. 17377 of 1998 to hold domestic enquiry conducted pursuant to the charge sheet as bad in law and to quash the findings of the Enquiry Officer as being ex-facie illegal, coupled with perversity. Though, initially the Petitioner obtained an interim injunction, subsequently the interim injunction was vacated on technical grounds. Against the said order vacating the order of injunction, the Petitioner preferred W. A. No. 2236/99, but the Division Bench of the High Court dismissed the said Writ Appeal along with connected CMPs. Under such circumstances, without prejudice to Petitioner's rights in the Writ Petition, the Petitioner raised this dispute before the Conciliation Officer challenging the illegal order of removal from service which was passed subsequently. The Petitioner has also withdrawn the W.P. on 12-3-2002. Now, the two lady employees of R & D referred to in charge sheet are still working. Further, the six co-employees who were chargesheeted for the same alleged incident are all still working. The Petitioner alone has been discriminated and victimised by his dismissal. In the domestic enquiry, no 2nd show cause notice proposing the punishment was served on the Petitioner, who was a protected workman, instead the Respondent/ Management only invited the opinion of the Petitioner in the enquiry. Therefore, for all these reasons, the domestic enquiry held by the Respondent/Management is illegal and therefore, the Petitioner prays an award may be passed setting aside the order of removal dated 6-11-98 and to reinstate him in service with full back wages and other attendant benefits with continuity of service.

4. As against this, the Respondent in its Counter Statement contended that the Respondent being a Govt. company engaged in refining crude oil and manufacture of all petroleum products like petrol, diesel, cooking gas etc. The area in which the refinery is situated is a prohibited area, as lots of inflammable/hazardous products are stored. The Petitioner being the General Secretary of the Madras Refineries Employees Union for a number of years have instigated the workers to adopt illegal methods of agitation on trivial matters without even resorting to the requirements under Industrial Disputes Act, and the company's certified standing orders. The Respondent had taken action against two of their employees namely Ms. Subbulakshmi and Ms. Kirthika for refusal of doing the assigned works and refusal to receive the charge sheet.

For the reasons best known to the Petitioner, on 18-6-97, while a meeting of Central Safety Committee chaired by Director (operations) was going on, the Petitioner along with six other office bearers of the said union barged into the refinery conference room and demanded that the charge sheet issued to the said employees be withdrawn and threatened to self-immolate, in case his demands are not met and instigated other officer bearers of the union to follow the same. Therefore, the charge sheet dated 22-6-97 was issued to the Petitioner. Since the explanation given by the Petitioner being found unsatisfactory, the departmental enquiry was ordered. The Petitioner was given full opportunity to examine and cross examine the witnesses. On the conclusion, the Enquiry Officer submitted his enquiry report wherein the Petitioner was found guilty. The Respondent/ Management being a petroleum refinery, wherein raw material namely crude oil and all the products manufactured and the same are of inflammable in nature, therefore, the act committed by the Petitioner in the Respondent company's refinery premises would have been a disaster for the rest of the employees, the company's property and the city of Chennai as a whole. After the Enquiry Officer's report, the Respondent asked the Petitioner to furnish his views on the enquiry report. For this, the Petitioner has sent a telegram dated 29-10-98 seeking two weeks time for submitting his written views. Even though two weeks time was granted, the Petitioner has not submitted his report and therefore, the Disciplinary Authority after considering the available documents on record and accepted the report of the Enquiry Officer and passed the order of dismissal. However, the Petitioner filed a W.P. before the High Court challenging the enquiry proceedings and the findings of the Enquiry Officer and obtained an interim injunction. The said injunction was vacated and as a result, the dismissal order dated 6-11-98 which was kept in abeyance following the aforesaid interim injunction had been given effect to. There is no necessity or need for the Respondent to fabricate anything against the Petitioner. It is false to allege that the domestic enquiry was not according to principles of natural justice. The enquiry was conducted in a fair manner and the findings of the Enquiry Officer was based on such evidence. The two R & D employees who were charge sheeted for the misconduct of refusing to do the assigned job were given punishment of withholding of two increments with cumulative effect. Similarly the six employees who have committed misconduct only at the instigation of the Petitioner which has been clearly established in the domestic enquiry, severe punishments were given to them. In fact, five out of six were inflicted with the punishment of one grade reduction and in the case of sixth employee namely Mr. S. Francis, who was suspended along with the Petitioner, punishment of reduction of two grades was imposed. It is false to allege that the Petitioner was discriminated and victimized by dismissal order. The

gravity of misconduct committed by the Petitioner is such that it warrants punishment not less than dismissal. The behaviour of the Petitioner in threatening to self-immolate himself and bring flammable materials for such purpose with total disregard to calamity that may be caused to the company, his colleagues and public as a whole is to be condemned and for which appropriate action must be taken. Therefore, the action of the Respondent/Management in terminating him from service is legal and justified and proportionate to the gravity of the misconduct committed by the Petitioner. Hence, for all these reasons, the Respondent prays that the claim may be dismissed with costs.

5. As against this, the Petitioner filed a rejoinder stating that the Petitioner did not and does not admit of the alleged incident mentioned in charge sheet. The Petitioner did not carry any combustible item with him, much less kerosene. The Petitioner did not carry with him any match box. Under such circumstances, it is false to allege that the Petitioner attempted to commit self-immolation. The Petitioner has written letters to various persons including Petroleum Secretary about the theft and malpractices indulged in the refinery. The Petitioner also made representation to Government of India against the takeover of MRL by Indian Oil Corporation much to the dislike of the top management etc. Therefore, the charges have been foisted against the Petitioner by way of retaliation. The Respondent/Management wanted him out by hook or crook and has thus been victimised for his union activities. Hence, he prays that an award may be passed in his favour.

6. Then, again the Respondent filed an additional Counter Statement alleging that the Petitioner sent letters to the Ministry of Petroleum about the malpractices and also against the take over of MRL by Indian Oil Corporation are not germane to the subject-matter. The allegations that he had been victimized and the Respondent/Management had foisted a case against him are false and are made only to create sympathy in the mind of this Tribunal.

7. Again, the Petitioner filed a rejoinder, wherein he stated that the Petitioner as General Secretary of Madras Refineries Employees Union has raised a dispute regarding violation of Section 9A of the Act for unilateral and arbitrary withdrawal of manpower in CDU and power plant at CBR Nagapattinam and also at quality control section at MRL, Manali and the Assistant Labour Commissioner (Central) issued notice and the Petitioner reliably understood that the dispute raised by the Petitioner as General Secretary was closed in the middle of 1999. In spite of the pendency of the said dispute, no approval or permission was taken at

the time when the service of the Petitioner was terminated. Hence, he prays an award may be passed in his favour.

8. In these circumstances, the points for my consideration are—

(i) "Whether the action of the Respondent/Management in terminating the services of the Petitioner w.e.f. 6-11-98 is justified?

(ii) "To what relief, the Petitioner is entitled?"

Point No. 1:—

9. The admitted case of both sides are that the Respondent which is a Govt. company engaged in refining crude oil and manufacture of all petroleum products like petrol, diesel, cooking gas etc. and which is a public utility service. The Petitioner is the General Secretary of the Madras Refinery Employees Union for about 13 years from 1984 to 1998. The Respondent/Management namely Chennai Petroleum Corporation Ltd. has only one recognised union in which the Petitioner is the first General Secretary. While so, on 18-6-97, while the meeting of Central Safety Committee was going on, the Petitioner as General Secretary along with six other office bearers of the said union barged into the refinery conference room and demanded that charge sheet issued to the employees namely Ms. Subbulakshmi and Ms. Kirthika to be withdrawn and threatened to self-immolate in case their demands are not met and instigated other office bearers of the union to follow the same. For this, a charge sheet dated 22-6-97 was issued to the Petitioner and he was placed under suspension. Being not satisfied with the explanation given by the Petitioner to the charge sheet, the Respondent/Management had initiated departmental enquiry and on the conclusion of the enquiry, the Enquiry Officer submitted a report, wherein he has come to a conclusion that the charges framed against the Petitioner was proved and the Petitioner was asked to furnish his views on the enquiry report. Even after, time was extended, since the Petitioner has not given any submission, the Disciplinary Authority after going through the documents accepted the report of the Enquiry Officer and dismissed the Petitioner on 6-11-98. In the meantime, the petitioner filed a W.P. No. 17377/98 before the Hon'ble High Court of Madras challenging the enquiry proceedings and findings of the Enquiry Officer and obtained an interim injunction, but the said interim injunction was vacated by the High Court by an order dated 24-12-1998, as a result the dismissal order dated 6-11-1998 which was kept in abeyance following the said interim injunction has been given effect to and now the Petitioner has challenged

the order passed by the Disciplinary Authority on first ground, namely—

The first ground of the Petitioner is that as the General Secretary of the Madras Refineries Employees Union, he had raised various dispute before Assistant Labour Commissioner (Central), Chennai, Pertaining to the Respondent/Management. Thus, as the General Secretary of the Union, he had raised a dispute vide letter dated 3-4-98 before the Assistant Labour Commissioner (Central), Chennai with regard to unilateral and arbitrary withdrawal of manpower in CDU and power plant at CBR, Nagapattinam and also at the quality control section at MRL, Manali regarding violation of Section 9A of the Industrial Disputes Act, 1947 at the power plant. The conciliation proceedings were pending arising out of that dispute. Therefore, the management has to obtain approval or permission in accordance with Section 33(2) (b) of the Industrial Disputes Act, 1947 before terminating him from service. Since they have not done according to the procedure and as per the Supreme Court Judgement, the order of termination made by the Respondent/Management is void.

The second ground of the Petitioner is that the Petitioner was a protected workman and this status which he automatically acquired even though no specific declaration was issued by the Respondent/Management by virtue of bye-law of the Union. As the conciliation was pending on the date as stated above, the permission to dismiss the said employee should have been obtained under section 33(3) of the Industrial Disputes Act, and since the Respondent/Management has not obtained any permission, the order of dismissal is not valid in law.

The third ground alleged by the Petitioner is that even if the Court comes to a conclusion that the petitioner was not a protected workman, since he has raised the dispute, he should be considered as a workman concerned or workman connected with the dispute, therefore, the approval or permission in accordance with Section 33(1) or 33(2) (b) of the Act has to be obtained, before the management has dismissed the Petitioner from service. Since they have not obtained any such permission or approval, the order of dismissal is not valid in law.

The next ground alleged by the Petitioner is victimisation. The Petitioner has written so many letters to various persons including petroleum Secretary about the theft and malpractices indulged

in the Respondent refinery and he has also made representation to the Government of India against the take over of MRL by Indian Oil Corporation much to the dislike of the top management etc. Therefore, the management has foisted the charges against the Petitioner by way of retaliation and the management wanted him out by hook or crook and thus, victimised for his union activities.

Lastly, the Petitioner alleged that there is disproportionation in the punishment given by the Respondent/Management. He alleged that two lady employees of R & D section referred to in charge sheeted are still working and six co-employees who were charge sheeted along with the Petitioner for the same alleged collective incident are still working with minor punishments and the Petitioner alone has been discriminated and victimised by this order of dismissal and this is one of the disproportionation of punishments because the similarly charged delinquents have not been dismissed from service and they are continued to serve in the Respondent/Management with minor punishments and therefore, the order passed by the Respondent/Management is not valid in law.

We will see the above grounds one by one —

10. In this case the Petitioner was examined as WW 1 and on his side Ex. W 1 to W 72 were marked and on the side of the Respondent one Mr. Isaac, Manager (Personnel) was examined as MW 1 and on the side of the Respondent 24 documents were marked as Ex. M1 to M 24.

11. The learned counsel for the Petitioner argued that the Petitioner produced Ex. W9 and W71 which show that conciliation proceedings were pending with regard No.M8/8/98-D3 dated 15-4-98 regarding violation of Section 9A of the Industrial Disputes Act. Further, this notice dated 15-4-98 discloses that the industrial dispute was taken up for conciliation by the Assistant Labour Commissioner (Central) and the first date of conciliation was fixed on 1-5-98 and in the letter to the Petitioner, the Assistant Labour Commissioner (Central), Chennai under Ex. W69 stated that as per their register, the dispute No. M8/8/1998-D3 has been forwarded to the Ministry of Labour on 9-11-98 and the Ministry has turned down further reference to the Labour Court vide letter No. L-30011/1/98-IR(M) dated 11-3-99 and therefore, on the date of dismissal namely on 6-11-98, the dispute was pending and the admitted proceedings was only conciliation proceedings and therefore, the order passed by the authorities is not valid in law.



12. As against this, the Respondent contended that as it is there is no conciliation though enquiry is pending before the Assistant Labour Commissioner (Central) on the subject of violation of Section 9A of the Industrial Disputes Act, 1947. Secondly, the Petitioner was not concerned or connected with the said issue which was in enquiry before the Conciliation Officer. Thirdly, the Petitioner was not a protected workman on the date of dismissal from service namely 6-11-1998.

13. The learned counsel for the Petitioner contended that sub-clause (b) of Section 20 (2) of the Industrial Disputes Act, says conciliation proceedings shall be deemed to have commenced on the date of notice of strike or lock out under Section 22 is received by the Conciliation Officer or on the date of order referring the dispute to the Board as the case may be. Section 2(b) says that conciliation proceedings shall be deemed to have been concluded, where no settlement is arrived out, when the report of Conciliation Officer is received by the appropriate Govt. or when the report of the Board, as the case may. The learned counsel for the Petitioner relied on 1999 (3) LLN 538 LOKMAT NEWSPAPERS (PVT) LTD. Vs. SANKAR PRASAD wherein the Supreme Court has held that "a mere look at the aforesaid provision shows that in cases of public utility service referred to under section 22(2) of the Industrial Disputes Act, 1947, the conciliation proceedings shall be deemed to have commenced on the date on which a notice of strike or lock out under Section 22 is received by the Conciliation Officer and as per Section 20 (2)(b) during the conciliation proceedings no settlement is arrived at between the parties, the conciliation proceedings shall be deemed to have concluded, when the failure report of the conciliation officer is received by the appropriate Govt. Consequently, the legislative intention becomes clear that Conciliation Proceedings initiated under section 12(1) whether of a discretionary nature or of mandatory nature shall be treated to have continued and only to have concluded when the failure report reaches the appropriate Govt." In this case, the learned counsel for the Petitioner argued that the notice of conciliation is given on 15-4-98. The first date of conciliation was on 1-5-98 and under Ex. W 69 the Assistant Labour Commissioner (Central) Chennai has forwarded his failure report on 9-11-1998 i.e. after the dismissal order passed by the Respondent/ Management and therefore, when the conciliation was pending before the Conciliation Officer, the action taken by the Respondent/Management is not valid, without obtaining the permission.

14. For this, the learned counsel for the Respondent contended that the notice alleged to have been issued by the Conciliation Officer will not prove that the conciliation is pending. It is only issued for joint discussion and not for conciliation and furthermore, even assuming for argument sake that it is conciliation notice, the Petitioner is not a workman concerned with regard to the dispute

mentioned in that notice and further, in this case, the Govt. has turned down further reference as per the Order No-L-30011/1/78-IR(M) as per Ex. W69 on the ground that there was already a settlement with regard to the dispute and therefore, the learned counsel for the Respondent relied on the rulings reported in 1989 1 LLJ 180 MANAGEMENT OF BINNY LTD. Vs. GOVERNMENT OF TAMIL NADU AND ANOTHER and contended that "no doubt under section 10(5) there is no necessity for existence or apprehension of a dispute in the establishments which are likely to be interested in or affected by a dispute which has been referred to Labour Court of Tribunal or National Tribunal under section 10 of the Act for the purpose of including such establishments in that reference. But if any such establishment had a valid subsisting settlement, then it cannot be included in the reference not because no dispute exists or is apprehended but because no dispute can be validly raised by the parties bound by the settlement and no reference could be made of any such dispute" and he further contended that the bar to the reference of a dispute covered by a settlement is the direct result of legal position that when a dispute between the workers and the employer is concluded by a settlement which binds them, no industrial dispute relating to any item covered by the settlement can come into existence or can be apprehended. In this case, it is alleged that the Govt. has turned down further reference in the matter alleged to have been raised by the Petitioner as a General Secretary that there was already a settlement with regard to dispute and therefore, the Govt. has turned down the request. Under such circumstances, it cannot be termed as a dispute pending before the Conciliation Officer and it is non-est. Therefore, it cannot be said that during the conciliation, the Petitioner was dismissed without getting the permission of the labour authorities or the Tribunal.

15. Again, the learned counsel for the Petitioner relying on the rulings reported in 2004 2 LLN 262 DESEIN (PRIVATE) LTD. Vs. INDUSTRIAL TRIBUNAL III DELHI AND OTHERS argued that in that case in a similar situation, it was argued that if there is no reference pending or if the reference made by the appropriate Govt. is declared to be invalid or quashed, it cannot be said that Section 33(2) of the Act is attracted and in case, where main reference under section 10(1) of the Industrial Disputes Act has been quashed or declared as invalid, by no means it can be said that the proceeding is pending before the Tribunal as contemplated under section 33(2) of the Industrial Disputes Act, 1947 and employee cannot invoke Section 33A of the Act. But, the Delhi High Court has rejected the contention and held that "in my view, the plea advanced by the Petitioner cannot be accepted because it would lead to unjust and incongruous situation where the employer in order to avoid the impact of Section 33 of the Act merely raises a plea that reference of industrial dispute is incompetent and

therefore, no industrial dispute exists and this would lead to a totally uncalled for situation, where on a mere plea of invalidity of reference raised by the party, the statutory impact of Section 33 gets stalled. This would amount to giving primary to the plea of an interested party over legislative intent expressed under section 33 of the Act and this is clearly indicated by the position of law laid down in JAIPUR ZILLA SAHAKARI BHOOMI VIKAS BANK LTD. reported in 2002 I LLN 639 and therefore, he argued that it cannot be contended on the ground that the Govt. has turned down further reference in the above case cannot be taken into account for rejecting the plea raised by the Petitioner under section 33.

16. I find much force in the contention of the counsel for the Petitioner. Though in this case, it is contended that the reference was turned down on the ground that there was a settlement and since there was a settlement, no dispute can be raised by parties, I find the argument advanced by the Petitioner in that circumstances will hold good because as stated by the Hon'ble High Court of Delhi that in such a situation, if the contention is accepted it would lead to a totally uncalled for situation, where on a mere plea raised by the party, statutory impact of Section 33 got stalled and therefore, when the order of dismissal was passed by the Respondent/Management, the dispute was pending before the Conciliation Officer and it was concluded only after the order of dismissal, but the Respondent/Management has not obtained any permission/approval from the Conciliation Officer under Industrial Disputes Act, 1947.

17. Again, the learned counsel for the Respondent/Management contended that even assuming for argument sake that the conciliation proceedings was pending before the Assistant Labour Commissioner (Central), the Petitioner is not a workman concerned in that dispute and therefore, he cannot claim the benefit under section 33.

18. For this, the learned counsel for the Petitioner relied on the rulings reported in 1958 I LLJ 63 NEWTONE STUDIOS LTD. Vs. ETHIRAJULU (T.R.) AND OTHERS and 1960 I LLJ 551 NEW INDIA MOTORS (PRIVATE) LTD. Vs. MORRIS (K.T.). In the first decision, the High Court of Madras has held that "the workman concerned in the industrial dispute or concerned in appeal obviously constitute a group which might be less comprehensive in its scope than all the workmen employed in that industry or even one of the establishments of that industry, every workman need not necessarily be a workman concerned in a pending industrial dispute or in a pending appeal." Further, in that decision, the High Court held that "on these facts, the workmen (other than the retrenched workmen) who were parties to the dispute must be held to be workmen concerned in dispute within the meaning of Section 22 of Industrial Disputes (Appellate Tribunal) Act. It would be difficult to hold that they were

not concerned in the dispute on the ground that none of them would derive any direct pecuniary advantage from the award that might be given in that appeal. Besides the nature of the industrial dispute must be held to be such that all the workmen then in the employment of the management were concerned in that industrial dispute, in the sense, they were interested in settlement of the principles that should govern the right of the management to effect a retrenchment and the conditions subject to which that right should be exercised." In the second cited case, the Supreme Court has held that "the Respondent invoked Section 33A because his case was that at the time of his services were terminated the industrial dispute between the appellant and seven of its employees was pending and the Respondent was one of the workman concerned in the industrial dispute, which was resisted by the Petitioner/Management that the Respondent was not a workman concerned in the industrial dispute." On dealing with this question, the Supreme Court has held that "even as a matter of construction pure and simple there is no justification for assuming that the workmen concerned in such disputes must be workmen directly or immediately concerned in the said disputes. We do not see any justification for adding the other qualification of direct or immediate concern which narrow the construction necessarily assumes. In dealing the subject as to which the workman can be said to be concerned in the industrial dispute, we have to bear in mind the essential condition for raising of industrial dispute itself and if an industrial dispute can be raised only by a group of workman or through their union, then it will be difficult to resist the conclusion that all those disputes are concerned in it. As we have already pointed out this construction is harmonious with the definition of Section 2(s) and with the provisions contained in Section 18 of the Act. Therefore, we are not prepared to hold that the expression 'workmen concerned in such dispute' can be limited only to such of the workmen who are directly concerned with the dispute. In our opinion, that expression includes all workmen on whose behalf the dispute has been raised as well as those who would be bound by an award which may be made in the said dispute." Relying on these decisions, the learned counsel for the Petitioner contended that the Petitioner as a General Secretary of the Union has raised the dispute mentioned in Ex. W69 and as per the Supreme Court judgement, the dispute includes the Petitioner as a workman and therefore, under section 33A they must obtain permission and hence, the contention of the Respondent cannot be upheld. Here again, I find much force in contention of the learned counsel for the Petitioner.

19. Then again, the learned counsel for the Petitioner contended that the Petitioner herein is a protected workman and this status is automatically acquired by him by virtue of bye-law of union namely Ex. W39. Further, in this case, the Petitioner as General Secretary of the Union has



forwarded a letter dated 5th May, 1998 to the management giving list of persons to be declared as protected workmen in which the name of the Petitioner as General Secretary was also mentioned. Similarly, even for previous years for more than a decade, the Petitioner as General Secretary of the only recognised union has given the union's list of protected workmen to the management. During the year 1998, there were more than 850 employees. Therefore, only eight names were to be given as recognised protected workmen. Under the said rule, the permitted number of protected workmen had not been exceeded. It is further admitted that there was only one recognised union and therefore, there was no occasion for any dispute between the management and the union on the question of declaration of protected workmen. In other words, there was absolutely no dispute on the list of protested workmen as contemplated under section 33(4). That being the case it cannot be said that the Petitioner is not a protected workman. As such, the Petitioner's letter dated 5-5-1998 giving the names of office bearers of union is to be recognised as protected workmen for the year 1998-99. Even though, it is argued that it was not accepted by the management, it should be held it has deemed to have been approved by the Respondent/Management and he relied on the rulings reported in 1978 1 LLJ 432 R. BALASUBRAMANIAN AND OTHER Vs. CARBORANDUM UNIVERSAL LTD. OKHA and 2002 II LLJ 959 SUNDER LAL JAIN HOSPITAL KARMCHARI UNION Vs. GOVT. OF DELHI AND OTHERS. In the first decision, the Gujarat High Court has held that "a bare perusal of Rule 66 shows that under clause 1, every trade union connected with the establishment to which this Act applies, has to communicate before 30th September every year, names and addresses of its officers employed in establishment whom it chooses for being recognised as such protected workmen..... Under Rule 66(2) provides a duty on the employer to recognise such workmen as protected workmen for the purpose of Section 33(3) of the Act, of course subject to provisions of Section 33(4) and the employer is required to communicate to the union in writing the list of such recognised protected workmen within 15 days of the receipt of the names and addresses from the Trade Union under rule under 66(1)". It further held "once the case is found to be a single trade union and protection is claimed for minimum number of five office bearers within the statutory limits of Section 33(4) employer would have no discretion whatsoever to refuse recognition on any statutory ground and therefore in such a case, Rule 66(2) would clearly lay down the mandatory obligation on the employer to communicate to the union within 15 days of receipt of the union's communication under Rule 66(1), the recognition of the said list for the simple reason that in such a case, no dispute whatever can be raised by the employer except on which is frivolous and malafide to deprive the concerned protected workmen of their statutory protection. In such a case recognition would have to be

necessarily inferred even when the employer remains silent and commits default by not communicating to the union within 15 days period, the list which he had recognised. This necessary inference would have to be raised because in such a question no bona fide dispute can ever arise for resolution under Rule 66(4)." In the second citation, the Delhi High Court has held that "employer must convey its recognition within 15 days of the receipt of the names proposed by the union for the period of one year. Where there are multiple unions and therefore, a selection/recognition is essential the employer must confirm with Section 33(4) where no response is made by the management within this period its approval is deemed. A dispute cannot obviously exist if the employer does not raise any objection within 15 days time form the receipt of names forwarded by concerned union. A dispute cannot also conceivably exist, if there is only one recognised trade union and the persons nominated by it do not exceed maximum number except in the event that some or any of these nominees are not employees of the establishment."

20. But, as against this learned counsel for the Respondent has relied on the rulings reported in 1999 1 LLJ 1112 TAMIL NADU CIVIL SUPPLIES CORPORATION EMPLOYEES' UNION & OTHERS Vs. TAMIL NADU CIVIL SUPPLIES CORPORATION LTD. AND OTHERS, wherein the Madras High Court has held that "as to the recognition of protected workmen, there must be some positive action on the part of the employer in regard to recognition of employees as protected workmen, before he could claim to be protected workman for the purpose of Section 33. Therefore, the previous permission under section 33(3) would not be necessary before the dismissal." In the appeal, in the same case, TAMIL NADU CIVIL SUPPLIES CORPORATION EMPLOYEES' UNION & OTHERS Vs. TAMIL NADU CIVIL SUPPLIES CORPORATION LTD. AND OTHERS, Which is reported in 1999 3 LLJ (Supp) 1060, the Division Bench of the Madras High Court has held that "no doubt, the employees union gave a list of protected workmen on September 23, 1997, the management in February 23, 1998 asked the union to send fresh list excluding the supervisory care. There is nothing on record to show that the management had recognised the list or took some positive action to recognise the list of protected workmen which was to be valid for the calendar year 1998." Under such circumstances, it rejected the appeal and therefore, before an employee claimed to be a protected woman, he must establish that the management has recognised him as a protected workman. Relying on this judgement, the counsel for the Respondent argued that in this case, the Petitioner's submission as General Secretary of the union to the management that persons mentioned in the letter has been recognised as protected workmen cannot

be upheld on the ground that the management has not recognised this list and the Petitioner has not filed any petition before the Conciliation Officer to recognise them as protected workmen. Under such circumstances, he cannot claim to be a protected workman.

21. I find much force in the contention of the learned counsel for the Respondent and therefore, the recognition cannot be deemed from the circumstances argued by the learned counsel for the Petitioner. Any how, I find, while the conciliation was pending before the Conciliation Officer without getting permission/approval, the Respondent/Management has dismissed the Petitioner from service.

22. The next contention of the learned counsel for the Petitioner is that the Petitioner has been victimised and he alleged that as General Secretary of the Union, he has written letters to various persons including Petroleum Secretary about the theft and malpractices indulged in the refinery of the Respondent and he has also made representation to the Government of India against taking over of MRL by Indian Oil Corporation much to the dislike of the top management officials and therefore, the management has framed frivolous charges and foisted a case against the Petitioner by way of retaliation and he has relied on the letters sent by him to the Ministry. But, this allegation by the petitioner will not prove that he has been victimized.

23. For this, the learned counsel for the Respondent contended that thinking over of a Public Sector Undertaking is a policy decision that has been taken by the Government of India after analysing various aspects and therefore, under no stretch of imagination, it can be said that only because of the representation made by the Petitioner, the officials of the Respondent/Management had taken action against the Petitioner. Therefore, I find the allegation that he has been victimised for writings made by him to the Ministry and also to higher ups is not a true one.

24. The next contention of the learned counsel for the Petitioner is that the punishment is disproportionate because the other who have been charged for the same incident were not dismissed. The two employees of R & D section referred to in charge sheet are still working and further six co-employees of the Petitioner who were charge sheeted for the same alleged collective incident are still working with minor punishments and the Petitioner alone has been discriminated and victimised by the Respondent. He further stated that it was not the Petitioner as General Secretary of the Union alone had made representation on behalf of the lady employees, but all the office bearers of the union had represented on that day and for the alleged collective incident of self-immolation, all the office bearers were charge sheeted. One joint enquiry for five office bearers and a separate joint enquiry for the Petitioner and

Mr. Francis were conducted. It clearly proves that the Respondent/Management has decided to segregate Mr. Francis and the Petitioner and treat them as differently. The other five office bearers though held guilty for the same incident, were inflicted with punishment of one grade reduction and on appeal, the punishments were also further reduced and still they are working. Further, Mr. Francis, who was charge sheeted along with the Petitioner was given punishment of reduction of two grades, but on appeal, the punishment was reduced to reduction of one grade and still he is working and the two lady employees are also still working. But, the Petitioner, the only person, who was dismissed from service and the enquiry conducted against him was motivated and the findings were also perverse. The Petitioner was singled out, discriminated and victimised for the alleged collective incident and therefore, this Tribunal can go into the question under Section 11A and set aside the order of dismissal passed by the Respondent/Management.

25. But, as against this, the learned counsel for the Respondent contended that the Respondent company as a petroleum refinery wherein raw materials of crude oil and all other products manufactured and it is true that petroleum products are inflammable in nature and if the act alleged by the Petitioner has been committed in the refinery premises, then it would be a disaster for the company and also the employees. There is no need for the Respondent to fabricate anything against the Petitioner. With regard to two R & D employees, who were charge sheeted for the same misconduct of refusing to do the assigned job, they were given punishment of withholding of two increments with cumulative effect, since the gravity of the misconduct committed by them do not warrant dismissal from service, they were given the punishment of withholding of two increments with cumulative effect and the six co-employees who have committed the misconduct were only at the instigation of the Petitioner, which has been clearly established in the domestic enquiry, hence, the severe punishment were not given to them and five out of six were inflicted with the punishment of one grade reduction and in the case of sixth employee Mr. Francis who was suspended along with the Petitioner, the punishment of reduction of two grades was imposed. Since the gravity of the misconduct committed by the Petitioner is such that warrants the punishment not less than dismissal, and the behaviour of the Petitioner in threatening to self-immolate himself and bringing flammable materials for such purpose with total disregard to calamity that may be caused to the company, his colleagues and the public as a whole, had to be condemned and therefore, the appropriate action was taken against the Petitioner and at no stretch of imagination, it can be said that the Petitioner was discriminated. The offence committed by the Petitioner is different from the offence committed by the other office bearers and

therefore, the action of the Respondent/Management in terminating the Petitioner is justified and commensurate to the gravity of the misconduct committed by the petitioner which was proved in the domestic enquiry. The Learned counsel for the Respondent further argued that even assuming without conceding that the order passed by the Respondent/Management is not valid, the Respondent has lost confidence against the Petitioner and therefore, as reported in 2004 2 LLJ 229 MUTHIAH Vs. MANAGEMENT OF SEETHALAKSHMI MILLS, MADURAI AND ANOTHER, wherein even though the Petitioner in that case is entitled to reinstatement, the Hon'ble High Court has not accepted the contention of the Petitioner, however, in lieu of reinstatement, the High Court of Madras ordered the Petitioner is entitled to compensation to meet the ends of justice. As such, in this case even assuming for argument sake without conceding that the order of dismissal passed by the Respondent/Management is not valid and the Petitioner is entitled to reinstatement, since the Respondent has lost confidence against the Petitioner only compensation is to be awarded and not reinstatement to the Petitioner in the same position.

26. As against this, the learned counsel for the Petitioner contended that in 2004 1 LLN 594 P. BALASUNDARAM AND OTHER Vs. PRESIDING OFFICER, LABOUR COURT, COIMBATORE AND ANOTHER, the High Court of Madras has held "*once this Court comes to the conclusion that the orders of dismissal were made without any approval under section 33(2)(b) of the Act, the Award of the Labour Court in directing the discharge of the employee with compensation only cannot be sustained*" and the High Court has ordered reinstatement of the workmen and therefore, it cannot be contended that even if the Court comes to a conclusion that the Petitioner is entitled for reinstatement, since the Respondent has lost confidence in the Petitioner, he should be awarded compensation.

27. I find much force in the contention of the Petitioner in this case, because the Respondent while the conciliation was pending before the Labour Authorities, without obtaining any permission/approval has dismissed the services of the Petitioner. Under such circumstances, I find this point in favour of the Petitioner.

Point No. 2:—

The next point to be decided in this case is to what relief the Petitioner is entitled?

28. In view of my above findings that the dismissal of the Petitioner was made without any approval under section 33(2)(b) of the Act, I find the Petitioner is to be reinstated for want of permission/approval. Therefore, the Petitioner is entitled to reinstatement into service with back wages, continuity of service and other consequential relief. Therefore, I direct the II Party/Management to

reinstate the Petitioner Sri D.Samuel Rajasekaran into service with back wages, continuity of service and all other consequential relief. No. Costs.

29. Thus, the reference is answered accordingly.

(Dictated to the P.A., transcribed and typed by him, corrected and pronounced by me in the open court on this day the 5th August, 2004.)

K. JAYARAMAN, Presiding Officer

Witnesses Examined :—

For the I Party/Workman : WWI Sri D. Samuel Rajasekaran

For the II Party/Management : MWI Sri B. Issac

Documents Marked :—

For the I Party/Workman:—

Ex. No.	Date	Description
W1	15-02-85	Xerox copy of the MRL news Vol. 1
W2	01-01-86	Xerox copy of the MRL news Vol. 2
W3	01-02-87	Xerox copy of the MRL news Vol. 5
W4	15-07-88	Xerox copy of the MRL news Vol. 6
W5	01-05-90	Xerox copy of the MRL news Vol. 8
W6	15-05-90	Xerox copy of the MRL news Vol. 8
W7	01-06-90	Xerox copy of the MRL news Vol. 8
W8	15-05-92	Xerox copy of the MRL news Vol. 10
W9	21/23-08-92	Xerox copy of the book released similar on employees Participation in Management
W10	10-09-92	Xerox copy of the letter for CMD of Respondent to MREU/directors/GMs
W11	Jan-June 92	Xerox copy of the MRL journal
W12	Mar. 93	Xerox copy of the MRL journal
W13	1994	Xerox copy of the MRL journal
W14	10-10-89	Xerox copy of the parameters of Industrial relations in PSU
W15	17-02-94	Xerox copy of the letter of CMD of Respondent to C. Subramani copy to MREU.
W16	01-03-94	Xerox copy of the MRL news Vol. 12
W17	Oct. 94	Xerox copy of the MRL journal
W18	1994-95	Xerox copy of the MRL annual report
W19	1995-96	Xerox copy of the MRL annual report
W20	1996-97	Xerox copy of the MRL annual report

W21 1997-98	Xerox copy of the MRL annual report	W43 15-04-98	Xerox copy of the letter from Assistant Labour Commissioner (Central) To Union
W22 07-08-96	Xerox copy of the letter from General Manager (P&A) to MREU	W44 05-05-98	Xerox copy of the letter from MREU to respondent regarding Protected workmen for 1998-99
W23 09-08-96	Xerox copy of the letter from MREU to Secretary, Ministry of Petroleum & Natural Gas regarding theft & malpractice in MRL	W45 19-05-98	Xerox copy of the union letter to Respondent to address all letter to General Secretary
W24 29-08-96	Xerox copy of the Chief Vigilance Officer, MRL to DGM(M) Copy to MREU	W46 24-08-98	Xerox copy of the conciliation notice in respect of C.S. Baskar
W25 29-08-96	Xerox copy of the Chief Vigilance Officer, MRL to DGM(project) Copy to MREU	W47 21-01-02	Xerox copy of the conciliation notice in respect of Petitioner's non-Employment.
W26 13-05-97	Xerox copy of the letter from MREU to CMD, MRL regarding merger of MRL with IOC	W48 13-02-02	Xerox copy of the letter of Respondent to Assistant Labour Commissioner (Central)
W27 21-03-86	Xerox copy of the circular regarding smoking booth	W49 05-11-03	Xerox copy of the Petitioner's affidavit in I.A. No. 135/03
W28 07-09-92	Xerox copy of the minutes of meeting on smoking policy	W50 22-12-03	Xerox copy of the counter filed by Respondent in IA 135/03
W29 23-10-92	Xerox copy of the circular regarding smoking	W51 03-02-04	Xerox copy of the Rejoinder filed by Petitioner in IA 135/03
W30 Nil	Xerox copy of the photo taken in conference hall where alleged incident Said to have been taken place.	W52 03-11-98	Xerox copy of the letter from Petitioner to Respondent seeking Clarification
W31 15-09-83	Xerox copy of the MRL news Vol. 1	W53 03-11-98	Xerox copy of the telegram sent to Petitioner by Respondent
W32 01-06-90	Xerox copy of the MRL news Vol. 8	W54 06-11-98	Xerox copy of the order of High Court granting interim injunction
W33 26-06-97	Xerox copy of the order of High Court of Madras in Crl, OP. No. 8151/97	W55 06-01-98	Xerox copy of the letter of counsel for Petitioner by fax to Respondent
W34 22-06-97	Xerox copy of the acharge sheet issued to Sri S. Francis	W56 07-11-98	Xerox copy of the telegram sent by Respondent to petitioner
W35 22-06-97	Xerox copy of the charge sheet issued to B. Anbu	W57 11-11-98	Xerox copy of the notice of strike sent by Petitioner to Respondent
W36 22-06-97	Xerox copy of the charge sheet issued to S. Elumalai	W58 18-11-98	Xerox copy of the notice of conciliation sent by Assistant Labour Commissioner (Central) to Petitioner
W37 12-08-98	Xerox copy of the enquiry findings pertaining to Anbu, Elumalai, & Others	W59 24-12-98	Xerox copy of the telegram sent by Respondent to Petitioner
W38 Nil	Xerox copy of the standing orders of MRL	W60 12-01-00	Xerox copy of the cause list of High Court showing management Having filed Caveat.
W39 Nil	Xerox copy of the bye laws of MREU	W61 22-03-99	Xerox copy of the grounds of Writ Appeal 2236/99 filed by Petitioner
W40 02-07-79	Xerox copy of the G.O.R.T. No. 868 issued by Personnel Manager of MRL	W62 12-01-00	Xerox copy of the order passed in W.A. No. 2236/99
W41 07-12-79	Xerox copy of the letter from Responding to General Secretary, MREU regarding public utility service		
W42 03-04-98	Xerox copy of the letter from MREU to Assistant Labour Commissioner		

W63	26-11-98	Xerox copy of the management typed set in W.P. No. 17377/98	M8	Nil	Xerox copy of the claim petition filed by I Party before Assistant Labour Commissioner (Central)
W64	26-11-98	Xerox copy of the rejoinder filed in W.P. 17377/98 by Petitioner	M9	Nil	Xerox copy of the counter filed by Respondent before Assistant Labour Commissioner (Central)
W65	07-09-99 & 08-09-99	Cover & Receipt of Speed Post received by Petitioner	M10	12-03-02	Xerox copy of the order of High Court in W.P. No. 17377/98
W66	27-08-99 & 30-08-99	Cover & Receipt received by Petitioner through courier	M11	06-11-98	Xerox copy of the order of dismissal
W67	28-02-02	Xerox copy of the report of failure of conciliation	M12	28-12-94	Xerox copy of the Memorandum of settlement arrived between Respondent/Management and MREU
W68	20-02-04	Xerox copy of the letter from Petitioner to Assistant Labour Commissioner (Central)	M13	24-09-86	Xerox copy of the settlement for the period from 01-01-86 to 31-12-89
W69	26-02-04	Xerox copy of the letter from Assistant Labour Commissioner (Central) to Petitioner	M14	10-01-92	Xerox copy of the settlement for the period from 01-01-90 to 31-12-93
W70	22-10-02	Xerox copy of the reference of Ministry No. L-30011/36/2002-IR(M)	M15	28-12-94	Xerox copy of the settlement for the period from 01-01-94 to 31-12-98
W71	11-03-99	Xerox copy of the letter from Ministry of Labour to MREU	M16	31-03-97	Xerox copy of the notice from Assistant Labour Commissioner (Central) to Respondent/Management
W72	25-05-98	Xerox copy of the letter from respondent/Management to Assistant Labour Commissioner (Central)	M17	04-02-98	Xerox copy of the 12(3) settlement between Respondent and Union

**For the II Party/Management :—**

Ex. No.	Date	Description			
M1	Nil	Xerox copy of the domestic enquiry proceedings	M19	06-05-98	Xerox copy of the notice from Assistant Labour Commissioner (Central) to Respondent/Management
M2	Nil	Xerox copy of the exhibits marked in domestic enquiry	M20	11-06-93	Xerox copy of the notice from Assistant Labour Commissioner (Central) to Respondent/Management
M3	12-09-98	Xerox copy of the findings of the Enquiry Officer	M21	18-02-98	Xerox copy of the order of punishment issued to Smt. Subbulakshmi
M4	03-11-98	Xerox copy of the affidavit filed by Petitioner in W.P. 17377/98	M22	18-02-98	Xerox copy of the order of punishment issued to Smt. Kirthik
M5	12-11-98	Xerox copy of the counter affidavit filed by II Party/Management in W.P. 17377/98	M23	06-11-98	Xerox copy of the order of punishment issued to Mr. Anbu
M6	24-12-98	Xerox copy of the order passed by High Court in WMP 26293 & 27236/98 in W.P. 17377/98	M24	06-11-98	Xerox copy of the order of punishment issued to Mr. Elumalai.
M7	12-01-00	Xerox copy of the order of High Court in W.A. No. 2236/989			

नई दिल्ली, 14 अक्टूबर, 2004

का.आ. 2921.—औद्योगिक विवाद अधिनियम, 1947 (1947 का 14) की धारा 17 के अनुसरण में, केन्द्रीय सरकार सी.पी.डब्ल्यू.डी. के प्रबंधन के संबद्ध नियोजकों और उनके कर्मचारों के बीच, अनुबंध में निर्दिष्ट औद्योगिक विवाद में केन्द्रीय सरकार औद्योगिक अधिकरण नं. II, नई दिल्ली के पंचाट (संदर्भ संख्या 157/97) को प्रकाशित करती है, जो केन्द्रीय सरकार को 14-10-2004 को प्राप्त हुआ था।

[सं. एल-42012/70/96-आई.आर.(डी.यू.)]

कुलदीप राय वर्मा, डेस्क अधिकारी

New Delhi, the 14th October, 2004

S.O. 2921.—In pursuance of section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the award (Ref. No. 157/97) of the Central Government Industrial Tribunal/Labour Court No II, New Delhi now as shown in the Annexure to the Industrial Dispute between the employers in relation to the management of CPWD and their workman, which was received by the Central Government on 14-10-2004.

[No. L-42012/70/96-IR(DU)]

KULDIP RAI VERMA, Desk Officer

#### ANNEXURE

**BEFORE THE PRESIDING OFFICER :  
CENTRAL GOVERNMENT INDUSTRIAL  
TRIBUNAL-CUM-LABOUR COURT-II,  
RAJENDRA BHAWAN,  
GROUND FLOOR, RAJENDRA PLACE,  
NEW DELHI**

PRESIDING OFFICER, R. N. Rai I. D. No. 157/97

Shri Har Lal

Through The General Secretary  
CPWD Karamchari Union, Plot No. 1,  
Arambagh, Near Udasin Mandir,  
Paharganj, New Delhi - 110055.

VERSUS

The Executive Engineer,  
Civil "A" Division, CPWD,  
I.P. Bhawan, New Delhi.

#### AWARD

The Ministry of Labour by its letter No. L-42012/70/96-IR (DU) Central Government Dated 30-5-1997 has referred the following point for adjudication.

The point runs as hereunder :—

"Whether the action of the management of CPWD Executive Engineer, "A" Division, CPWD and the Superintending Engineer (Electrical), Coordination Circle (Electrical) in not regularising the services of Shri Harlal Singh as Mason w.e.f. April, 1986 is justified? If not, to what relief the workman is entitled to?"

The claimant has filed statement of claim. In his statement of claim, he has stated that the workman was initially inducted as Mason in the Department of CPWD and posted at "A" Division CPWD, Press Road, New Delhi. However, he was transferred to "L" Division, New Delhi.

That the Supdtg. Engineer (Coordination Circle (Electrical)) is liable to regularise his service keeping in view the persistent and continuous service of the workman upto the mark of satisfaction since 1986.

That the workman has completed 240 days each year to be qualified and to be regularised as a regular Mason since his date of first induction in the Management.

That the management is not following the guidelines in regularising the services of the workman. The counter parts of the workman are enjoying the status of permanent workman and reaping financial benefits but the workman is not getting those benefits.

The respondent management has filed written statement. In the written statement, it has been stated that the first entry of the workman is after 19-11-1985 i.e. date of ban imposed on direct recruitment. The workman has not passed the trade test for regularisation purpose. It is denied that the management is doing unwarranted acts. It is submitted that the workman applicant worked from 4/86 to 12/90. Due to non-availability of the service records, the matter of the present workman is under consideration for verification of the original records.

The claimant has filed rejoinder. In his rejoinder, he has denied most of the paras of the written statement and has reiterated the averments of his claim. Evidence of both the parties was taken and arguments were heard.

It was submitted from the side of the workman that book No. 1/85 dated 1-10-1985 shows that the workman applicant has received wages for the period w.e.f. 21-8-1985 to 20-9-1985 for 27 days. This paper is genuine one as there is seal of the CPWD on this paper though it is a photocopy. The original is with the management. According to this paper, the workman was initially inducted into service on 21-8-1985. The workman has wrongly mentioned the date of his initiation of service as 86 but from the papers of the management itself, it is established that the workman was inducted into service on 21-8-1985. At present, he has rendered service for 20 years but still he is a temporary employee and he has not been confirmed and regularised.

It has been admitted in the cross-examination by the management witness that the order for banning the recruitment was dated 19-11-1985. The witness was shown photocopy of salary sheet dated 1-10-1985 bearing book No. 1/85 in the name of the workman but the witness denied it and maintained that the workman has completed 240 days but he was inducted into service after



19-11-1985 and a ban was imposed for further recruitment. In case, a ban was imposed for further recruitment why the workman applicant was inducted into service after 19-11-1985. It is admitted fact that the workman is working after 19-11-1985. In case, there was a ban for further recruitment, he should not be engaged. There is no question of passing trade test in view of the Hon'ble APEX Court judgement that in case an employee has rendered a continuous long service, there should be relaxation in his age and every test should be taken at the time of initial appointment.

It was submitted from the side of the management that the workman applicant was recruited after 19-11-1985. The ban was imposed for further recruitment after that date and no post has been created so his services have not been regularised. It is explicit that the workman was inducted into service on 21-8-1985 according to book No. 1/85 so his initial appointment was 1-10-1985. If it is assumed for the sake of argument that he was inducted into service after 19-11-1985, even then he is entitled to regularisation. In case, a ban was imposed then he should not have been inducted into service after the imposition of the ban. In case, he was taken into service and he is working continuously then Section 25(F) of the ID Act is attracted and he is entitled to be regularised from his initial date of engagement. There is no force in the argument of the management.

The reference is replied thus :—

The action of the management of CPWD – Executive Engineer “A” Division, CPWD and the Superintending Engineer (Electrical), Coordination Circle (Elect.) in not regularising the services of Shri Harlal Singh as Mason w.e.f. April, 1986 is not justified. The workman deserves to be regularised from April, 1986 with all the benefits and emoluments that have accrued to the permanent employees on the same date. The management is directed to pay the entire arrears which have become due in view of his regularisation from April, 1986 within one month from the date of the publication of the award. In case of default, the workman applicant will be entitled to get interest @ 6% per annum. The award is given accordingly.

Date : 11-10-2004

R. N. RAI, Presiding Officer

नई दिल्ली, 18 अक्टूबर, 2004

का.आ. 2922.—औद्योगिक विवाद अधिनियम, 1947 (1947 का 14) की धारा 17 के अनुसरण में, ई. सी. एल. प्रबंधन के संबद्ध नियोजकों और उनके कर्मचारों के बीच, अनुबंध में निर्दिष्ट औद्योगिक विवाद में केन्द्रीय सरकार औद्योगिक अधिकरण, असनसोल (संदर्भ संख्या 15/1996) को प्रकाशित करती है, जो केन्द्रीय सरकार को 18-10-2004 को प्राप्त हुआ था।

[ सं. एल-22012/353/95-आई.आर.(सी-II) ]

एन. पी. केशवन, डैस्क अधिकारी

New Delhi, the 18th October, 2004

S.O. 2922.—In pursuance of Section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the award (Ref. No. 15/1996) of the Central Government Industrial Tribunal-cum-Labour Court, Asansol as shown in the Annexure in the Industrial Dispute between the management of ECL and their workmen, which was received by the Central Government on 18-10-2004.

[No. L-22012/353/95-IR(CM-II)]

N. P. KESAVAN, Desk Officer

#### ANNEXURE

#### BEFORE THE CENTRAL GOVT. INDUSTRIAL TRIBUNAL-CUM-LABOUR COURT, ASANSOL

**PRESENT** : Sri Md. Sarfaraz Khan,  
Presiding Officer.

**REFERENCE NO. 15 OF 1996.**

**PARTIES** : Agent, Nakrakenda Colliery under Jhanjra  
Area of M/s. E.C. Ltd.,  
Distt. Burdwan (W.B.) ...Management

**VERSUS**

Sri Sirajuddin Mia ... Workman.

**REPRESENTATIVES :—**

For the Management : Sri P. K. Das, Advocate

For the Workman : Joint General Secretary,  
(Union) Colliery Mazdoor Union,  
Cinema Road, P.O. Ukhra,  
Dist. Burdwan (W.B.).

Industry : Coal

State : West Bengal

Dated 21-9-2004

#### AWARD

In exercise of powers conferred by clause (d) of Sub-section (1) and Sub-section 2(A) of the Section 10 of the Industrial Dispute Act, 1947 (14 of 1947), the Govt. of India through the Ministry of Labour vide its Order No. L-22012/353/95-IR(C-II) dated 13-3-1996 has been pleased to refer the following dispute for adjudication by this Tribunal.

“Whether the action of the management of Nakrakenda Colliery under Jhanjra Area of M/s. ECL in dismissing the services of Shri Sirajuddin Mia is legal and justified? If not, to what relief the concerned workman is entitled?”

Having received the aforesaid order of reference, summons were issued to the concerned parties through the Registered Post and in pursuance to the summons, both the parties appeared through their representatives and filed their respective written statement in support of their claims.

2. The case of the workman concerned in brief compass as set forth in his written statement is that Shri Sirajuddin Mia was a permanent employee of Nakrakenda Colliery under Jhanjra Area of M/s. E.C.L.

3. The main case of the workman is that having received a message from his native place the workman concerned went to his native place on 21-12-1993 where he got an attack of Hernia for which he undergone treatment there.

4. That for his absence on duty for the aforesaid period he was chargesheeted on 27-1-1994 and the explanation was also called for to which the workman replied the charges by way of submitting explanation. But the management having not been satisfied with the explanation of the chargesheet proceeded to hold an enquiry against the said workman and ultimately he was dismissed from his service by the management on 28-4-1994.

5. The further claim of the workman is that he was not given sufficient opportunity to defend himself during the course of enquiry. Even before issuing the dismissal order, the delinquent workman was not supplied with the copy of the enquiry proceedings, Enquiry Report and proposed punishment and due to the violation of the above settled norms the order of dismissal has been claimed to be abinitio illegal void and fit to set-aside on these score.

6. It has been also claimed that the punishment awarded to the delinquent is not just and proper rather the same is disproportionate to the charges levelled against him. By awarding capital punishment the management has snatched away the break of his family to starve to death. So the workman has sought relief by way of setting aside the dismissal order and to reinstate him in service with a direction to pay all his back wages together with incidental benefits.

7. On the other hand the defence case as per the written statement filed by the management is that the referred dispute is misconceived and is not maintainable in the eye of law. It is also claimed that there is no scope of referring this dispute to the Tribunal as the fact of the dispute do not come under the purview of the Industrial Disputes Act.

8. The main defence case of the management is that the delinquent workman remained absent from his duty since 21-12-1993 without any authorised leave or sanctioned and a chargesheet vide No. NKR/PER/2776 dated 27-1-2004 was issued by the Agent against the delinquent for the act of his misconduct in the light of the provision of the Model Standing Order applicable to the establishment.

9. The further case of the management is that in pursuance to the explanation called for the reply of the same was submitted by the workman concerned which was found to be unsatisfactory and an independent enquiry

was set up by the Authority concerned. The delinquent was given all the reasonable opportunity to defend his case during the course of enquiry. The appointing authority having considered the enquiry report and all the relevant connected papers submitted and was pleased to award an order of dismissal taking in view the gravity of the misconduct. The punishment awarded to the workman is also claimed to be fully justified and proper and as such the workman is not entitled to get any relief by the Tribunal.

10. On perusal of the record it transpires that on 26-11-1997 hearing on the preliminary point was made by then Presiding Officer who having heard both the parties held that there was no any invalidity in the enquiry proceeding and there was due participation of the delinquent in the enquiry proceeding. The case was fixed for hearing on the point of merit of this case which taken up for hearing before me on 21-9-2004. The hearing was concluded and the award was reserved for order.

11. At the very out set I would like to mention here that the management side has pleaded in para 1 of its written statement that the instant reference is bad in the eye of law and the same does not come under the scope of the Industrial Disputes Act, 1947. But this issue was neither raised nor was pressed during the course of hearing of the dispute. I do not find any defect in the maintainability of this reference and the facts of the dispute referred very well comes under the purview of the Industrial Disputes Act which has rightly been referred to this Tribunal by the Govt. of India, Ministry of Labour for the adjudication of the same and as such I do not find any merit in this plea taken by the management and the same is accordingly decided against the management.

12. The record further goes to show that none of the party has examined any oral witness rather both the parties have filed the photo copies of the official letters such as the copy of the chargesheet, explanation submitted by the delinquent in this regard, Enquiry proceeding, its report, letters of dismissal etc. which are admitted one and the genuineness of the same have not been challenged by either side. So I do not think proper to discuss the same in detail.

13. The delinquent workman has taken the plea in para 3 of the written statement that on receiving the message from his native village he went to his native place where he suffered from Herina and got himself treated there. But he has mentioned in his explanation to the chargesheet that due to the illness of his wife he could not attend his duty on the relevant dates and due to illiteracy no message could be sent to the department concerned. So the contradictory reasons given for his absence is itself sufficient to conclude that he was absenting since 21-12-1993 without any prior permission or sanctioned leave and without any satisfactory cause as



he has failed to file any chit of paper in respect of his treatment during the relevant period. The findings of the enquiry officer is admittedly fit to be upheld for holding the delinquent workman guilty under clause 17(1) of the Model of Standing Order applicable to the establishment and for the same misconduct the delinquent workman is entitled to be awarded penalty for the same as provided in the said Model Standing Order.

14. Now the only point to be considered by the Court is to see as to whether the punishment awarded to the delinquent workman by the management is proportionate to the alleged nature of misconduct proved against the workman.

15. From perusal of the chargesheet it transpires that the concerned workman has only been charged for committing misconduct of unauthorised absence from 21-12-1993 to 27-1-1994. No any chit of paper has been filed from the side of the management to show that the workman has got a checkered conduct in respect of his unauthorised absence from duty.

16. In course of argument it was submitted by the learned lawyer of the workman that it is a simple case of unauthorised absence for one month and six days only which can't be said to be a serious misconduct. Even according to the provision of the Model Standing Order applicable to the establishment, the extreme penalty of dismissal can not be imposed in such type of cases. During the course of argument it was also submitted that no second show cause notice was ever issued to the delinquent workman before passing the order of dismissal against him which is itself a serious and deliberate violation of the mandate of the Apex Court. I find force in the argument of the learned lawyer on the aforesaid points which is mandatory one and non-compliance of the same is seriously prejudicial to the interest of the workman.

17. It has been several times observed by the Apex Court that before imposing a punishment of dismissal it is necessary for the disciplinary authority to consider the family back ground, economic back ground of the workman, length of service put in by the employee, his past and other surrounding circumstances including the nature of the misconduct. The workman concerned is an illiterate man who is financially very weak and poor who has suffered a lot for more than ten years and he had never been gainfully employed anywhere during the period after his dismissal.

18. Besides this when the Model Standing order applicable to the establishment provides U/S. 27(1) (page-15) various minor punishment. I fail to understand as to why only maximum punishment available under the said clause should be awarded in the facts and circumstances of this case. It appears that the management has got no balanced standard of the yardstick to judge the gravity of the misconduct of the workman to award penalty as

provided in the Model Standing Order applicable to the establishment. It has been observed several times even by the Hon'ble Apex Court that justice must be tempered with mercy and that the erring workman should be given an opportunity to reform himself and to be a loyal and disciplinary employee of the management. However I am of the view that the punishment of dismissal for an unauthorised leave for a month under certain circumstances and without any ulterior motive is too harsh a punishment which is totally disproportionate to the misconduct alleged. Such a plain and simple case of unauthorised absence should have been dealt with by taking a lenient view by the management. In that view of the matter I think it just and proper to modify the extreme sorts of penalty imposed by the management to meet the ends of justice.

19. Having regard to the above facts circumstances and the discussion made I am satisfied to hold that the penalty imposed by the employer is not at all proper, just and commensurate with the nature and gravity of the misconduct proved against the delinquent workman and as such the impugned order of the punishment by way of dismissal is hereby set-aside and the concerned workman is directed to be reinstated with the continuity of service. Considering the facts of a long laps of time before the date of dismissal and reinstatement and no blame can be put only on the door of the workman. I think to meet the ends of justice it is appropriate to award 50% of the back wages being payable to the delinquent. As such let the award be and the same is passed accordingly. Copies of the award be sent to the Ministry of Labour for information and needful.

MD. SARFARAZ KHAN, Presiding Officer

नई दिल्ली, 20 अक्टूबर, 2004

का.आ. 2923.—औद्योगिक विवाद अधिनियम, 1947 (1947 का 14) की धारा 17 के अनुसरण में, केन्द्रीय सरकार यूनाइटेड कमर्सियल बैंक के प्रबंधन के संबंध में नियोजकों और उनके कर्मचारों के बीच, अनुबंध में निर्दिष्ट औद्योगिक विवाद में केन्द्रीय सरकार औद्योगिक अधिकरण/श्रम न्यायालय लखनऊ के पंचाट (संदर्भ संख्या 30/2002) को प्रकाशित करती है, जो केन्द्रीय सरकार को 19-10-2004 को प्राप्त हुआ था।

[सं. एल-12012/27/87-डी.II(ए)]

सी. गंगाधरन, अवर सचिव

New Delhi, the 20th October, 2004

S.O. 2923.—In pursuance of Section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the award (Ref. No. 30/2002) of the Central Government Industrial Tribunal-cum-Labour Court, Lucknow as shown in the Annexure in the Industrial Dispute between the employers in relation to the

management of United Commercial Bank and their workman, which was received by the Central Government on 19-10-2004.

[No. L-12012(27)/87-D.II(A)]

C. GANCAADHARAN, Under Secy.

#### ANNEXURE

#### CENTRAL GOVERNMENT INDUSTRIAL TRIBUNAL- CUM-LABOUR COURT, LUCKNOW

#### PRESENT:

SHRIKANT SHUKLA,  
PRESIDING OFFICER.

I. D. No. 30/2002 (Delhi No. 72/87)  
Ref No. : L-12012(27)/87-D.II (A)/D.III(A)  
dated : 31-7-1987

#### BETWEEN:

Shri D. K. Sardana,  
331/96, Street No. 8, Rajgarh Colony,  
Gandhi Nagar, Delhi - 31.

#### AND

The Divisional Manager,  
Divisional Office, United Commercial Bank,  
Parliament Street, Post Box No. 365, New Delhi.

#### AWARD

The Government of India, Ministry of Labour vide its order No. L-12012(27)/87-D.II (A)/D.III(A) dated : 31-7-1987 referred the following dispute for adjudication to the Presiding Officer, Central Government Industrial Tribunal-cum-Labour Court, New Delhi.

“Whether the action of the management of United Commercial Bank in dismissing Shri D. K. Sardana, Clerk-cum-typist from the service vide order dated 15-11-1985 is justified? If not, to what relief the concerned workman is entitled?”

Further the Government vide its order No. Z.20025/54/2001-CLS.II dated 19th April, 2002, transferred the said case for adjudication to the Presiding Officer, Central Government Industrial Tribunal-cum-Labour Court, Lucknow.

The workman has alleged in his statement of claim that on 24-8-83, when he was posted at Krishnanagar Branch of the Bank, the Branch Manager gave him a letter prohibiting him from doing any work though being required to attend office as usual, on the ground of an alleged complaint from one Mr. Rajeev Arora. On 25-8-83, the Branch Manager gave another letter to the workman asking him to give details of each and every credit and debit entry in his two SB Accounts with the Bank, and on the same date, another letter was given to him by the Branch Manager, calling from his explanation

about purported complaint of one Mr. Rajeev Arora alleging that he had fraudulently, by forged signature got the SB A/C No. 16561 debited with Rs. 10,005/- and got issued a Manager's Cheque issued in the name of his brother, having a joint SB A/C No. 17739 with him. The workman submitted his explanation on 4-10-83. The officiating Area Manager of the Bank at New Delhi issued a charge sheet to the workman in the above matter. On 3-12-83, the said officiating Area Manager issued an order placing the workman under suspension. The workman submitted his reply to the chargesheet. The management of Bank appointed Shri R. K. Somaiya as Enquiry Officer. The enquiry was commenced on 31-5-84, when the workman denied the charges, where after the Bank's representative submitted a list of documents and witnesses in support of the charges against him. The enquiry was resumed on 13-6-84 when the bank representative produced 12 documents, which marked as Exhibits M-1 to M-12 without producing any formal proof thereof. The workman's representative requested for production of the letter of authority of the Account Holder on basis of which the debit voucher, Ex. M-1 was prepared. The bank representative stated that there was no such letter of authority from the party and that it was not known why the signature of the party was not obtained on the voucher. On 13-6-84, the bank's representative produced two witnesses, viz. Shri R. K. Kapoor, special Assistant who had passed the debit voucher, Ex. M-1, and Shri O. P. Sethi, the manager of the branch. On the next date of enquiry, i.e. 4-7-84 the bank's representative produced the third bank witness, Shri A. K. Saxena, officer at Divisional Office, who produced the report of a Hand Writing Expert. The workman's representative made a request for recalling Shri O. P. Sethi for further cross-examination on some points. The Presenting Officer reserved his ruling on the request of the workman's representative. At the resumed hearing on 12-7-84, the bank's representative examined two more witnesses, viz. Mrs. Raj Kanwar, officer of the branch and Shri R. K. Rastogi, Asstt. Manager of the branch. The workman's representative gave a letter complaining about undue influence having been exercised on MW-1, Shri R. K. Kapoor, by one Shri Madhawan, bank's representative and Shri O. P. Sethi, branch manager (MW-2), which was taken on record by the bank's representative. On 26-7-84, the bank's representative stated that he was closing the Bank's case and the bank's representative called upon the workman's representative to start with the defence case. The workman requested at the outset for being furnished with copy of the report dated 24-8-83 sent to Divisional Office by the branch manager containing details of the event and copy of the inspection report of the branch for the relevant period but the same was not provided to the workman. The Enquiry Officer also declined the request to recall of Shri O. P. Sethi for further cross-examination. Further the employee's representative requested that MW-2 to MW-4 be recalled

for further cross-examination as some new facts had come to light, but that request too was declined by the Enquiry Officer. The Enquiry Officer also declined to summon the party, Shri Rajeev Arora. The employee's representative produced second defence witness, Shri S. K. Sharma, clerk of the branch, the third defence witness Shri V. K. Sethi, clerk of the branch. On 8-1-85 two more defence witnesses were produced, viz. Shri D. D. Srivastava and Shri Inder Singh Nijhawan, both employees of Krishnanagar branch. The employee's representative produced a report the defence hand-writing expert dated 10-1-85 and closed the defence case and thereafter, the bank's representative and the employee's representative submitted their written arguments. On 6-5-85, the Area Manager/Disciplinary Authority issued a notice, which was sent to the workman along with copy of report of the Enquiry Officer, holding him guilty of all the charges and proposing punishment of dismissal and asking him to show cause why the proposed punishment should not be imposed on him. The workman replied the said show cause notice. The Disciplinary Authority passed the final order for dismissal of the workman. The workman preferred an appeal against the above order of dismissal, which was dismissed by the Appellate Authority. The worker has stated that the enquiry was held in violation of the principles of natural justice in as much the full inspection report of the Auditors was not produced despite workman's repeated requests, his request for inspection of records for tracing party's letter of authority was refused, his request for being furnished with originals of Ex. M-1, M-6, M-11 and M-12 for obtaining report of a hand writing expert on his behalf was declined with an untenable reason that hand writing expert could not be allowed to appear in the enquiry and his request for recalling some of the witnesses of the Bank for further cross examination in view of new facts coming to light was arbitrarily rejected. The most material witness of the case, i.e. Rajeev Arora, the Account Holder, on the basis of whose purported complaint disciplinary action was initiated against the workman was not produced, in spite of workman's requests for his production and in spite of the fact that he had given a letter dated 12-9-84 to the Bank, confirming the debit of Rs. 10,000 to his account and stating that the complaint against the workman was obtained from him by interested official of the Bank. The Enquiry Officer put the onus on workman to produce the above party, which was manifestly wrong. It is also alleged that the findings of the Enquiry Officer were completely perverse. The report of defence hand writing expert had clearly opined that only the name of the party was written below the narration "Please issue the draft in favour of Kishore Kumar for Rs. 10,000 and debit my SB. A/C" and it was not a name, "Rajeev Arora" was written or signed below the said narration, there was no justification for his finding that, "whether it is a signature or name written by Mr. Sardana has been able to gain the sum of Rs. 10,000 through his joint account". The Enquiry

Officer had overlooked the material fact that the A/C of the party could not have been debited merely on the basis of the voucher by whom-so-ever prepared unless the party authorised the debit under his signature below the narration appearing on its back. In any case, when the fact that the debit had not been authorised under the signature of the party was admittedly in the knowledge of MW-1, there could be no question of workman attempting to gain any advantage from the transaction. MW-1 could have very well obtained the signature of the party or called upon the workman to have the party's signatures before passing the voucher. Quite apparently the workman was being made an escape goat to save the erring passing officer, MW-1, a fact which the Enquiry Officer had deliberately by passed in his report. The Enquiry Officer did not care to spell what were the contradictions in the evidence of defence witnesses, which made him believe their evidence to be unreliable. The show cause notice issued by the Disciplinary Authority was completely unspeaking and unreasoned and based on his bare concurrence with the report to the Enquiry Officer without application of his own independent mind. The final order passed by the Disciplinary Authority was also vitiated for rejecting the pleading of the workman on wrong and untenable reasons. The Appellate order conveyed to the workman on 15-5-86 was also invalid for being totally unspeaking and bereft of any reasons whatsoever for which the various grounds of appeal pleaded by him did not find favour with the Appellate Authority. In the circumstances the action of the management in dismissing the workman was an act of unfair labour practice as defined in I. D. Act in as much as it was actuated with the mala fide intention of punishment him for his affiliation with a union other than the union recognised/patronised by the management, was by way of victimisation, was not in good faith but in colourable exercise of its power, by falsely implicating him for patently false reasons and trumped up allegations and in utter disregard of the principles of natural justice in the conduct of the enquiry. It is therefore, prayed that the Tribunal may set aside the dismissal of the workman as being illegal and unjustified and directing the reinstatement of the workman with continuity of service and full back wages including for the period of his suspension.

The Divisional Manager of the United Commercial Bank has filed the written statement admitting the fact that Shri D. K. Sardana was Clerk-cum-Typist in the services of the UCO Bank. It is also admitted that charge sheet was served on Shri D. K. Sardana and the same was issued by the competent authority. It is further stated that Enquiry Officer did not violate the principles of natural justice in conducting the enquiry and the workman was given all opportunity to defend the case. The opposite party has filed the proceedings of enquiry along with written statement and the management has alleged that findings arrived at by the Enquiry Officer and the Disciplinary

Authority are justified, legal and valid and the same are not liable to be questioned by the workman. Whatever is stated by the workman contrary to what ever has been held by the Enquiry Officer and the Disciplinary Authority or the Appellate Authority are contrary to fact. It is also admitted that show cause notice was legal, valid and justified which was issued with proper and due application of independent mind of the authority. It is also alleged that the orders of the Disciplinary Authority as well as of the Appellate Authority are speaking orders passed on materials, evidence and documents of the case. It is submitted on behalf of employer that it is not a case of victimisation. The order of dismissal passed by the Disciplinary Authority is legal, justified, valid and not liable to be set aside. The workman is not entitled to be reinstated with back wages at all. The workman has been dismissed for his fraudulent and dishonest acts, which were proved during the enquiry proceedings, and the punishment of dismissal awarded to him is justified on all grounds in view of the facts and circumstances of the case. The management has therefore, prayed that this Tribunal may uphold legality and validity of the enquiry and the punishment of dismissal awarded to the workman and reject the contention of the workman raised in the statement of claim and hold that the workman is not entitled to any relief from this Tribunal.

The workman has filed the rejoinder and has reiterated the submissions contained in the statement of claim.

On 21-3-1988 following two issues were framed by the Presiding Officer, Central Government Industrial Tribunal-cum-Labour Court, New Delhi.

1. Whether the enquiry held by the management is fair and proper.
2. As in the terms of reference.

26-4-2004 was fixed for evidence of the workman on the issue No. 1, but, the worker opted to be absent from the proceedings and therefore, the case was ordered to proceed ex-parte against the worker and 29-4-2004 fixed for ex-parte evidence. However, ex-parte evidence was recorded on 3-6-2004. The workman remained absent for arguing his case on issue No. 1 and therefore the Presiding Officer heard only opposite party on issue No. 1 and passed order on 14-6-2004 holding that enquiry conducted by the management is adjudged unfair and is in violation of principle of natural justice and therefore the enquiry is set aside. In the order dated 14-6-2004 it was stated that the worker has not been able to prove fact that the cogent ground for recalling the witness who was once cross-examined by him. Since the Enquiry Officer did not give any opportunity to cross examine the hand writing expert of the management and this fact is material violation of natural justice and further observed that Bank ought to have examined and hand writing expert, Sri A. Kashyap and should have allowed the worker to cross examine the

hand writing expert. On this ground only the enquiry conducted by the Enquiry Officer was held unfair and not proper.

After giving sufficient opportunity to the management to lead its evidence to prove charges in Court the management did not examine any witness till 4-8-2004 therefore, the worker was allowed to examine his witness and accordingly the worker examined himself on 4-8-2004. On 6-8-2004, on the request of the management, the management was allowed to produce evidence at the cost of Rs. 5,000 and 9-8-2004 was fixed for the evidence of the management. The management examined Ashok Kumar Saxena and Dr. S. C. Mittal, hand writing expert.

The workman examined Pandit Ashok Kashyap, hand writing expert and Shri V. P. Bhardwaj.

Parties have filed following documents :

1. Photocopy of letter dated 25-8-93 of the Manager, UCO Bank addressed to D. K. Sardana, paper No. 2/15 & 5/3.
2. Photocopy of reply of D. K. Sardana to Area Manager dated 4-10-83, paper No. 2/16 & 5/4.
3. Photocopy of letter of Area Manager, UCO Bank addressed to D. K. Sardana, paper No. 2/17, 2/18, 2/19 & 5/5, 5/6 & 5/7.
4. Photocopy of letter of D. K. Sardana addressed to Area Manager, paper No. 2/20.

Besides above documents following other documents have been filed by the workman :

1. Photocopy of letter of Area Manager addressed to D. K. Sardana, paper No. 2/21.
2. Photocopy of memorandum dated 24-2-1984 of Area Manager, paper No. 2/22.
3. Photocopy of letter of V. P. Bhardwaj, employer's representative addressed to R. K. Sumaiya, Enquiry Officer, paper No. 2/23.
4. Photocopy of letter of Rajeev Arora addressed to Asstt. General Manager of the Bank, paper No. 2/24.
5. Photocopy of letter of V. P. Bhardwaj, employer's representative addressed to R. K. Sumaiya, Enquiry Officer, paper No. 2/25.
6. Photocopy of letter of V. P. Bhardwaj, employer's representative addressed to R. K. Sumaiya, Enquiry Officer, paper No. 2/26, 2/27.
7. Photocopy of notice of hearing for proposed punishment addressed to D. K. Sardana, issued by Area Manager, paper No. 2/28.
8. Photocopy of reply of D. K. Sardana to proposed punishment, paper No. 2/29-2/31.

9. Photocopy of proceedings dated 19-9-1985 signed by the Disciplinary Authority, paper No. 2/32.
10. Photocopy of memorandum dated 15-1-85 by Disciplinary Authority, paper No. 2/33-2/36.
11. Photocopy of letter of Divisional Manager addressed to D. K. Sardana, paper No. 2/37.
12. Photocopy of memorandum of Appellate Authority addressed to D. K. Sardana, paper No. 2/38.
13. Photocopy of letter of D. K. Sardana addressed to the Deputy General Manager, paper No. 2/34.
14. Photocopy of letter of Divisional Manager addressed to D. K. Sardana, paper No. 2/40.
15. Photocopy of circular No. 53/85 dated 1-7-1985 regarding staff under Award-Appointment of Disciplinary Authority and Appellate Authority, paper No. 2/41.

The opposite party has following additional documents besides those, which are mentioned above :

1. Photocopy of letter dated 25-8-1983 to Shri D. K. Sardana calling for his explanation.
2. Photocopy of reply dated 4-10-1983 of workman.
3. Photocopy of charge sheet dated 19-10-1983 issued to workman.
4. Photocopy of letter dated 29-10-1983 of workman seeking of time to submit reply to charge sheet.
5. Photocopy of letter dated 1-11-1983 to workman granting time of 15 days to submit reply to charge sheet.
6. Photocopy of reply of workman to the charge sheet received on 17-11-1983.
7. Photocopy of suspension order dated 3-12-1983 suspending the workman.
8. Photocopy of memorandum dated 24-2-1984 to Disciplinary Authority appointing Enquiry Officer and Bank's representative.
9. Photocopy of letter dated 8-4-1985 of Enquiry Officer along with proceedings of enquiry, written briefs of parties, enquiry report and documents of enquiry.
10. Photocopy of notice of proposed punishment dated 6-2-1985 to workman fixing 25-5-1985 for hearing.
11. Photocopy of memorandum dated 9-8-1985 fixing 21-8-1985 for hearing on notice of proposed punishment to workman.

12. Photocopy of letter dated 20-8-1985 of workman requesting for fixing another date for hearing with medical certificate.
13. Photocopy of memorandum dated 24-8-1985 fixing 4-9-1985 for hearing on notice of proposed punishment to workman.
14. Photocopy of letter dated 3-9-1985 of workman requesting another date for hearing along with medical certificate.
15. Photocopy of memorandum dated 5-9-1985 fixing 19-9-1985 for hearing on notice of proposed punishment to workman.
16. Photocopy of letter dated 19-9-1985 of workman addressed to Disciplinary Authority.
17. Photocopy of proceedings dated 19-9-1985 of the Disciplinary Authority.
18. Photocopy of order of dismissal dated 15-11-85 passed by the Disciplinary Authority.
19. Photocopy of appeal dated 27-12-1985 preferred by workman against order of dismissal.
20. Photocopy of order date 10-2-1986 of the Alternative Officer/DGM (Personnel) appointing Chief Manager of UCO Bank, Asaf Ali branch to work as Appellate Authority.
21. Photocopy of letter dated 12-2-1986 addressed to workman informing him about the appointment of Appellate Authority.
22. Photocopy of order dated 14-4-1986 of the Appellate Authority dismissing the appeal of the workman.

Besides above documents the witness Shri S. C. Mittal has filed following documents with paper No. C-61; and

1. Original letter of AGM/PER/83/6826 date 6-12-83 addressed to Joint Director (Admin.).
2. Report dated 20-12-83 duly signed by Dr. S. C. Mittal in original.
3. Forwarding letter No. CFSL-83/D-4038/9597 dated 20th December, 1983.

Paper No. A2-66.

1. Enlarged photograph of Q1.
2. Full photograph of Q1.
3. Admitted signatures of D. K. Sardana A1.
4. Admitted signatures of D. K. Sardana A2.
5. Specimen signatures of Rajeev Arora S1 & S2.
6. Specimen signatures of Rajeev Arora S1 & S2. (Enlarged).



7. Specimen signatures of Rajeev Arora S3 & S4.

8. Specimen signatures of Rajeev Arora S3 & S4.

Heard learned counsels of the parties and perused the evidence on record.

Dr. S. C. Mittal, Dy. Director and Asstt. Chemical Analyst, CFSL/CBI, New Delhi has proved that expert report which has been cross-examined by the worker himself. In reply to the question in cross-examination Shri Mittal has stated that he has given his expert report on the basis of original documents and the original report he sent to the Bank. He has also proved that each report is prepared in four copies, one is sent and three copies are retained. He has further stated that he has filed one copy of report out of three in the Court. He has fully proved his report, A2-63 and he stated that the original documents were scientifically examined by him and he compared the signatures with the specimen signatures and he came to the conclusion that the writing (Rajeev Arora) on the back of debit voucher is clearly in the hand writing of Shri D. K. Sardana and that writing is not that of Rajeev Arora. No question has been put in cross-examination that the report is false on opinion given by hand writing expert, Shri Mittal is incorrect. Nothing has been argued on behalf of the worker that the writing on the back of the debit voucher is not in hand writing of D. K. Sardana. The photostat copy of the writing and underneath the writing of Rajeev Arora, paper No. 5/97 is accordingly proved to be in the handwriting of D. K. Sardana.

Learned counsel for the workman has admitted that the writing on the back of debit voucher is not doubt in the handwriting of Shri D. K. Sardana. The writing on the back of debit voucher is as follows :

"Please issue the Draft in favour of Kishore Kumar for Rs. 10,000 & debit my SB A/C 16561.

Rajeev Arora  
SB A/C No. 16561"

Learned counsel of the workman has stated that Shri D. K. Sardana has not signed as Rajeev Arora and he has left space for the signature of Rajeev Arora. With this background we proceed further to examine further evidence.

In the present case the statement of D. K. Sardana on oath is material whose evidence was recorded ex-parte on 4-8-2004. In examination-in-chief he has admitted following facts :—

1. One customer of the Bank, Rajeev Arora was his friend.
2. Rajeev Arora complained against D. K. Sardana on 24-8-83.
3. When Rajeev Arora complained on 24-8-83, Shri D. K. Sardana deposited Rs. 10,000 in the Bank thereafter.

The management of the bank has filed paper No. 5/3, the letter of the management and the copy of the same has been filed by the workman, paper No. 2/15. The said documents are admitted by the parties. This letter is addressed to Mr. D. K. Sardana by the manager of the bank and is dated 25th August, 1983. The contents of the letter are, that the bank received a complaint from Mr. Rajeev Arora SB A/c No. 16561 alleging therein that he (D. K. Sardana) has fraudulently forged signature and got the SB 16561 debited with Rs. 10,005 in the name of his brother, Kishore Kumar who has SB A/c No. 17739 with the bank jointly with him (D. K. Sardana). Accordingly, the money was withdrawn. The management asked D. K. Sardana to explain within 3 days from receipt of this letter as to why disciplinary action be not taken against him for swindling the amount from the depositors account. Shri D. K. Sardana was warned that if no satisfactory reply is received within 3 days the bank shall be at liberty to presume that he (D. K. Sardana) has nothing to say and the action will be taken as per bank's rules and regulations.

Mr. Sardana has stated that he has deposited Rs. 10,000/- within 2 days but has not replied the letter dated 25-8-83. Instead, he chose to reply that letter on 4th October, 1983. There is no explanation from the workman as to why he took so much of time in replying the letter dated 25-8-83. The conduct of the workman to deposit the Rs. 10,000 after being called upon to explain about the complaint of Rajeev Arora is material. He deposited Rs. 10,000 without any explanation after such a long time whereas he was asked to explain within 3 days. He thought that since he has deposited Rs. 10,000 probably for that reason no explanation is required by the Bank.

The reply of Shri D. K. Sardana is paper No. 2/16, filed by the worker himself. This is the photo stat copy of letter of D. K. Sardana addressed to Area Manager of the Bank. The contents of this letter are reproduced below :

"The Area Manager  
United Commercial Bank  
Divisional Office  
Parliament Street,  
New Delhi.

Sir,

With reference to your letter No. Msc./125/83 & Msc./126/83 both dated 25-8-83 addressed to me by Krishna Nagar Branch.

I beg to submit after perusal of the records shown to me that I had only written the narration on the fact & back of the voucher dated 14-6-83 for Rs. 10,000/-. I deny that I had forged the signatures of the account holder, Rajeev Arora on this voucher. The voucher was to be passed by the concerned officer/special assistant after obtaining the signatures of the account holder on the said

voucher and after completion of further formalities, if any. However, on being told that the account holder had complained about this withdrawal, I refunded the amount on 25-8-83 as desired by the Bank. I do not know what actually is the complaint of the a/c holder, which the bank has declined to furnish to me.

As regard the transaction in my personal account No. 16845 & Joint account No. 17739, these are my personal transactions & I should not be compelled to disclose the details of these transactions.

I hope that my above submissions will meet the requirements of the bank and the matter will be closed.

Thanking you.

Yours faithfully,

-Sd-

(D. K. Sardana)

Dated :- 4-10-1983."

The above reply shows that he has seen the records. In this letter this fact is admitted that he has written the narration on the face & back of the voucher dated 14-6-83 for Rs. 10,005. In this letter he has denied having forged the signatures of Rajeev Arora, the account holder. The management did specifically mentioned in its letter of 25 August, 1983 that the money has been withdrawn from his joint account No. 17739 but the worker in his explanation dated 4-10-83 has not denied that drawl. In the letter dated 4-10-83 the worker has alleged that the voucher was passed to be passed by the concerned officer/special assistant after obtaining the signatures of the account holder on the said voucher.

Mr. D. K. Sardana has come out with a story that he obtained a sum of Rs. 10,000 in the month of June from Rajeev Arora and he paid the money from his account through the pay or and this amount was credited in his (D. K. Sardana) account and since the money given on loan was not returned Shri Rajeev Arora by his letter dated 24-8-83 complained to the bank.

Had the transaction been a loan transaction by Rajeev Arora to D. K. Sardana he ought to have explained that fact to the branch manager immediately after he received the show clause letter of the bank No. Misc/125/83 and Misc/126/83 dated 25-8-83. Therefore, the story which the workman has tried to put forth in the court by his statement is not trust worthy. The debit voucher was prepared on 14-6-83 by the worker himself. He has put the endorsement himself on the back of debit voucher by writing Rajeev Arora and instructed the bank to debit the amount of Rs. 10,000 in the joint account of Kishore Kumar. He has reaped the amount of debit voucher & utilized it, as he had joint account with Kishore Kumar. The certified copy of the account of Shri Rajeev Arora is

paper No. 57/6 & 57/7, which shows that Rs. 10,000/- was debited from account of Rajeev Arora.

The workman in his reply on 4-10-83 has not mentioned that there was any authority letter from Rajeev Arora to the Bank other than the endorsement on the debit voucher. The letter of 4-10-83 was submitted after perusal of records. Therefore, it is believed that there was no letter of authority from the party in addition to the endorsement on the debit voucher.

Shri D. K. Sardana has filed the copy of another application i.e. paper No. 2/20. In the said letter Shri D. K. Sardana has admitted that the manager's cheque dated 14-6-83 for Rs. 10,000/-, issued by the concerned officer was deposited by him in SB A/C No. 17739, but at the same time he has stated that he did so in bonafied belief that cheque has been issued in the due course.

Deposition of the amount of Rs. 10,000/- in his joint account No. 17739 is admitted by the worker at the same time D. K. Sardana has stated in the said letter that he has not acted fraudulently or dishonestly or unlawfully. He has stated in the letter that as soon as on being told about the alleged complaint of the concerned account holder, he immediately refunded the amount as desired by the bank authorities. In this letter also there is no story of any loan transaction between Rajeev Arora and the worker.

It is admitted fact that on 3-12-83 the charge sheet was issued to the worker. From perusal of the enquiry proceedings, the photo copy of which has been filed by the management, R. K. Kapoor, special assistant, who passed the debit voucher Ex-M-1, stated that the voucher in question were carried by Mr. Sardana. When the (R. K. Kapoor) told him (D. K. Sardana) that the signature did not tally with those on record Mr. Sardana told him that Mr. Rajeev Arora had come personally to the Bank and was sitting near his seat. If the signatures on the debit authority differed, he would get another signature of Mr. Arora on the debit voucher. Although Mr. R. K. Kapoor has not been examined by the bank on the ground that the witnesses examined before enquiry are either retired or taken VRS and therefore, they could not be cross-examined.

The learned representative for the workman has argued that there ought to have been debit confirmation on the debit voucher by way of letter which gave the authority to debit account and the narration on the back of the voucher did not give authority to the bank to act apart from this authority letter should have been affixed to the debit voucher. Learned representative for the worker has relied upon the United Commercial Bank, Manual of Instructions, Volume IV (Deposits) January, 1977, Miscellaneous, Chapter 14, page No. 257, the photo copy of which has been filed by him, which lays down the procedure for authority to debit. The procedure as laid

down is narrated in Chapter 14 from 3.1 to 3.3 which is reproduced below :

**“3. Authority to Debit Account :**

3.1 Accounts of constituents should not, under any circumstances, be debited without a proper written debit authority from them. Every debit to a constituent's account must be supported either by a written authority from him to debit his account or must be in compliance with his standing instructions. Whenever possible, a cheque in support of or in confirmation of the debit made to the account should be obtained from the account holder.

3.2 On an account being debited on the authority of the account holder, it must be seen that the debit advice is sent to him on the same day or positively on the next day.

3.3 Every debit authority, as any other incoming letter, must be entered in Inward Mail Register of the branch. Signature of the constituent or his duly authorised agent on the letter should be properly verified and the letter should be pasted with the debit voucher.”

In the present case, the written authority is not on the separate paper but on the back of the debit voucher. Debit voucher is prepared by the bank, the authority is written on the back. Therefore, the above provision does not help the worker. According to the worker, the endorsement of the back including the name of Rajeev Arora is only narration whereas to the bank the instructions are given by the signatory, Rajeev Arora, though Rajeev Arora has not signed it but is signed by Mr. D. K. Sardana. On behalf of the worker it is argued that space is left by the worker for obtaining signature of Rajeev Arora, he has written himself just name of Rajeev Arora. On analysing the entire documentary evidence and looking to the fact that D. K. Sardana is the beneficiary and the endorsement is in favour of D. K. Sardana and his brother, therefore, the arguments forwarded on behalf of the worker is not tenable.

The worker himself has filed the photo stat copy of the charge sheet i.e. paper No. 2/17 and 2/18, which is admitted by the bank management. Bank management has also filed the photo state copy of charge sheet i.e. paper No. 5/5 & 5/6. These particulars of charges are as follows :

**“PARTICULARS OF CHARGES against Mr. D. K. Sardana, Clerk-cum-Typist**

1. On 14 June 83 while working at Manager's cheque/Demand Draft/TT issued seat at Krishna Nagar branch you falsely, fraudulently and dishonestly made and prepared false and forged debit voucher of Rs. 10005/- containing request

for debiting Rs. 10,000/- in AB A/C No. 16561 of the account holder, Shri Rajeev Arora under forged signature of the said account holder Shri Rajeev Arora for issuing a draft in favour of Mr. Kishore Kumar who is your brother having a joint saving A/c at the said branch in his name along with you and obtained a Manager's cheque bearing 377324 dated 14-6-83 for Rs. 10,000/- favouring your brother Shri Kishore Kumar which was also prepared by you without any authority from the account holder.

2. On the same date i.e. 14th June 1983 the Manager's cheque aforesaid fraudulently, dishonestly and by coming forgery obtained by you to the debit of Mr. Rajeev Arora's A/c for Rs. 10,005/- was deposited by you in your joint account SB No. 17739 standing in the name of yourself and your brother Mr. Kishore Kumar Sardana.

3. Thus, you acted fraudulently, dishonestly and by committing forgery fraudulently and dishonestly obtained unlawfully and amount to the extent of Rs. 10,000/- to your benefit and unlawful gain in the manner stated above which amount of Rs. 10005/- was later on deposited in the Bank on 25-8-83 by your father through you.

4. The above acts of yours have brought bad name to the Bank and lowered down its image in the public and the same are prejudicial to the interests of bank which constitute gross misconduct on your part under para 19.5 of Bipartite Settlement dated 19-10-66.

The worker was called upon to give his written statement. Worker did not file any written statement instead, requested the management of the Bank made his application dated 29-10-83 to grant him 15 days more time as is evident for paper No. 5/7 (photocopy of his letter, which is duly admitted by the workman) workman did not file written statement even up to 1-11-83 and requested further time of 15 days made his application paper No.5/8 (the document admitted by the worker). However, on 17-11-83, Shri D. K. Sardana, filed his written statement, the photocopy of which is submitted by the management of the bank and admitted by the worker. The worker has also submitted the photo stat copy of written statement, which is paper No. 2/20. The contents of the letter are reproduced below :

“Area Manager,  
United Commercial Bank,  
Divisional Office,  
Parliament Street,  
New Delhi.

Sir,

I beg to acknowledge receipt of your Charge Sheet No. AGM:PER:83/6096 dated 19-10-83 along with its enclosure.



In this context, I beg to invite your kind attention to my explanation dated 4-10-83 in reply to letters Misc. 125/83 and Misc. 126/83 dated 25-8-83 issued to me by Krishna Nagar Branch, calling for my explanation in the same matter.

As I have already stated, I had only written narration on the face and back of the voucher dated 14-6-83 for Rs. 10005/-. I had not forged the signatures of the account holder, Mr. Rajeev Arora on the said voucher, which was to be passed and must have been passed by the concerned Officer/Special Assistant after obtaining the signatures of the concerned account holder and after completion of other formalities, if any. There is, therefore, no question of my preparing any false and forged voucher or of doing anything falsely, fraudulently or dishonestly.

Though the Manager's Cheque dated 14-6-83 for Rs. 10000/- issued by the concerned officers was deposited by me in SB A/c No. 17739, but this was done in the bonafide belief that the cheque had been issued under due course.

It is also incorrect that I had acted fraudulently and dishonestly or had unlawfully obtained the amount of Rs. 10,000/- or made any unlawfully gain. On the other hand and as a matter of fact, on being told about the alleged complaint of the concerned account holder about the above withdrawal, I immediately refunded the amount in question on 25-8-83 as desired by the Bank authorities.

In the facts and circumstances stated above, there is no valid or reasonable cause for proceedings with any further action against me and the matter may kindly be treated as closed.

Yours faithfully,

(D. K. SARDANA)  
Clerk-cum-Typist  
United Commercial Bank,  
Divisional Office,  
Parliament Street  
New Delhi."

Even in the above reply the so-called loan transaction is not stated. Ultimately enquiry commenced on 31-5-84.

This fact is not disputed that SB A/c. No. 17739 stand in the joint name of Shri D. K. Sardana and his brother, Krishna Kumar Sardana. During the course of enquiry proceedings the management filed the letter of complaint dated 14-6-83. Copy of the same was handed over to the workman's representative for verification. Bank's representative clearly stated that there was no letter from the party on the basis of which debit voucher was prepared. On 13-6-84 itself the Bank representative examined Shri R. K. Kapoor, Spl. Asstt. of the Bank who

was cross examined by the worker's representative. For the first time on 13-6-84 the worker suggested that Shri Rajeev Arora came to the bank for giving Rs. 10,000/- to Kishore Kumar Sardana, the younger brother of the workman. On the same day on 13-6-84, Shri O. P. Sethi too was examined. He was also cross-examined by the representative of the worker.

During the course of enquiry itself the worker representative stated "I have already stated that the employee has only written a narration on the debit voucher along with writing the name and account number of Mr. Rajeev Arora and no signature after preparing the debit voucher obtained by concerned officer." (paper No. 5/24 of the enquiry proceedings). In the circumstances the report of hand writing expert was not required in reaching the conclusion. On 12-7-84 Mrs. Raj Kanwar, an employee of the Bank was examined. She did prove that the debit voucher was in the hand writing of D. K. Sardana and the authority was written on the debit voucher and there was no separate letter, she was also cross-examined on behalf of the worker. Shri R. K. Rastogi was also examined on the same day. Shri R. K. Rastogi stated very clearly that so far as authorisation of the account holder is concerned either there will be debit instruction on the reverse of the voucher or there will be a letter. There cannot be both. Shri Rastogi was also cross-examined at length.

During course of enquiry, it is alleged on behalf of the workman, that Shri Rajeev Arora in the year 1984 gave a letter to the bank, photo copy of which is paper No. 5/91. The contents of letter is produce below :

"The Asstt. General Manager,  
United Commercial Manager,  
Divisional Office,  
Parliament Street, New Delhi.

Sir,

In continuation to my complaint letter dated 24-8-83 regarding the incident of date 14-6-83, submitted to Branch Office, KRISHNA NAGAR DELHI, I want to bring certain facts to your knowledge that :

1. Some Bank Official advised me to give a complaint letter signed by me to facilitate me to get back Rs. 1000/- at the earliest, which were debited from by A/c. No. 16561 by my Valid Debit Authority.

2. That the Bank Official was interested in getting a complaint letter from me.

3. That even after the complaint letter was given by me to the Bank, the Bank did not give my money (Rs. 10000/-) as promised at the time of getting complaint letter but intentionally delayed the release of the amount for three to four months, and was later on release only after your personal intervention and recommendations.

4. That I do not want to disclose the things, which were transpired between me and the Bank Official on that very day.

So your good self is requested to look into the matter personally and see that there should not be injustice being done to any innocent person.

Thaking you.

Yours faithfully.

-Sd-

(Rajeev Arora)  
S.B. A/c No. 16561 at  
B/O-Krishna Nagar  
Delhi-110051.

Dated : Not legible."

Rajeev Arora, who is a friend of Sh. D. K. Sardana has not been examined to prove the contents of the said letter. Salient features of the letter are :

1. Debit action has been termed as valid.
2. Rajeev Arora has complained that even after complaint date 14-6-83 was given by him the Bank did not give his money (10,000/-) as promised at the time of getting complaint and intentionally delayed the release of amount for three to four months.
3. This letter does not disclose any loan transaction between D. K. Sardana and Rajeev Arora.

Shri Rajeev Arora is not only the customer of the Bank but he was a friend of D. K. Sardana also. Shri D. K. Sardana prepared debit voucher for him and assisted him in getting the endorsement on the back of the debit voucher. Taking all these facts into the consideration it was necessary on part of worker to examined Rajeev Arora before the Enquiry Officer and even in this court, but Sh. D. K. Sardana has not done so. Therefore, it is believed that in case Shri Rajeev Arora was examine by Sh. D. K. Sardana, it would have adversely affected the interest of Mr. D. K. Sardana.

Learned representative of the opposite party has vigorously argued that the bank official i.e. the workman has tried to win over Mr. Rajeev Arora and has tried to obtain a letter from Rajeev Arora addressed to Assistant General Manager of the Bank so that he should not be punished.

The representative of the opposite party has also argued that even if Sh. Rajeev Arora appeared in the court and say in favour of the workman that he did advanced Rs. 10000/-, he cannot be believed as he got Rs. 1000/- back by the timely action initiated by the Bank management. Representative of the opposite party has also argued that as worker is friend of Rajeev Arora he will certainly like that Sh. D. K. Sardana be exonerated of the charge. Representative of the opposite party has also argued that such officials of the Bank have lost their credit for the bank that caused by fraudulent act, mis-

appropriation of the money of the customers. The representative of the opposite party has also argued that in the year 1983 Rs. 10000/- was a large amount comparing its value from the year 2004, when the rupee's value is devalued to a large extent. He has also argued that the bank has no confidence in Sh. D. K. Sardana any more.

The workman has examined Pandit Ashok Kashyap on 13-8-2004. He has stated in cross examination that some one gave him the photo state copy and wanted his report and therefore he has given the report. He doesn't say that he gave his report on the basis of original signature and handwriting. His report is of no help to workman.

The management has examined Sh. Ashok Kumar Saxena, who has supported the case of the bank management. Even if debit voucher has not been produced in this court, but non-production of the document in original does not falsify the case of bank management and it is not expected that an old record of year 1983 could be preserved up to 2004. When the endorsement at the back of the debit voucher is proved to be in the handwriting of the workman Sh. D. K. Sardana.

The departmental enquiry conducted by the bank management was presided over by Mr. R. K. Somaiya, who is dead. Shri Ashok Kumar Saxena has answered in cross-examination that Shri R. K. Kapoor, O. P. Sethi, Mrs. Raj Kanwar, R. K. Rastogi were examined before the Enquiry Officer and all these witnesses are either retired or got VRS and therefore they could not be produced at the court. The departmental enquiry was set aside only because hand writing expert of the management was not examined by the management before the Enquiry Officer and the workman therefore could not get the opportunity to cross-examine him. The worker had all opportunities to examine other witnesses who have been produced during enquiry proceedings there is no cogent reason as to why the worker wants to cross-examine again those witnesses in the enquiry.

The representative of the opposite party has filed following case laws in support of his case.

1. 1962(2) SCC 838, Executive Committee, U.P. Warehousing Corporation Vs. Chandra Kiran Tyagi.
2. (1986) 3 SCC 229 Kashinath Dikshita Vs. Union of India and others.
3. 1995 K.A.B.I.C. 1496 Bombay High Court, Chandra Kumar Madhkar and etc. Vs. The Board of Trustees of Port of Bombay and others.
4. 735 Supreme Court Reports (1969) Central Bank of India Ltd., New Delhi Vs. Shri Prakash Chand Jain.
5. (1981) 2 SCC 159 Union of India and others Vs. M.B. Patnaik and others and Union of India Vs. P.N.L. Das.

They all pertain to departmental enquiry.

I have gone through the case laws. The fact of the present case, challenging the departmental enquiry is that employees representative made request for recall of Sh. O. P. Sethi for further cross-examination on some points. The Enquiry Officer denied the opportunity. As already stated earlier the employee's representative was allowed to cross-examine the management witnesses at length before Enquiry Officer in the enquiry proceedings and therefore if the enquiry officer has not allowed request of the representative the employee, is not illegal or improper. Worker complained the furnishing of a report dated 24-8-83 and copy of inspection report of branch for relevant period. The workman has not been able to state and argue as to what prejudice has been caused by non-furnishing of report or inspection report. Similarly, auditor's report was also not relevant for the facts of this case. On behalf of the workman it has also been tried to say that representative of the worker requested to furnish exhibits M-1, M-6, M-11 and M-12 to enable the defence to obtain the opinion of hand writing expert. In the present case the debit voucher is admittedly in the hand writing of the workman and the endorsement on the back of it. Therefore, as I have already stated earlier that the opinion of the hand writing expert was not called for.

Enquiry Officer took into consideration the entire evidence produced before him and he submitted full enquiry report and he took consideration of letter dated 19-10-84 which the employees representative submitted before the enquiry officer.

The worker has examined his representative who was assisting him during the enquiry who stated before the court that during the course of enquiry he tried to produce Sh. Rajeev Arora but Shri Rajeev Arora was under pressure of the management. As already stated earlier, Shri Rajeev Arora was a friend of Shri D. K. Sardana and therefore, it could not be said that he was under pressure of the bank. It is a worker himself who did not utter a single word that he received Rs. 10000/- in loan transaction when had opportunity he had opportunity to say so at various occasions. Therefore, I come to the conclusion that story loan transaction is afterthought.

Shri V. P. Bhardwaj has admitted that the present case depends fully on the documentary evidence.

The statement of Sh. V. P. Bhardwaj also does not help the worker. Representative of the opposite party has argued that in the bank's honesty and integrity of highest order is required and Sh. D. K. Sardana has been found guilty of defrauding the bank therefore no sympathetic view could be taken in his favour.

The worker's representative has tried to argue that show cause notice dated 6-5-85 issued by the Disciplinary Authority was completely unspeaking and unreasoned and based on his bare concurrence with the report of the Enquiry Officer without application of his won independent mind. As this specifically clear that enquiry report is detailed report and discloses all facts, evidence and charges levelled against the worker and after going through enquiry the Disciplinary concurred the report and there is nothing wrong in it.

Although the worker has mentioned in the statement of claim that the final order vide by Disciplinary Authority vide memorandum dated 15-11-85 was also vitiated for rejecting the pleading of the workman on wrong and untenable reasons, but this point has not been argued on behalf of the worker. I have gone through memorandum dated 15-5-85 of Disciplinary Authority which is paper No. 5/148 to 5/151. The order is reasoned and with full application of mind.

The learned representative of the worker argued that the action of the management in dismissing the workman was an act of unfair labour practice as defined in I. D. Act in as much as it was actuated with the mala fide intention of punishing him for his affiliation with a union other than the union recognised/patronised by the management, was by way of victimisation, was not in good faith but in colourable exercise of its power, by falsely implicating him for patently false reasons. But this argument is not based on any evidence. Even D. K. Sardana has not stated on oath in this court that he was affiliated with a union other than the union recognised/patronised by the management.

The charges stand proved.

The management had awarded the punishment of dismissal from service. It has not been argued on behalf of the workman that order of dismissal is shocking or lesser punishment should have been awarded to the worker.

No other argument forwarded by either party.

On the basis of discussion above I come to the conclusion that the action of the management of United Commercial Bank in dismissing Shri D. K. Sardana, Clerk-cum-Typist from the service vide order dated 15-11-1985 is justified. The issue is answered in affirmative, in favour of the bank management and the worker is not entitled to any relief.

Lucknow.  
13-10-2004

SHRIKANT SHUKLA, Presiding Officer

नई दिल्ली, 20 अक्टूबर, 2004

### AWARD

The Government of India, Ministry of Labour by its order No. L-34011/18/2004-IR(B.II) dated 21-6-2004 referred the following dispute under Section 10 (1) (d) of the I.D. Act, 1947 of adjudication to this Tribunal between the management of Visakhapatnam Dock Labour Board and their workmen. The reference is:

### SCHEDULE

“Whether the demand of the Visakhapatnam Dock Labour Board and Dock Workers Union for 16 days of paid holidays and sick leave (half-pay leave) to the Visakhapatnam Dock Labour Board workers at par with Visakhapatnam Port Trust is legal and justified? If not, what relief the concerned union is entitled.

The reference is numbered in this Tribunal as I.D. No. 92/2004 and notices were issued to the parties.

2. The General Secretary of the Petitioner Union Sri S. Parasuram filed a memo dated 10/19-08-2004 stating that their union is discussing the matter with the management bilaterally hence, they do not want to submit any claim statement and request this Tribunal to treat the dispute as closed. In view of the memo dated 10/19-8-2004 the reference is treated as closed and a ‘Nil’ Award is passed, Transmit.

Dictated to Kum. K Phani Gowri, Personal Assistant transcribed by her corrected and pronounced by me on this the 19th day of August, 2004.

E. ISMAIL, Presiding Officer

### Appendix of evidence

Witnesses examined for the Petitioner	Witnesses examined for the Respondent
NIL	NIL

### Documents marked for the Petitioner

NIL

### Documents marked for the Respondent

NIL

नई दिल्ली, 20 अक्टूबर, 2004

का. आ. 2925.—औद्योगिक विवाद अधिनियम, 1947 (1947 का 14) की धारा 17 के अनुसरण में, केन्द्रीय सरकार सिंडिकेट बैंक के प्रबंधन के संबंध में नियोजकों और उनके कर्मचारों के बीच, अनुबंध में निर्दिष्ट औद्योगिक विवाद में केन्द्रीय सरकार औद्योगिक अधिकरण / श्रम न्यायालय हैदराबाद के पंचाट (संदर्भ संख्या 15/2003 को प्रकाशित करती है, जो केन्द्रीय सरकार को 19-10-2004 को प्राप्त हुआ था।

[सं० एल-12011/178/2002-आई.आर. (बी-II)]

सी गंगाधरण, अवर सचिव

का. आ. 2924.—औद्योगिक विवाद अधिनियम, 1947 (1947 का 14) की धारा 17 के अनुसरण में, केन्द्रीय सरकार विशाखापत्तनम पोर्ट ट्रस्ट के प्रबंधन के संबंध में नियोजकों और उनके कर्मचारों के बीच, अनुबंध में निर्दिष्ट औद्योगिक विवाद में केन्द्रीय सरकार औद्योगिक अधिकरण / श्रम न्यायालय हैदराबाद के पंचाट (संदर्भ संख्या 92/2004) को प्रकाशित करती है, जो केन्द्रीय सरकार को 19-10-2004 को प्राप्त हुआ था।

[सं० एल-34011/18/2004-आई.आर. (बी-II)]

सी गंगाधरण, अवर सचिव

New Delhi, the 20th October, 2004

S.O. 2924.—In pursuance of Section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the Award Ref. 92/2004 of the Central Govt. Industrial Tribunal-cum-Labour Court, Hyderabad as shown in the Annexure, in the industrial dispute between the management of Visakhapatnam Port Trust and their workmen, received by the Central Government on 19-10-2004.

[No. L-34011/18/2004-IR (B-II)]

C. GANGADHARAN, Under Secy.

### ANNEXURE

### BEFORE THE CENTRAL GOVERNMENT INDUSTRIAL TRIBUNAL-CUM-LABOUR COURT AT HYDERABAD

PRESENT : Shri E. Ismail, B.Sc., LLB. Presiding Officer

Dated the 19th day of August, 2004

### INDUSTRIAL DISPUTE NO. 92/2004

### BETWEEN:

The General Secretary,  
Visakhapatnam Dock Labour Board &  
Dock Workers' Union, 26-15-204,  
Dharmasakti Bhavan,  
Visakhapatnam—530001. .... Petitioner/Union

### AND

The Chairman,  
Visakhapatnam Dock Labour Board,  
Port Area.  
Visakhapatnam—530035. ... Respondent/  
Management

### APPEARANCES:

For the Petitioner : Shri S. Parasuram, General  
Secretary, Petitioner Union

For the Respondent : Nil

New Delhi, the 20th October, 2004

**S.O. 2925.**—In pursuance of Section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the Award Ref. 15/2003 of the Cent. Govt. Industrial Tribunal-cum-Labour Court, Hyderabad as shown in the Annexure, in the Industrial dispute between the management of Syndicate Bank and their workmen, received by the Central Government on 19-10-2004

[No. L-12011/178/2002-IR (B-II)]

C. GANGADHARAN, Under Secy.

#### ANNEXURE

#### BEFORE THE CENTRAL GOVERNMENT INDUSTRIAL TRIBUNAL-CUM-LABOUR COURT AT HYDERABAD

**PRESENT:** Shri E. Esmail, B.Sc, LL.B. Presiding Officer

Dated the 2nd day of September, 2004

**INDUSTRIAL DISPUTE NO. 15/2003**

#### BETWEEN:

The General Secretary,  
Syndicate Bank Staff Union,  
C/o Syndicate Bank,  
Veerullapally  
Krishna District.

.... Petitioner/ Union

#### AND

The Dy. General Manager,  
Syndicate Bank,  
Zonal Office, Pioneer House,  
6-3-653, Somajiguda,  
Hyderabad-500482.

... Respondent

#### APPEARANCES:

For the Petitioner: M/s M. Gowri Shankar & M. ,  
Ramu, Advocates

For the Respondent: M/s A. Krishnam Raju, G.  
Dinesh Kumar, G.V.N. Babu & N.  
Premananda Rao, Advocates

#### AWARD

The Government of India, Ministry of Labour by its order No. L-12011/178/2002-IR (B.II) dated 10-12-2002 referred the following dispute under Section 10(1) (d) of the I.D. Act, 1947 for adjudication to this Tribunal between the employers in relation to the management of Syndicate Bank and their workman.

#### SCHEDULE

“Whether the action of the management of Syndicate Bank in dismissing the services by way of compulsory retirement of Shri V. Durga Prasad,

Ex-Clerk is justified? If not, what relief the workman is entitled to?”

This reference was registered as Industrial Dispute No. 15/2003 and notices were issued to the parties.

2. The Petitioner filed a claim statement. The Respondent filed the counter. Arguments were heard on domestic enquiry. The domestic enquiry was held valid. At the stage of final arguments under Sec. 11A, both the Counsels were present and agreed to refer the case to Lok Adalat. Hence, the case was referred to the Lok Adalat.

3. Lok Adalat could settle the dispute and filed a Memorandum of Settlement. Hence, an Award is passed as per the Memorandum of Settlement arrived before the Lok Adalat and the reference is answered as follows : “The action of the Management of Syndicate Bank in dismissing the services by way of compulsory retirement of Sri V. Durga Prasad, Ex-Clerk is not justified. Hence, the said impugned order dated 18-2-2000 retiring him compulsorily is hereby set aside and the Petitioner shall be reinstated into service immediately and the period of his absence from duty till the date of reinstatement will be treated as service without wages and the same will be counted as continuous service for the purpose of retirement benefits.”

Award passed accordingly. Transmit.

Dictated to Kum. K. Phani Gowri, Personal Assistant transcribed by her corrected and pronounced by me on this the 2nd day of September, 2004

E. ISMAIL Presiding Officer

#### Appendix of evidence

Witnesses examined for the Petitioner	Witnesses examined for the Respondent
--	--

NIL

NIL

#### Documents marked for the Petitioner

NIL

#### Documents marked for the Respondent

NIL

नई दिल्ली, 20 अक्टूबर, 2004

**का. आ. 2926.**—औद्योगिक विवाद अधिनियम, 1947 (1947 का 14) की धारा 17 के अनुसरण में, केन्द्रीय सरकार अमेरिकन एक्सप्रेस बैंक लिमिटेड प्रबंधन के संबंध में नियोजकों और उनके कर्मचारियों के बीच, अनुबंध में निर्दिष्ट औद्योगिक विवाद में केन्द्रीय सरकार औद्योगिक अधिकरण/श्रम न्यायालय नई दिल्ली के पंचाट (संदर्भ संख्या आई. डी. नं० 15/2001 को प्रकाशित करती है, जो केन्द्रीय सरकार को 19-10-2004 को प्राप्त हुआ था।

[ सं० एल-12011/4/2001-आई.आर. (बी-1) ]

सी गंगाधरण, अवर सचिव

New Delhi, the 20th October, 2004

**S.O. 2926.**—In pursuance of Section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the Award (I.D. No. 15/2001) of the Central Govt. Industrial Tribunal/Labour Court, New Delhi now as shown in the Annexure, in the Industrial dispute between the employers in relation to the management of American Express Bank Ltd. and their workman, which was received by the Central Government on 19-10-2004.

[No. L-12011/4/2001-IR (B-I)]

C. GANGADHARAN, Under Secy.

#### ANNEXURE

#### BEFORE THE CENTRAL GOVERNMENT INDUSTRIAL TRIBUNAL CUM LABOUR COURT, NEW DELHI

Presiding Officer : Shri S.S. Bal

I.D. No. 15/2001

In the matter of dispute between :

S/Shri Sunil Kapoor, Ajay Mishra and Tek Chand,  
Through General Secretary,  
Vyapar Tatha Udyog Karamchari Sangh (BMS),  
118, Kishan Ganj Market, Old Rohtak Road,  
Workmen/ Claimants

#### VERSUS

The American Express Bank Ltd. (TRS) 31-32,  
Community Centre,  
Vasant Vihar,  
New Delhi-57.

Management

#### APPEARANCES:

Shri O.P. Badhani Advocate for the workmen.

Shri Rajesh Kumar Advocate for the Management.

#### AWARD

The Central Government in the Ministry of Labour vide its Order No. L-12011/4/2001/IR(B-1) dated 14-2-2001 has referred the following industrial dispute to this Tribunal for adjudication:—

“Whether the action of the management of American Express Bank Ltd. (TRS) in not regularising the services of S/Shri Sunil Kapoor, Ajay Mishra and Tek Chand w.e.f 6-5-96, 13-12-96 and 1-8-96 respectively is just, fair and legal? If not, what relief they are entitled to?

2. Brief facts as culled from the statement of claim preferred by the workmen namely Sunil Kapoor, Ajay Mishra and Tek Chand are that they were appointed to

perform various duties by Shri Rajinder Singh (Contractor) M/s Unique Home Maintenance Pvt. Ltd. In the New Accounts Division of the Management (American Express Bank Limited) (Respondent No. 1) as in the claim statement. They were interviewed by officer of the management at the time of their appointment. However, they were purported to have been appointed through the Contractor as if they were their (Contractors) employee and not of the management American Express Bank. The workmen continued to discharge their duties under direct supervision and control of the officers of the management contractor and had never control of the official of the management. The contractor was merely an intermediary and artificial barrier introduced by the management to pay wages and to absolve themselves from giving various benefits of the service and to deny regular pay scale, allowances and various benefits of the service. The workmen performed their duties every day for 8 hours to the satisfaction under the direct control and supervision of the officer of the Management. The workmen rendered services like maintenance of books, maintaining records of receipts of application for credit card and other related work in the account section of the management and as such there was direct relationship of employer and employee between the management and the workmen. See Hussain bhai Vs. A lath Factory Tezhilati Union, 1976 L.I.C 1264 and Secretary, H.S.E.B. Vs. Suresh & Ors, (1999 LLR 433) that the doctrine of ‘Lifting of well’ enunciated in Soloman V. Soloman. It is further averred that during the course of their employment management has appointed two fresh candidates in the Bank and deputed them to perform duties which were performed by them and they were shifted to mail room and were made to sit idle and were not binding assigning any work, despite their request. The workmen being senior requested the management to regularise their services as they had put for more than 2 years of service and were entitled to be regularised. However request was not considered by the bank. Workman also approached the Labour Court seeking declaration that they are permanent employees of the bank and referred the dispute to the Labour Court. However, claim of the workmen were not properly placed before the Commissioner. Bank contested proceedings before the Commissioner denying relationship of employer and employee stating that they were employees of the contract labour Conciliation was admitted by the Conciliation Officer. Conciliation efforts resorted to by the Conciliation Officer resulted in the failure. The Government, however, refused to refer the dispute for adjudication holding the claim as frivolous. The workmen again approached the Assistant Labour Commissioner who tried for conciliation between the parties but the same could not succeed and the matter was referred to the Government/appropriate Government which referred the matter/made the present reference. It is also averred



that the Principal employer nor the contractor has been registered under the relevant provisions of contract labour and policy and regulation act and the various grounds have been raised. In view of the above averments the Workmen have claimed absorption and regularisation of their services with all consequential benefits from the initial date of appointment declaring that the American Express Bank is the real employer of the workmen and the contractor is only a nominal and sham entity and illegally introduced as intermediary to deny the legitimate rights of the workmen.

3. The claim has been initially contested by the management denying/raising various preliminary objections inter alia that the dispute is not industrial dispute and the terms of reference and the resultant proceedings are without jurisdiction and Shri Satnam Singh, Desk Officer who has made reference has no authority/jurisdiction to do so. There is no employer and employee relationship between the management and the workmen namely S/Shri Sunil Kapoor, Ajay Mishra and Tek Chand and there is no master and servant relationship between the claimants and employer and the contents of the claim statement are wrong and denied and misconceived. It is stated that the workmen were engaged by M/s. Unique Home Maintenance Pvt. Ltd. and it was reported that the claimants were doing misc. jobs for the said concern. They have not acquired status of regular employee of the management. They were working under the supervision and control of M/s. U.H.M.P. Ltd. and were paid by it and they have not acquired status of regular employee. It is further stated that contract between the management and M/s. U.H.M.P. Ltd. were genuine and legal and has been followed by the parties. It is denied that the same were either sham or in violation of the provisions of the Constitution of India and/or Constitution of U.S.A. and the Universal declaration of Human rights or Labour Laws of U.S.A. The management has an agreement with M/s. U.H.M.P. Ltd. on principal to principal basis for fulfilling the terms of the contract and the claimants herein were in the employment of M/s. U.H.M.P. Ltd. who were supervising their work which they were doing and accordingly paid by said M/s. U.H.M.P. Ltd. There is no violation of any legal constitutional right of India or U.S.A. Employer of the claimants is said M/s. U.H.M.P. Ltd who was marking/taking their attendance, making payments and issuing instructions. It is denied that the management is employer of the claimants or that there was no registration of licence as alleged and without compliance of the provisions of the contract labour. Provisions of law has been made in this regard. Due compliance of the relevant provisions of the relevant law is claimed. It is also denied that the workmen discharged the duties every day for 8 hours or to the satisfaction under the direct control or supervision of the officials of the management. It is also denied that the claimants were shifted to mail dept. or were asked to sit idle. They were provided or assigned work by the said M/s. U.H.M.P. Ltd Officials or

Executives of the management were not dealing with the workmen regarding the work assigned to them. Hence there is no question to regularise them does not arise. It is denied that workmen have worked regularly for 240 days for 8 hours daily.

4. In the rejoinder contents of the written statement were denied and averments made in the claim statement were reiterated.

5. Claimants have also filed a complaint under section 33-C on the same facts, seeking direction to the management to allow the petitioner (workmen) to discharge their duties and pass *status quo ante* and restore the conditions of service which have been changed and to pass any order deemed fit and proper on similar and identical facts.

6. Management has also contested complaint of the workmen by filing reply taking similar objections and raising similar objections making preliminary objections and pleaded as mentioned in above W. S. to statement of claims of workmen.

7. Thereafter matter was fixed for cross-examination of the workmen and at this stage a settlement arrived at between claimants Mgt and on 7-10-2004 when Shri Rajesh Kumar A/R for the management made the statement that the claim has been settled filed terms of settlement. His statement reads as under:

Statement of Shri Rajesh Kumar Advocate/A.R for the management :

"The claim has been settled and the management has paid the amount of Rs. 40366/- vide cheque No. 451045 dated 19-7-2004 and Rs. 1,75,000/- vide cheque No. 430193 dated 19-7-2004 to Shri Tek Chand in full and final settlement. He further states that the claim of other claimants namely Sunil Kapoor and Ajay Mishra has been settled and they have also been paid the same amount. Shri O.P. Badhani states that he has no knowledge. He can neither deny nor affirm the statement made by Shri Rajesh Kumar A/R for the Management."

Under these circumstances I prefer to accept the statement of Shri Rajesh Kumar Advocate A.R for the management made on 7-10-2004 as I had no reason to disbelieve his statement he being an advocate. If any of the workmen has any objection, he may approach the court. In view of his statement No dispute award is hereby passed as the matter stands settled.

8. Both the reference and application Misc. No. 15/2001 stands disposed of. The copy of this decision be placed in file complaint case No. 15/2001.

Dated : 7-10-2004

S.S. BAL, Presiding Officer

नई दिल्ली, 21 अक्टूबर, 2004

का.आ. 2927.—औद्योगिक विवाद अधिनियम, 1947 (1947 का 14) की धारा 17 के अनुसरण में, केन्द्रीय सरकार एयर इंडिया के प्रबंधन के संबद्ध नियोजकों और उनके कर्मचारों के बीच, अनुबंध में निर्दिष्ट औद्योगिक विवाद में केन्द्रीय सरकार औद्योगिक अधिकरण/श्रम न्यायालय नई दिल्ली- II के पंचाट (संदर्भ संख्या 20/98) को प्रकाशित करती है, जो केन्द्रीय सरकार को 18-10-2004 को प्राप्त हुआ था।

[सं. एल-11012/44/97-आई.आर.(सी. I)]

एस. एस. गुप्ता, अवर सचिव

New Delhi, the 21st October, 2004

S.O. 2927.—In pursuance of Section 17 of the Industrial Disputes Act, 1947 (14 of 1947), the Central Government hereby publishes the award (Ref. No. 20/98) of the Central Government Industrial Tribunal/Labour Court, New Delhi-II now as shown in the Annexure in the Industrial Dispute between the employers in relation to the management of Air India and their workman, which was received by the Central Government on 18-10-2004.

[No. L-11012/44/97-IR (C-I)]

S. S. GUPTA, Under Secy.

#### ANNEXURE

#### BEFORE THE PRESIDING OFFICER: CENTRAL GOVERNMENT INDUSTRIAL TRIBUNAL-CUM- LABOUR COURT-II,

RAJENDRA BHAWAN, GROUND FLOOR,  
RAJENDRA PLACE, NEW DELHI

Presiding Officer, R. N. RAI

I.D. No. 20/98

Sh. A.S. Choudhary  
House No. 1, Village and Post Office,  
Chhawala, New Delhi-110007

*Versus*

The Senior Manager (Pers.),  
Air India Ltd., Himalaya House,  
23, K. G. Marg, New Delhi-110001

#### AWARD

The Ministry of Labour by its letter No. L-11012/44/97/IR (CM-I) Central Government dated 23-12-1997 has referred the following point for adjudication.

The point runs as hereunder :—

"Whether the action of the management of Air India Ltd. in dismissing Sh. A.S. Choudhary, Asstt. Cabin Supervisor (o) Staff No. 31227 w.e.f. 11-06-96 is just, fair and legal? If not, to what relief the concerned workman is entitled and from what date?"

The Claimant has filed statement of claim. In his statement of claim, he has stated that in the year 1984, he

applied for the post of Catering Assistant and supplied the necessary documents as required. He was appointed as a temporary shift clerk way back in the year 1984. He again joined the opposite party in the year 1984 in temporary cadre. After a gap of 10 years the opposite party issued charge sheet dt. 07-04-1994 alleging that the workman applicant at the time of his appointment in 1984 had filed false documents alongwith the application. In reply to the aforesaid charge sheet the complainant had requested the opposite party through its Sr. Manager, through proper channel, to furnish the documents based upon which the charge was framed. The complainant was interested to clear his name since he was due for next promotion in the month of Dec. 1994. The copies were not provided to him and enquiry was concluded and he participated in the enquiry but the findings of the enquiry officer went against him and he was awarded the punishment of dismissal.

It has been contended that proper enquiry was not held. Enquiry was not held by the Competent Authority and principles of natural justice have not been followed. He was not afforded opportunity to cross examine the witness.

The management has filed written statement. In the written statement it has been stated that the workman applicant at the time of his appointment has filed false certificate and by that certificate his age was shown as 16-08-1955. Subsequently it was verified through vigilance and certificate was found false. His date of birth according to the correct certificate was 16-08-1952 and enquiry was held in this matter and the charges against the workman applicant were established and after due hearing he was given the punishment of dismissal from service.

The workman applicant has filed rejoinder. In his rejoinder he has denied most of the paragraphs of the written statement and reiterated the averments of his statement of claim. Paper No. 30 is the certificate of higher secondary examination 1970. The matter was again enquired from the Delhi University, it was reported that he passed B.A. examination in 1973. District Inspector of his school on enquiry and on the basis of the transfer certificate issued by Sh. Lal Bihari Shastri Higher Secondary School, Meerut Cantt., Meerut, reported that his date of birth is 16-08-1952 and not 16-8-1955.

Heard argument from both the sides and perused the papers on the record.

The workman applicant was not present on the date of argument. He absented himself from 30-11-2000. He has not filed any affidavit in evidence. The management has examined two witnesses. The workman applicant has not cross examined those witnesses. He has given no evidence and despite knowledge of the various dates of the case, he has absented himself without any reason.

The management has filed written arguments and the management argued the case orally as well. The workman



applicant has not given any affidavit in his evidence, as such he has not proved his statement of claim. In the transfer certificate, Paper No. 57, his date of birth is 16-08-1955. The vigilance division of Air India has also reported that his date of birth is 16-08-1952. The charge sheeted employee has given his final statement during the proceedings of the enquiry in his defence and he accepted the entire charges levelled against him and he wanted sympathetic consideration of the cruel circumstances in which he was caught and thus acted immaturely. He was mentally tortured so he wanted to seek employment by hook or by crook, so he submitted a false certificate.

The entire charges levelled against the CSE has been admitted by him in writing in his statement of defence. My attention was drawn to JT-2001 (10) SC-186. The Hon'ble Apex Court has held that in case the degree is found fake and enquiry is held and charges are found proved, termination is justified.

In view of above discussions, the fact is fully established that the workman applicant got employment on presenting a fake certificate.

The management has given evidence and affidavit and the preliminary issue of the fairness of the enquiry was not pressed before me. As such award is given on the merits of the case.

The reference is replied thus :—

The action of the management of Air India Ltd. in dismissing Sh. A.S. Choudhary, Asstt. Cabin Supervisor (o) Staff No. 31227 w.e.f. 11-06-96 is just fair and legal. The workman is not entitled to get any relief as prayed for.

The award is given accordingly.

Dt. 13-10-2004

R. N. RAI, Presiding Officer

श्रम एवं रोजगार मंत्रालय

नई दिल्ली, 25 अक्टूबर, 2004

का.आ. 2928.—कर्मचारी राज्य बीमा अधिनियम, 1948 (1948 का 34) की धारा-1 की उपधारा (3) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार एतद्वारा 01 नवम्बर, 2004 को उस तारीख के रूप में नियत करती है, जिसको उक्त अधिनियम के अध्याय-4 (44 व 45 धारा के सिवाय जो पहले से प्रवृत्त हो चुकी है) अध्याय-5 और 6 [ धारा-76 की उपधारा (1) और धारा-77, 78, 79 और 81 के सिवाय जो पहले ही प्रवृत्त की जा चुकी है ] के उपबन्ध झारखण्ड राज्य के निम्नलिखित क्षेत्रों में प्रवृत्त होंगे, अर्थात् :—

“जिला पूर्वसिंहभूम के थाना घाटशिला के अधीन राजस्व ग्राम-छेता गोविन्दपुर, गधरा, जोजोबेरा एवं नीलडीह के अन्तर्गत आने वाले क्षेत्र।”

[सं. एस-38013/79/2004-एस.एस.-1]

के. सी. जैन, निदेशक

## MINISTRY OF LABOUR & EMPLOYMENT

New Delhi, the 25th October, 2004

S.O. 2928.—In exercise of the powers conferred by sub-section (3) of Section 1 of the Employees' State Insurance Act, 1948 (34 of 1948) the Central Government hereby appoints the 1st Nov. 2004 as the date on which the provisions of Chapter IV (except Sections 44 and 45 which have already been brought into force) and Chapter-V and VI [except Sub-section (1) of Section 76 and Sections 77, 78, 79 and 81 which have already been brought into force] of the said Act shall come into force in the following areas in the State of Jharkhand namely :—

“Areas comprising in the Revenue villages of Chhota Govindpur, Gadhra, Jojobera and Neeldih under the Police Station Ghatshila, in the District of East Singhbhum.”

[No. S-38013/79/2004-S.S. I]

K. C. JAIN, Director

नई दिल्ली, 25 अक्टूबर, 2004

का.आ. 2929.—कर्मचारी राज्य बीमा अधिनियम, 1948 (1948 का 34) की धारा-1 की उपधारा (3) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार एतद्वारा 01 नवम्बर, 2004 को उस तारीख के रूप में नियत करती है, जिसको उक्त अधिनियम के अध्याय-4 (44 व 45 धारा के सिवाय जो पहले से प्रवृत्त हो चुकी है) अध्याय-5 और 6 [ धारा-76 की उपधारा (1) और धारा-77, 78, 79 और 81 के सिवाय जो पहले ही प्रवृत्त की जा चुकी है ] के उपबन्ध झारखण्ड राज्य के निम्नलिखित क्षेत्रों में प्रवृत्त होंगे, अर्थात् :—

“जिला गिरिडीह के राजस्व ग्राम-मंडरडीह, सिओडीह, अन्दुडीह, मौसिफडीह, मोहनपुर, विशुनपुर, जरीडीह, सलैया, कल्याणडीह, कलान, महतोडीह एवं बुधियाडीह के अन्तर्गत आने वाले क्षेत्र।”

[सं. एस-38013/80/2004-एस.एस.-1]

के. सी. जैन, निदेशक

New Delhi, the 25th October, 2004

S.O. 2929.—In exercise of the powers conferred by Sub-section (3) of Section 1 of the Employees' State Insurance Act, 1948 (34 of 1948) the Central Government hereby appoints the 1st Nov. 2004 as the date on which the provisions of Chapter IV (except Sections 44 and 45 which have already been brought into force) and Chapter-V and VI [except Sub-section (1) of Section 76 and Sections 77, 78, 79 and 81 which have already been brought into force] of the said Act shall come into force in the following areas in the State of Jharkhand namely :—

“Areas comprising in the Revenue villages of Manderdih, Sioidih, Andudih, Mausifdih, Mohanpur, Visunpur, Jaridih, Salaiya, Kalayandih, Kalan, Mahatodih and Budhiadih in the District of Girdih.”

[No. S-38013/80/2004-S.S. I]

K. C. JAIN, Director

नई दिल्ली, 25 अक्टूबर, 2004

**का.आ. 2930.**—कर्मचारी राज्य बीमा अधिनियम, 1948 (1948 का 34) की धारा-1 की उपधारा (3) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार एतद्वारा 01 नवम्बर, 2004 को उस तारीख के रूप में नियत करती है, जिसको उक्त अधिनियम के अध्याय-4 (44 व 45 धारा के सिवाय जो पहले से प्रवृत्त हो चुकी है) अध्याय-5 और 6 [धारा-76 की उपधारा (1) और धारा-77, 78, 79 और 81 के सिवाय जो पहले ही प्रवृत्त की जा चुकी है] के उपबन्ध शीर्षखण्ड राज्य के निम्नलिखित क्षेत्रों में प्रवृत्त होंगे, अर्थात् :—

“जिला बोकारो में राजस्व ग्राम—मानगो, कनारी, सिबुटांड, कुंदोरी, पिपराटांड, कंचनपुर, पलबहियार, दिबगढा, रितुडीह, बांसगोरा, डुमरो, लरबेरा, पंचोरा, बैदमारा, कनफट्टा, महेशपुर, कैराकुंडी, महुआर, नोहरा, आसनसोल, पनारूआ, मुचुगुंडीह, टीलाबानी, हरिला, पिंडेरगोरिया, भारह, रानीपोखर, उकरीद, बदरोटांड, बरसेरा, जोलाबांध, पथरकट्टा, चेकपंडेडीह, संगजुरी, भटुआ, धनडबरा, पिपराटांड, जरीडीह, करहरिया, कटाका, धरमपुरा, बनसिमली, झोपरो, हेसाबाटु, सिजुआ तथा चौंस नगर सीमा नगर सीमा के अन्तर्गत आने वाले क्षेत्र।”

[सं. एस-38013/81/2004-एस.एस.-I]

के. सी. जैन, निदेशक

New Delhi, the 25th October, 2004

**S.O. 2930.**—In exercise of the powers conferred by sub-section (3) of Section 1 of the Employees' State Insurance Act, 1948 (34 of 1948) the Central Government hereby appoints the 1st Nov. 2004 as the date on which the provisions of Chapter IV (except Sections 44 and 45 which have already been brought into force) and Chapter-V and VI [except Sub-section (1) of Section 76 and Sections 77, 78, 79 and 81 which have already been brought into force] of the said Act shall come into force in the following areas in the State of Jharkhand namely :—

“Areas comprising in the Revenue villages of Mango, Kanari, Sibutanr, Kundori, Pipratn, Kanchanpur, Palbahar, Dibagaraha, Ritudih, Bansgora, Dumro Larbera, Panchora, Baidmara, Kanphatta, Maheshpur, Kairakundi, Mahur, Nohra, Asansol, Panarua, Bhuchungdih, Tilabani, Harila, Pindergoria, Bharrah, Ranipokher, Ukrid, Badrotanr, Bursara, Jolabandh, Patharkatta, Chekpandedih, Sangjuri, Bhatua, Dhandabra, Pipratn, Jaridih, Karharia, Kataka, Dharamapura, Bansimli, Jhopro, Hesabatu, Sijua;

AND

the areas within the Municipal limits of Chas, in the District of Bokaro.”

[No. S-38013/81/2004-S.S. I]

K. C. JAIN, Director

नई दिल्ली, 26 अक्टूबर, 2004

**का.आ. 2931.**—केन्द्रीय सरकार संतुष्ट हो जाने पर कि लोकहित में ऐसा करना अपेक्षित था, औद्योगिक विवाद अधिनियम, 1947 (1947 का 14) की धारा 2 के खण्ड (द) के उप-खण्ड (ii) के उपबंधों के अनुसरण में भारत सरकार के श्रम मंत्रालय की अधिसूचना संख्या का. आ. 1235 दिनांक 14-5-2004 द्वारा भारत प्रतिभूति मुद्रणालय, नासिक रोड़ जो कि औद्योगिक विवाद अधिनियम, 1947 (1947 का 14) की प्रथम अनुसूची की प्रविष्टि 12 में शामिल है, को उक्त अधिनियम के प्रयोजनों के लिए दिनांक 14-5-2004 से छः मास की कालावधि के लिए लोक उपयोगी सेवा घोषित किया था;

और केन्द्रीय सरकार की राय है कि लोकहित में उक्त कालावधि को छः मास की और कालावधि के लिए बढ़ाया जाना अपेक्षित है;

अतः अब, औद्योगिक विवाद अधिनियम, 1947 (1947 का 14) की धारा 2 के खण्ड (द) के उप-खण्ड (vi) के परन्तुक द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए केन्द्रीय सरकार उक्त उद्योग को उक्त अधिनियम के प्रयोजनों के लिए दिनांक 14-11-2004 से छः मास की कालावधि के लिए लोक उपयोगी सेवा घोषित करती है।

[फा. सं. एस-11017/18/97-आई.आर. (पी.एल.)]

जे. पी. पति, संयुक्त सचिव

• New Delhi, the 26th October, 2004

**S.O. 2931.**—Whereas the Central Government having been satisfied that the public interest so required that in pursuance of the provisions of sub-clause (vi) of the clause (n) of Section 2 of the Industrial Disputes Act, 1947 (14 of 1947), declared by the Notification of the Government of India in the Ministry of Labour S.O. No. 1235 dated 14-5-2004 the service in the India Security Press, Nashik Road which is covered by item 12 of the First Schedule to the Industrial Disputes Act, 1947 (14 of 1947) to be a public utility service for the purpose of the said Act, for a period of six months from the 14th May, 2004.

And whereas, the Central Government is of opinion that public interest requires the extension of the said period by a further period of six months. ,

Now, therefore, in exercise of the powers conferred by the proviso to sub-clause (vi) of clause (n) of Section 2 of the Industrial Disputes Act, 1947, the Central Government hereby declares the said industry to be a public utility service for the purposes of the said Act, for a period of six months from the 14th November, 2004.

[F. No. S-11017/18/97-IR (PL)]

J.P. PATI, Jt. Secy.

नई दिल्ली, 1 नवम्बर, 2004

का.आ. 2932.—कर्मचारी राज्य बीमा अधिनियम, 1948 (1948 का 34) की धारा-1 की उपधारा (3) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार एतद्वारा 01 दिसम्बर, 2004 को उस तारीख के रूप में नियत करती है, जिसको उक्त अधिनियम के अध्याय-4 (44 व 45 धारा के सिवाय जो पहले से प्रवृत्त हो चुकी है) अध्याय-5 और 6 (धारा-76 की उप धारा (1) और धारा-77, 78, 79 और 81 के सिवाय जो पहले ही प्रवृत्त की जा चुकी है) के उपबन्ध हरियाणा राज्य के निम्नलिखित क्षेत्रों में प्रवृत्त होंगे, अर्थात् :—

क्रम संख्या	राजस्व ग्राम	हदबस्त संख्या	जिला
1	2	3	4
1.	मंदोथी	53	झज्जर
2.	रोहद	25	झज्जर
3.	साँपला	36	रोहतक
4.	गढ़ी साँपला	35	रोहतक
5.	इस्माईला-9 बी	38	रोहतक
6.	इस्माईला-11 बी	37	रोहतक
7.	गन्धारा	44	रोहतक

[सं. एस-38013/82/2004-एस.एस.-I]

के. सी. जैन, निदेशक

New Delhi, the 1st November, 2004

S.O. 2932.—In exercise of the powers conferred by sub-section (3) of Section 1 of the Employees' State Insurance Act, 1948 (34 of 1948) the Central Government hereby appoints the 1st December, 2004 as the date on which the provisions of Chapter IV (except Sections 44 and 45 which have already been brought into force) and Chapters-V and VI (except sub-section (i) of Section 76 and Sections 77, 78, 79 and 81 which have already been brought into force) of the said Act shall come into force in the following areas in the State of Haryana namely :—

Sl. No.	Revenue Village	Had bast No.	District
1	2	3	4
1.	Mandothi	53	Jhajjar
2.	Rohad	25	Jhajjar
3.	Sampla	36	Rohtak
4.	Garhi Sampla	35	Rohtak
5.	Ismaila-9-B	38	Rohtak
6.	Ismaila-11-B	37	Rohtak
7.	Gandhara	44	Rohtak

[No. S-38013/82/2004-S.S.-I]

K. C. JAIN, Director

नई दिल्ली, 1 नवम्बर, 2004

का.आ. 2933.—कर्मचारी राज्य बीमा अधिनियम, 1948 (1948 का 34) की धारा-1 की उपधारा (3) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार एतद्वारा 01 दिसम्बर, 2004 को उस तारीख के रूप में नियत करती है, जिसको उक्त अधिनियम के अध्याय-4 (44 व 45 धारा के सिवाय जो पहले से प्रवृत्त हो चुकी है) अध्याय-5 और 6 (धारा-76 की उप धारा (1) और धारा-77, 78, 79 और 81 के सिवाय जो पहले ही प्रवृत्त की जा चुकी है) के उपबन्ध उत्तर प्रदेश राज्य के निम्नलिखित क्षेत्रों में प्रवृत्त होंगे, अर्थात् :—

"जिला-मुरादाबाद में मुरादाबाद की बढ़ी हुई नगर सीमा के अन्तर्गत आने वाले क्षेत्र (उत्तर प्रदेश सरकार द्वारा जारी अधिसूचना संख्या : 2474/9-7-94/एम.वी./94 दिनांक 04-08-1994 के अनुसार)।"

[सं. एस-38013/83/2004-एस.एस.-I]

के. सी. जैन, निदेशक

New Delhi, the 1st November, 2004

S.O. 2933.—In exercise of the powers conferred by sub-section (3) of Section 1 of the Employees' State Insurance Act, 1948 (34 of 1948) the Central Government hereby appoints the 1st December, 2004 as the date on which the provisions of Chapter IV (except Sections 44 and 45 which have already been brought into force) and Chapters-V and VI (except sub-Section (1) of Section 76 and Sections 77, 78, 79 and 81 which have already been brought into force) of the said Act shall come into force in the following areas in the State of Uttar Pradesh namely :—

"Extended city Area of Moradabad in the District of Moradabad (As Notified by the Government of Uttar Pradesh, Vide Notification No. 2474/9-7-94/MB/94 dated 4-8-1994)."

[No. S-38013/83/2004-S.S.-I]

K. C. JAIN, Director

नई दिल्ली, 1 नवम्बर, 2004

का.आ. 2934.—कर्मचारी राज्य बीमा अधिनियम, 1948 (1948 का 34) की धारा-1 की उपधारा (3) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय सरकार एतद्वारा 01 दिसम्बर, 2004 को उस तारीख के रूप में नियत करती है, जिसको उक्त अधिनियम के अध्याय-4 (44 व 45 धारा के सिवाय जो पहले से प्रवृत्त हो चुकी है) अध्याय-5 और 6 (धारा-76 की उप धारा (1) और धारा-77, 78, 79 और 81 के सिवाय जो पहले ही प्रवृत्त की जा चुकी है) के उपबन्ध उत्तर प्रदेश राज्य के निम्नलिखित क्षेत्रों में प्रवृत्त होंगे, अर्थात् :—

"जिला-कानपुर नगर के परगना एवं तहसील कानपुर सदर के राजस्व ग्राम-भौती प्रतापपुर, सचेंडी एवं पकरी।"

[सं. एस-38013/84/2004-एस.एस.-I]

के. सी. जैन, निदेशक

New Delhi, the 1st November, 2004

**S.O. 2934.**—In exercise of the powers conferred by sub-section (3) of Section 1 of the Employees' State Insurance Act, 1948 (34 of 1948) the Central Government hereby appoints the 1st December, 2004 as the date on which the provisions of Chapter IV (except Sections 44 and 45 which have already been brought into force) and Chapters-V and VI (except sub-section (1) of Section 76

and Sections 77, 78, 79 and 81 which have already been brought into force) of the said Act shall come into force in the following areas in the State of Uttar Pradesh namely :—

“Areas comprising the revenue villages of Bhaunti Pratappur, Sachendi and Pakari in Pargana and Tehsil Kanpur Sadar of District Kanpur Nagar.”

[No. S-38013/84/2004-S.S.-I]

**K. C. JAIN**, Director